Printing date 06/10/2024

Reviewed on 06/10/2024

1 Identification

- · Product identifier
- · Trade name: Buffer Solution for EZ1037 Series-Sulphide
- · Article number: HAC131
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586



- Information department: Technical Coordinator
 Sherman Nelson shermann@aquasolutions.org
 Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure.

GHS05 Corrosion

Skin Corrosion 1A Eye Damage 1 H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Hydrochloric Acid
Hazard statements Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure.
Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.


(Contd. on page 2)

US

Printing date 06/10/2024

Trade name: Buffer Solution for EZ1037 Series-Sulphide

Reviewed on 06/10/2024



· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 7647-01-0	Hydrochloric Acid	11.566%	
· Table of Nonhazardous Ingredients			
CAS: 7732-18-5	Water	87.957%	
CAS: 10025-77-1	Ferric Chloride Hexahydrate	0.477%	

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• *After inhalation:* In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

· Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Buffer Solution for EZ1037 Series-Sulphide

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 7647-01-0	Hydrochloric Acid	1.8 ppm
CAS: 10025-77-1	Ferric Chloride Hexahydrate	15 mg/m ³
· PAC-2:		
CAS: 7647-01-0	Hydrochloric Acid	22 ppm
CAS: 10025-77-1	Ferric Chloride Hexahydrate	39 mg/m ³
· PAC-3:		
CAS: 7647-01-0	Hydrochloric Acid	100 ppm
CAS: 10025-77-1	Ferric Chloride Hexahydrate	240 mg/m ³

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 4)

US

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Buffer Solution for EZ1037 Series-Sulphide

(Contd. of page 3)

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- \cdot Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:			
CAS: 7647-01-0 Hydrochloric Acid	l		
NIOSH RECOMENDED EXP LIMI	Ceiling limit value: 7.0 mg/m3 mg/m ³		
PEL	Ceiling limit value: 7 mg/m ³ , 5 ppm		
REL	Ceiling limit value: 7 mg/m ³ , 5 ppm		
TLV	Ceiling limit value: 2 ppm		
	A4		

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

US

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Buffer Solution for EZ1037 Series-Sulphide

• Eye protection:

(Contd. of page 4)



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties	
General Information		
Appearance:	Linuid	
Form: Color:	Liquid Yellow-brown	
Odor:	Slight Iron	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.02019 g/cm ³ (8.51349 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:	00.0 <i>m</i>	
Water:	88.0 %	
VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal	
Solids content:	0.5 %	

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Buffer Solution for EZ1037 Series-Sulphide

(Contd. of page 5)

• Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

- · Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 7)

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Buffer Solution for EZ1037 Series-Sulphide

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number	
· DOT, IMDG, IATA	UN1760
· UN proper shipping name · DOT · IMDG, IATA	Corrosive liquids, n.o.s. (Hydrochloric Acid) CORROSIVE LIQUID, N.O.S. (Hydrochloric Acid)
· Transport hazard class(es)	
· DOT	
· Class	8 Corrosive substances
· Label	8
· Class · Label	8 Corrosive substances 8
· Packing group	
· DOT, IMDG, IATA	11
· Environmental hazards:	Not applicable.
 Special precautions for user Hazard identification number (Keml EMS Number: Segregation groups Stowage Category 	Warning: Corrosive substances ler code): 80 F-A,S-B (SGG1) Acids B
· Stowage Calegory · Stowage Code	ь SW2 Clear of living quarters.

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Buffer Solution for EZ1037 Series-Sulphide

(Contd. of page 7
Not applicable.
On passenger aircraft/rail: 1 L
On cargo aircraft only: 30 L
1L
Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
UN 1760 CORROSIVE LIQUID, N.O.S. (HYDROCHLORIC ACID), 8, II

15 Regulatory information

*

 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 Sara

ion 355 (extremely hazardous substances):	
e of the ingredients is listed.	
ion 313 (Specific toxic chemical listings):	
e of the ingredients is listed.	
A (Toxic Substances Control Act):	
?r	ACTIVI
rochloric Acid	ACTIV
urdous Air Pollutants	
: 7647-01-0 Hydrochloric Acid	
osition 65	
nicals known to cause cancer:	
e of the ingredients is listed.	
nicals known to cause reproductive toxicity for females:	
e of the ingredients is listed.	
nicals known to cause reproductive toxicity for males:	
e of the ingredients is listed.	
nicals known to cause developmental toxicity:	
e of the ingredients is listed.	
inogenic categories	
(Environmental Protection Agency)	
e of the ingredients is listed.	
(Threshold Limit Value)	
e of the ingredients is listed.	

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Buffer Solution for EZ1037 Series-Sulphide

(Contd. of page 8) · NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed. • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS05 GHS08 · Signal word Danger · Hazard-determining components of labeling: Hydrochloric Acid · Hazard statements Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure. · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Get medical advice/attention if you feel unwell. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision: • Date of preparation / last revision Revision 1.2, 06/10/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 05-29-2024: Creation date for SDS. STN 06/10/2024 / 1.0

 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 10)

[•] US

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Buffer Solution for EZ1037 Series-Sulphide

(Contd. of page 9)

US

	(Conta. of
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2	
* Data compared to the previous version altered.	