Printing date 06/10/2024

*

Reviewed on 06/10/2024

Identification	
Product identifier	
Trade name: <u>Ferrous Ammonium Sulfate</u> 0.5 Normal Certified Solution	
Article number: 3845	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	AQUA SOLUTIONS
Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Hazard(s) identification	
Classification of the substance or mixture	
GHS08 Health hazard	
	H350 May cause cancer.
GHS08 Health hazard Carcinogenicity 1A	H350 May cause cancer.
	H350 May cause cancer.
Carcinogenicity 1A	⁻
Carcinogenicity 1A	H315 Causes skin irritation.
Carcinogenicity 1A GHS07 Skin Irritation 2	H315 Causes skin irritation. H319 Causes serious eye irritation.
Carcinogenicity 1A GHS07 Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exposu Label elements	H315 Causes skin irritation. H319 Causes serious eye irritation.
Carcinogenicity 1A Carcinogenicity 1A GHS07 Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exposu Label elements GHS label elements The product is classified a	H315 Causes skin irritation. H319 Causes serious eye irritation. re 3 H335 May cause respiratory irritation.
Carcinogenicity 1A Carcinogenicity 1A GHS07 Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exposu Label elements GHS label elements The product is classified a	H315 Causes skin irritation. H319 Causes serious eye irritation. re 3 H335 May cause respiratory irritation.
Carcinogenicity 1A Carcinogenicity 1A GHS07 Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exposu Label elements GHS label elements The product is classified a Hazard pictograms GHS07 GHS08	H315 Causes skin irritation. H319 Causes serious eye irritation. re 3 H335 May cause respiratory irritation.
Carcinogenicity 1A Carcinogenicity 1A GHS07 Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exposu Label elements GHS label elements The product is classified a Hazard pictograms GHS07 GHS08 Signal word Danger	H315 Causes skin irritation. H319 Causes serious eye irritation. re 3 H335 May cause respiratory irritation.
Carcinogenicity 1A Carcinogenicity 1A GHS07 Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exposu Label elements GHS label elements The product is classified a Hazard pictograms Control Control Contro	H315 Causes skin irritation. H319 Causes serious eye irritation. re 3 H335 May cause respiratory irritation.
Carcinogenicity 1A Carcinogenicity 1A Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exposu Label elements GHS label elements The product is classified a Hazard pictograms GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: Sulfuric Acid 96 - 98% Ferrous Ammonium Sulfate	H315 Causes skin irritation. H319 Causes serious eye irritation. re 3 H335 May cause respiratory irritation.
Carcinogenicity 1A Carcinogenicity 1A Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exposu Label elements GHS label elements The product is classified a Hazard pictograms GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: Sulfuric Acid 96 - 98% Ferrous Ammonium Sulfate Hazard statements	H315 Causes skin irritation. H319 Causes serious eye irritation. re 3 H335 May cause respiratory irritation.
Carcinogenicity 1A Carcinogenicity 1A Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exposu Label elements GHS label elements The product is classified a Hazard pictograms Cited Components of labeling: Sulfuric Acid 96 - 98% Ferrous Ammonium Sulfate Hazard statements Causes skin irritation.	H315 Causes skin irritation. H319 Causes serious eye irritation. re 3 H335 May cause respiratory irritation.
Carcinogenicity 1A Carcinogenicity 1A Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exposu Label elements GHS label elements The product is classified a Hazard pictograms GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: Sulfuric Acid 96 - 98% Ferrous Ammonium Sulfate Hazard statements	H315 Causes skin irritation. H319 Causes serious eye irritation. re 3 H335 May cause respiratory irritation.

Printing date 06/10/2024

*

Reviewed on 06/10/2024

Trade name: Ferrous Ammonium Sulfate 0.5 Normal Certified Solution

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

(Contd. of page 1)
· Precautionary statements
<i>Obtain special instructions before use.</i>
Do not handle until all safety precautions have been read and understood.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If on skin: Wash with plenty of water.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
IF exposed or concerned: Get medical advice/attention.
Call a poison center/doctor if you feel unwell.
Specific treatment (see on this label).
Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
Health = 2
Fire = 0
2×0 Reactivity = 0
· HMIS-ratings (scale 0 - 4)
$\frac{\text{HEALTH}}{2} Health = *2$
FIRE 0 $Fire = 0$
REACTIVITY Reactivity = 0
· Other hazards
· Results of PBT and vPvB assessment
• PBT: Not applicable.
• vPvB: Not applicable.
3 Composition/information on ingredients
· Chemical characterization: Mixtures
• Description: Mixture of the substances listed below with nonhazardous additions.
· Dangerous components:
CAS: 7783-85-9 Ferrous Ammonium Sulfate 18.97%

(Contd. on page 3)

7.121%

73.91%

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Ferrous Ammonium Sulfate 0.5 Normal Certified Solution

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:			
CAS: 7783-85-9	Ferrous Ammonium Sulfate	9.6 mg/m ³	
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	$0.20 mg/m^3$	
· PAC-2:			
	Ferrous Ammonium Sulfate	110 mg/m ³	
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	8.7 mg/m ³	
· PAC-3:			
CAS: 7783-85-9	Ferrous Ammonium Sulfate	640 mg/m ³	
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	160 mg/m ³	

(Contd. on page 4)

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Ferrous Ammonium Sulfate 0.5 Normal Certified Solution

(Contd. of page 3)

7 Handling and storage

· Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

PEL Long-term value: 1 mg/m³

- *REL Long-term value: 1 mg/m³*
- TLV Long-term value: 0.2* mg/m³

*as thoracic fraction, A2

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 5)

US US

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Ferrous Ammonium Sulfate 0.5 Normal Certified Solution

(Contd. of page 4)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: Clear light green · Odor: **Odorless** · Odor threshold: Not determined. Not determined. · pH-value: · Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: 100 °C (212 °F) · Flash point: Not applicable. · Flammability (solid, gaseous): Not applicable. Not determined. · Decomposition temperature: · Ignition temperature: Product is not selfigniting. · Danger of explosion: Product does not present an explosion hazard. · Explosion limits: Lower: Not determined. Upper: Not determined. · Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) · Density at 20 °C (68 °F): 1.0336 g/cm³ (8.62539 lbs/gal) · Relative density Not determined. · Vapor density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with Water: Not miscible or difficult to mix. · Partition coefficient (n-octanol/water): Not determined.

(Contd. on page 6)

US

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Ferrous Ammonium Sulfate 0.5 Normal Certified Solution

		(Contd. of page 5
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	73.9 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	19.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	1
· NTP (National Toxicology Program)		
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	K
· OSHA-Ca (Occupational Safety & Health Administration)		_

None of the ingredients is listed.

12 Ecological information

· Toxicity

• Aquatic toxicity: No further relevant information available.

· Persistence and degradability No further relevant information available.

(Contd. on page 7)

US

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Ferrous Ammonium Sulfate 0.5 Normal Certified Solution

(Contd. of page 6)

- · Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential No further relevant information available}.$
- *Mobility in soil* No further relevant information available.
- \cdot Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Results of PBT and vPvB assessment
- Results of PB1 and vPvB assessi
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- $\cdot \textit{Other adverse effects} \textit{ No further relevant information available}.$

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number · DOT, IMDG, IATA	UN1760
· UN proper shipping name	
·DOT	Corrosive liquids, n.o.s. (Sulfuric Acid)
· IMDG, IATA	CORROSIVE LIQUID, N.O.S. (Sulfuric Acid)
· Transport hazard class(es)	
·DOT	
CORROSIVE 8	
· Class	8 Corrosive substances
· Label	8
· IMDG, IATA	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
	(Contd. on page

Printing date 06/10/2024 Reviewed on 06/10/2024 Trade name: Ferrous Ammonium Sulfate 0.5 Normal Certified Solution (Contd. of page 7) · Special precautions for user Warning: Corrosive substances · Transport in bulk according to Annex II of Not applicable. MARPOL73/78 and the IBC Code · UN "Model Regulation": UN 1760 CORROSIVE LIQUID, N.O.S. (SULFURIC ACID), 8, II 15 Regulatory information · Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara · Section 355 (extremely hazardous substances): CAS: 7664-93-9 Sulfuric Acid 96 - 98% • Section 313 (Specific toxic chemical listings): CAS: 7664-93-9 Sulfuric Acid 96 - 98% · TSCA (Toxic Substances Control Act): Water ACTIVE Sulfuric Acid 96 - 98% ACTIVE · Hazardous Air Pollutants None of the ingredients is listed. · Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms



A2

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Ferrous Ammonium Sulfate 0.5 Normal Certified Solution

• Signal word Danger	.)
• <i>Hazard-determining components of labeling:</i> Sulfuric Acid 96 - 98%	
Ferrous Ammonium Sulfate	
· Hazard statements	
Causes skin irritation.	
Causes serious eye irritation.	
May cause cancer.	
May cause respiratory irritation.	
Precautionary statements Obtain an axial instructions hafana tao	
<i>Obtain special instructions before use.</i>	
Do not handle until all safety precautions have been read and understood.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin: Wash with plenty of water.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do	•
Continue rinsing.	
IF exposed or concerned: Get medical advice/attention.	
Call a poison center/doctor if you feel unwell.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
. National regulations	

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. *Exceptions can be made by the authorities in certain cases.*

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

- Date of Preparation / Last Revision:
- Date of preparation / last revision Revision 1.2, 06/10/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 05-29-2024: Creation date for SDS. STN 06/10/2024 / 1.0

• Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

(Contd. on page 10)

US

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Ferrous Ammonium Sulfate 0.5 Normal Certified Solution

	(Contd. of page 9)	
CAS: Chemical Abstracts Service (division of the American Chemical Society)		
NFPA: National Fire Protection Association (USA)		
HMIS: Hazardous Materials Identification System (USA)		
VOC: Volatile Organic Compounds (USA, EU)		
PBT: Persistent, Bioaccumulative and Toxic		
vPvB: very Persistent and very Bioaccumulative		
NIOSH: National Institute for Occupational Safety		
OSHA: Occupational Safety & Health		
TLV: Threshold Limit Value		
PEL: Permissible Exposure Limit		
REL: Recommended Exposure Limit		
Skin Irritation 2: Skin corrosion/irritation – Category 2		
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A		
Carcinogenicity 1A: Carcinogenicity – Category 1A		
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3		
$\cdot *$ Data compared to the previous version altered.		
	US	_
	05	