Printing date 06/10/2024

Reviewed on 06/10/2024

1 Identification

- · Product identifier
- · Trade name: Potassium Hexafluoroarsenate (V) 99%
- · Article number: P3999
- CAS Number: 17029-22-0
- **EC number:** 241-102-7
- Index number: 033-005-00-1
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536 USA
 800-256-2586
- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 *Hazard*(*s*) *identification*

· Classification of the substance or mixture

GHS06 Skull and crossbones

Acute Toxicity - Oral 1H300 Fatal if swallowed.Acute Toxicity - Dermal 1H310 Fatal in contact with skin.Acute Toxicity - Inhalation 3H331 Toxic if inhaled.



Carcinogenicity 1A

GHS08 Health hazard

H350 May cause cancer.

· Label elements

• *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



Signal word Danger
Hazard statements
Fatal if swallowed or in contact with skin. Toxic if inhaled.
May cause cancer.

(Contd. on page 2)

US

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Potassium Hexafluoroarsenate (V) 99%

ary statements cial instructions before use. dle until all safety precautions have been read and understood. thing dust/fume/gas/mist/vapors/spray in eyes, on skin, or on clothing.	
dle until all safety precautions have been read and understood. thing dust/fume/gas/mist/vapors/spray	
thing dust/fume/gas/mist/vapors/spray	
in eves on skin or on clothing	
<i>in cycs, on shin, or on cionnic.</i>	
bughly after handling.	
drink or smoke when using this product.	
utdoors or in a well-ventilated area.	
ctive gloves/protective clothing/eye protection/face protection.	
d: Immediately call a poison center/doctor.	
atment (see on this label).	
h.	
Wash with plenty of water.	
ED: Remove person to fresh air and keep comfortable for breathing.	
or concerned: Get medical advice/attention.	
mediately all contaminated clothing and wash it before reuse.	
vell-ventilated place. Keep container tightly closed.	
d up.	
contents/container in accordance with local/regional/national/international regulations.	
ion system:	
ngs (scale 0 - 4)	
XX 11 4	
Health = 4	
Fire = 0	
\checkmark Reactivity = 0	
ngs (scale 0 - 4)	
Health = $*4$	
$\begin{array}{c} \hline \\ 0 \\ Fire = 0 \end{array}$	
$\overrightarrow{0}$ Reactivity = 0	
urds —	
PBT and vPvB assessment	
upplicable.	
applicable.	

- · Chemical characterization: Substances
- · CAS No. Description
- CAS: 17029-22-0 potassium hexafluoroarsenate
- · Identification number(s)
- EC number: 241-102-7
- · Index number: 033-005-00-1

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

(Contd. on page 3)

US

Printing date 06/10/2024

Reviewed on 06/10/2024

(Contd. of page 2)

Trade name: Potassium Hexafluoroarsenate (V) 99%

• After inhalation:

Supply fresh air or oxygen; call for doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.

· Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.

· Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- · PAC-1: Substance is not listed.
- · PAC-2: Substance is not listed.
- · PAC-3: Substance is not listed.

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- *Open and handle receptacle with care.*
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- *Specific end use(s) No further relevant information available.*

(Contd. on page 4)

Printing date 06/10/2024

1

Reviewed on 06/10/2024

Trade name: Potassium Hexafluoroarsenate (V) 99%

(Contd. of page 3)

Control parameters Components with limit values that require monitoring at the workplace: CAS: 17029-22-0 potassium hexafluoroarsenate PEL Long-term value: 0.01 mg/m ³ as As: 29CFR1910.1018 REL Ceiling limit value: 0.002 mg/m ³ as As: 29CFR1910.1018 REL Ceiling limit value: 0.002 mg/m ³ as As: 59CFR1910.1018 REL Ceiling limit value: 0.002 mg/m ³ as As: 59CFR1910.1018 REL Ceiling limit value: 0.002 mg/m ³ as As: 59CFR1910.1018 REL Complexent value: 0.01 mg/m ³ as As: 59CFR1910.1018 REL Complexent value: 0.01 mg/m ³ as As: 59CFR1910.1018 REL Complexent value: 0.01 mg/m ³ as As: 59CFR1910.1018 REL Signa Additional theorem value of the substaine of the product values: CAS: 17029-22-0 potassium hexafluoroarsenate BEI 35 g As/L LD50 Introgenetioneal: urine Time: end of workweek LD50. Inorganic arsenic plus methylated metabolites (background) - Additional information: The lists that were valid during the creation were used as basis. Exposure controls -Personal protective equipment: General protective equipment: General protective equipment: General protective equipment: Inmediately remove all soled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure respiratory protective elothing separately. Protective gloves Protective gloves Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the gl	• Addi	tional information about design of technical systems: No further data; see section 7.
 Components with limit values that require monitoring at the workplace: CAS: 17029-22-0 potassium hexafluoroarsenate PEL Long-term value: 0.01 mg/m³ as As; 15min; See Pocket Guide App. A TLV Long-term value: 0.01 mg/m³ as As; 15min; See Pocket Guide App. A TLV Long-term value: 0.01 mg/m³ as As; 15min; See Pocket Guide App. A TLV Long-term value: 0.01 mg/m³ as As; 15min; See Pocket Guide App. A TLV Long-term value: 0.01 mg/m³ as As; 17029-22-0 potassium hexafluoroarsenate BEI 35 µg AxL LD50: Intrapertoneal: urine Time: end of workweek LD50: Intrapentioneal: urine Time: end of workweek LD50: Intrapentioneal: urine Time: end of workweek CD50: Intrapention: The lists that were valid during the creation were used as basis. Exposure controls Personal protective and hygienic measures: Keep away from foodstup/ds, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure respiratory protective devic		
CAS: 17029-22-0 potassium hexaftuoroarsenate PEL Long-term value: 0.01 mg/m³ as As; 29CFR1910.1018 FEL Ceiling limit value: 0.002 mg/m³ as As; 15min; See Pocket Guide App. A TLV Long-term value: 0.01 mg/m³ as As; 15min; See Pocket Guide App. A TLV Long-term value: 0.01 mg/m³ as As; BEI, A1 Ingredients with biological limit values: CAS: 17029-22-0 potassium hexaftuoroarsenate BEI 35 µg AvL LD50 Intraperitoneal: urine Time: end of workweek LD50: Inorganic arsenic plus methylated metabolites (background) • Additional information: The lists that were valid during the creation were used as basis. • Exposure controls Personal protective equipment: General protective equipment: Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure respiratory protective device that is independent of circulating air. Protection of hands: <th></th> <th>-</th>		-
PEL Long-term value: 0.01 mg/m ³ as As; 29CFRJ910.1018 REL Ceiling limit value: 0.002 mg/m ³ as As; 15min; See Pocket Guide App. A TLV Long-term value: 0.01 mg/m ³ as As; BEI, A1 Ingredients with biological limit values: CAS: 17029-22-0 potassium hexafluoroarsenate BEI 35 yg As/L LD50 Intraperitoneal: urine Time: end of workweek LD50: Inorganic arsenic plus methylated metabolites (background) • Additional information: The lists that were valid during the creation were used as basis. • Exposure controls Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure respiratory protective device that is independent of circulating air. Protection of hands: Protection of hands: Protection of hands: Protection of hands to be impermeable and resistant to the product/ the substance/ the pre		· · · · ·
as As; 29CFR1910.1018 REL Ceiling limit value: 0.002 mg/m ³ as As; 15min; See Pocket Guide App. A TLV Long-term value: 0.01 mg/m ³ as As; BEL A1 Ingredients with biological limit values: CAS: 17029-22-0 potassium hexafluoroarsenate BEI 35 µ g ArL LD50: Intraperitoneal: urine Time: end of workweek LD50: Inorganic arsenic plus methylated metabolites (background) Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective equipment: General protective equipment: Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Dreating equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure respiratory protective device that is independent of circulating air. Protection of hands: W Dreating equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure respiratory protective device that is independent of circulating air. Protection of hands: <tr< th=""><th></th><th></th></tr<>		
as As; T5min; See Pocket Guide App. A TLV Long-term value: 0.01 mg/m³ as As; BEI, A1 • Ingredients with biological limit values: CAS: 1702-22-0 potassium hexafluoroarsenate EEI 35 µg As/L LD50 Intraperitoneal: urine Time: end of workweek LD50: Inorganic arsenic plus methylated metabolites (background) • Additional information: The lists that were valid during the creation were used as basis. • Exposure controls • Personal protective equipment: • General protective equipment: • General protective equipment: • General protective end hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. • Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure respiratory protective device that is independent of circulating air. • Protection of hands: • Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation chemical mixture.	I LL	
as As; 15min; See Pocket Guide App. A TLV Long-term value: 0.01 mg/m³ as As; BEI, A1 - Ingredients with biological limit values: CAS: 1702-22-0 potassium hexafluoroarsenate BEI 35 µg As/L LD50 Intraperitoneal: urine Time: end of workweek LD50: Inorganic arsenic plus methylated metabolites (background) - Additional information: The lists that were valid during the creation were used as basis. • Exposure controls • Personal protective equipment: • General protective equipment: • General protecting separately. × Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. • Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure respiratory protective device that is independent of circulating air. • Protection of hands: • Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be give	REL	Ceiling limit value: 0.002 mg/m ³
as \$\$; BEI, A1 Ingredients with biological limit values: CAS: 17029-22-0 potassium hexafluoroarsenate BEI 35 µg As/L LD50 Intraperitoneal: urine Time: end of workweek LD50: Inorganic arsenic plus methylated metabolites (background) Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Inmediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure respiratory protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation of the penetration times, rates of diffusion and the degradatio Chateria of gloves The selection of the slowed material on consideration of the penetration times, rates of diffusion and the degradatio Chateria of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. Penetration time of glove material		
Ingredients with biological limit values: CAS: 17029-22-0 potassium hexafluoroarsenate BEI 35 µg As/L LD50 Intraperitoneal: urine Time: end of workweek LD50: Inorganic arsenic plus methylated metabolites (background) Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure respiratory protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Selection of the dynamic and consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to Paration time of gloves material The exact break through time has to be found out by the manufacturer of the protective gloves and has to Paration time of gloves and has to be found out by the manufacturer of the protective gloves and has to Paration time of gloves and has to be found out by the manufacturer of the protective gloves and has to Paration time of gloves and has to be found out by the manufacturer of the protective gloves and has to Paration time of gloves and the	TLV	Long-term value: 0.01 mg/m ³
CAS: 17029-22-0 potassium hexafluoroarsenate BEI 35 µg As/L LD50 Intraperitoneal: wrine Time: end of workweek LD50: Inorganic arsenic plus methylated metabolites (background) • Additional information: The lists that were valid during the creation were used as basis. • Exposure controls • Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. • Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure respiratory protective device that is independent of circulating air. • Protection of hands: • Or the glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation • Cheerial of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. • Penetration time of glove material Th		as As; BEI, A1
BEI 35 µg As/L LD50 Intraperitoneal: urine Time: end of workweek LD50: Inorganic arsenic plus methylated metabolites (background) Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure respiratory protective device that is independent of circulating air. Protection of hands: View Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation for the gloves Material of glove	· Ingr	edients with biological limit values:
LD50 Intraperitoneal: urine Time: end of workweek LD50: Inorganic arsenic plus methylated metabolites (background) • Additional information: The lists that were valid during the creation were used as basis. • Exposure controls • Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. • Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure respiratory protective device that is independent of circulating air. • Protection of hands: • Protection of hands: • Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation of the penetration times, rates of diffusion and the degradation • Selection of the suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. • Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to	CAS	: 17029-22-0 potassium hexafluoroarsenate
LD50 Intraperitoneal: urine Time: end of workweek LD50: Inorganic arsenic plus methylated metabolites (background) • Additional information: The lists that were valid during the creation were used as basis. • Exposure controls • Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. • Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure respiratory protective device that is independent of circulating air. • Protection of hands: • Protection of hands: • Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Selection of the gloves material on consideration of the penetration times, rates of diffusion and the degradation • Selection of the suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. • Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to		
LD50: Inorganic arsenic plus methylated metabolites (background) Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure respiratory protective device that is independent of circulating air. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Selection of the suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and the degradation for the protective to manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to th		
 Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure respiratory protective device that is independent of circulating air. Protection of hands: Wretting loves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to 		
 Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure respiratory protective device that is independent of circulating air. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to 		
 The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has a supervised of the supervised of the supervised on the manufacturer. 	Store Avoi • Brea In ca respi	e protective clothing separately. d contact with the eyes and skin. thing equipment: use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u iratory protective device that is independent of circulating air.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be	Line Contraction	Protective gloves
 Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has a second second	Due chen	to missing tests no recommendation to the glove material can be given for the product/ the preparation/ t nical mixture.
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. • Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has a		
The exact break through time has to be found out by the manufacturer of the protective gloves and has a	The s varie	selection of the suitable gloves does not only depend on the material, but also on further marks of quality a es from manufacturer to manufacturer.
000017004		

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Potassium Hexafluoroarsenate (V) 99%

• Eye protection:

(Contd. of page 4)



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties		
· Information on basic physical and chemical properties		
· General Information		
· Appearance:		
Form:	Solid	
Color:	off-white	
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	>400 °C (>752 °F)	
Boiling point/Boiling range:	Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Decomposition temperature:	Not determined.	
· Ignition temperature:	Not determined.	
• Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not determined.	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Not determined.	
· Partition coefficient (n-octanol/wat	ter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

(Contd. on page 6)

US

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Potassium Hexafluoroarsenate (V) 99%

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

Oral	LD50	0.5 mg/kg (ATE)
		5 mg/kg (ATE)
Inhalative	LC50/4h	0.5 mg/l (ATE)

· Primary irritant effect:

• on the skin: No irritant effect.

- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information: Danger through skin absorption.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) 1
- · NTP (National Toxicology Program) K
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

(Contd. of page 5)

Trade name: Potassium Hexafluoroarsenate (V) 99%

(Contd. of page 6)

Reviewed on 06/10/2024

Printing date 06/10/2024

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

· UN-Number	
· DOT, IMDG, IATA	UN1557
· UN proper shipping name	
	Arsenic compounds, solid, n.o.s. (potassium hexafluoroarsenat
· IMDG, IATA	ARSENIC COMPOUND, SOLID, N.O.S. (potassi hexafluoroarsenate)
· Transport hazard class(es)	
·DOT	
Toxic	
· Class	6.1 Toxic substances 6.1
· Label · IMDG	0.1
· Class · Label	6.1 Toxic substances 6.1
· IATA	
· Class	6.1 Toxic substances
· Label	6.1
· Packing group · DOT, IMDG, IATA	II
· Environmental hazards:	
· Marine pollutant:	Symbol (fish and tree)
· Special precautions for user	Warning: Toxic substances
• Hazard identification number (Kemler cod • EMS Number:	'e): 60 F-A,S-A
• EMS Number: • Stowage Category	Г-А,S-А А
· Segregation Code	SG70 For arsenic sulphides, "separated from" SGG1-acids
• Transport in bulk according to Annex II oj MARPOL73/78 and the IBC Code	f Not applicable.

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Potassium Hexafluoroarsenate (V) 99%

	(Contd. of page
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 25 kg
	On cargo aircraft only: 100 kg
· IMDG	
· Limited quantities (LQ)	500 g
\cdot Excepted quantities (EQ)	Code: E4
	Maximum net quantity per inner packaging: 1 ml
	Maximum net quantity per outer packaging: 500 ml
• UN "Model Regulation":	UN 1557 ARSENIC COMPOUND, SOLID, N.O.S. (POTASSIUN HEXAFLUOROARSENATE), 6.1, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

- · Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) A
- · TLV (Threshold Limit Value) A1
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is listed.
- *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



Signal word Danger
Hazard statements
Fatal if swallowed or in contact with skin.
Toxic if inhaled.
May cause cancer.

Precautionary statements
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Avoid breathing dust/fume/gas/mist/vapors/spray
Do not get in eyes, on skin, or on clothing.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.

(Contd. on page 9)

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Potassium Hexafluoroarsenate (V) 99%

(Contd. of page 8) Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Rinse mouth. If on skin: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF exposed or concerned: Get medical advice/attention. Take off immediately all contaminated clothing and wash it before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

- Date of Preparation / Last Revision:
- Date of preparation / last revision Revision 1.2, 06/10/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 05-29-2024: Creation date for SDS. STN 06/10/2024 / 1.0
 Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Acute Toxicity - Oral 1: Acute toxicity - Category 1 Acute Toxicity - Inhalation 3: Acute toxicity - Category 3 Carcinogenicity 1A: Carcinogenicity - Category 1A \cdot * Data compared to the previous version altered.

US