Printing date 06/10/2024

\*

Reviewed on 06/10/2024

Digested)         Article number: HON162         Details of the supplier of the safety data sheet         Manufacturer/Supplier:         Aqua Solutions, Inc.         6013 Highway 225         DEER PARK, TX 77536         USA         800-236-2386         Information department:         Technical Coordinator         Sherman Nelson shermann@aquasolutions.org         Emergency telephone number:         Chemtrex: 800-2424-9300         Canutee: 613-996-6666         Iteratrd(s) identification         Classification of the substance or mixture         image:         image:         GHS08 Health hazard         Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolon repeated exposure.         image:         image:         image:         GHS05 Corrosion         Skin Corrosion IA         Kyac Damage 1         H318 Causes series serious eye damage.         Label elements         GHS05 GHS05         GHS08         GHS08         GHS08         GHS08         GHS05 GHS05         GHS05         GHS05         GHS05	Identification	
Trade name:       Calcium Fluoride Standard 5% (Digested)         Article number:       Hollo 2         Details of the supplier of the safety data sheet Manufacturer/Supplier: Agua Solutions, Inc.       Imagested         Agua Solutions, Inc.       Bit Sighway 225         DEER PARK, TX 77536       USA         800-256-2586       Information department:         Technical Coordinator       Sterman Nelson shermann@aquasolutions.org         Emergency telephone number:       Chemtree: Wool-244-9300         Chemtre::       Wool-24-9300         Cantec:       613-996-6666         Hazard(s) identification       Imagested State	Product identifier	
Digested)         Article number: H0N162         Details of the supplier of the safety data sheet         ManufacturerSupplier:         Aqua Solutions, Inc.         6913 Highway 225         DEER PARK, TX 77536         USA         800-256-2586         Information department:         Technical Coordinator         Sherman Nelson shermann@aquasolutions.org         Emergency telephone number:         Chemitre: 800-424-9300         Canutec: 613-996-6666         Hazard(s) identification         Classification of the substance or mixture         Image: 1         Mail Classification of the substance or mixture         Image: Classification of the substance or mixture	·	1.50/
Article number: HON162 Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-252-5286 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtree: 800-224-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture $\widehat{V}$ GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolon repeated exposure. $\widehat{V}$ GHS05 Corrosion Skin Corrosion IA Eve Damage 1 Label elements GIS tabel elements The product is classified and labeled according to the Globally Harmonized System (C Hazard dietorgrams $\widehat{V}$		
Details of the supplier of the safety data sheet Manufacturer/Supplier: Agma Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chentrice: 800-240-300 Canutec: 613-996-6666 Information of the substance or mixture Coordinator GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolon repeated exposure. GHS05 Corrosion Skin Corrosion IA Eye Damage 1 H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. Labet elements GHS08 bloel elements The product is classified and labeled according to the Globally Harmonized System (Officiation Big and States) GHS05 GHS08 Signal word Danger Hazard-determining components of labeling: Hydrochloric Acid Hazard statements Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure. Frecutionary statements May cause damage to organs through prolonged or repeated exposure. Frecutionary statements May cause damage to organs through prolonged or repeated exposure. Frecutionary statements May cause damage to organs through prolonged or repeated exposure. Frecutionary statements May cause damage to organs through prolonged or repeated exposure. Frecutionary statements Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure. Frecutionary statements May cause damage to organs through prolonged or repeated exposure. Frecutionary statements May cause damage to organs through prolonged or repeated exposure. Frecutionary statements May cause damage to organs through prolonged or repeated exposure. Frecutionary statements May cause damage to organs through prolonged or repeated exposure. Frecutionary statements May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repe		
Manufacturer/Supplier: Aqua solutions, Inc. 6013 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Charnere: 800-242-9300 Canutee: 613-996-6666 Intervent 200-242-9300 Canutee: 613-996-6666 Intervent 200-240-9300 Canutee: 613-996-6666 Intervent 200-240-9300 Canutee: 613-996-6666 Intervent 200-240-930 Canutee: 613-996-666 Intervent 200-240-930 Canutee: 613-996-666 Intervent 200-240-940 Intervent 200-240-940 Inter	Article number: HON162	
Aqua Solutions, Inc. 6913 Highway 225 DERP APK, TX 77536 USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency teleptone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture		sheet 🔰
6013 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chartner: 800-424-9300 Canutec: 613-996-6666 Intervent: 800-424-9300 Canutec: 613-996-6666 Intervent: 800-424-9300 Canutec: 613-996-6666 Intervent: 800-424-9300 Canutec: 613-996-6666 Intervention of the substance or mixture Intervention of the substance or substance Intervention of the substance or substance Intervention of the substance of the substance or substance Intervention of the substance of the substance or substance Intervention of the substance or mixture Intervention of the substance or mist. Intervention of the substance or mist. Intervention of the substance or mist.		
DEER PARK, TX 77536 USA 800-236-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemitre: 800-324-29300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture		
USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemre: 800-424-9300 Canutee: 613-996-6666		SOLUTIONS
800-256-2586 Information department: Technical Coordinator Sherman Nesson shermann@aquasolutions.org Emergency telephone number: Chemitre:: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture		
Information department:         Technical Coordinator         Sherman Nelson shermann@aquasolutions.org         Emergency telephone number:         Chamtree: 800-424-9300         Canutee: 613-996-6666         Hazard(s) identification         Classification of the substance or mixture         Image: Comparison of the substance or mixture         Image: Classification of the substance or the substance or mixture         Image: Classification of the substance or the substanc		
Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtree: 800-424-9300 Canutee: 613-996-6666 Hazard(s) identification Classification of the substance or mixture		
Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtree: 800-424-9300 Canutee: 613-996-6666 Hazard(s) identification Classification of the substance or mixture		
Emergency telephone number: Chemitrec: 800-424-9300 Canutec: 613-996-6666         Hazard(s) identification         Classification of the substance or mixture         Image: Comparison or mixtore         Image: Comparison or mixtore		16 OFG
Chemirec: 800-424-9300 Canutec: 613-996-6666		w.018
Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture		
Hazard(s) identification         Classification of the substance or mixture         OF		
Classification of the substance or mixture GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolon repeated exposure. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (C Hazard pictograms GHS05 GHS08 Signal word Danger Hazard-determining components of labeling: Hydrochloric Acid Hazard statements Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure. Precautionary statements Do not breathe dusts or mists.		
Classification of the substance or mixture GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolon repeated exposure. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (O Hazard pictograms GHS05 GHS08 Signal word Danger Hazard-determining components of labeling: Hydrochloric Acid Hazard statements Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure. Precautionary statements Do not breath edusts or mists.		
GHS08 Health hazard         Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolon repeated exposure.         Image 1         GHS05 Corrosion         Skin Corrosion 1A         H314 Causes severe skin burns and eye damage.         Eye Damage 1         H318 Causes serious eye damage.         Label elements         GHS05 GHS05         GHS05 GHS05         GHS05 GHS05         GHS05 GHS05         GHS05 GHS05         GHS05 GHS05         GHS05 GHS08         Signal word Danger         Hazard Statements         Hazard statements         Causes severe skin burns and eye damage.         May cause damage to organs through prolonged or repeated exposure.         Precautionary statements         Causes severe skin burns and eye damage.         May cause damage to organs through prolonged or repeated exposure.         Precautionary statements         Do not breathe dusts or mists.	Hazard(s) identification	
Eye Damage 1H318 Causes serious eye damage.Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (C Hazard pictograms $\widetilde{U}$ $$	Specific Target Organ Toxicity Repeated	d Exposure 2 H373 May cause damage to organs through prolonged
Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (C Hazard pictograms $\overbrace{GHS05}^{V}$ $\overbrace{GHS08}^{V}$ Signal word Danger Hazard-determining components of labeling: Hydrochloric Acid Hazard statements Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure. Precautionary statements Do not breathe dusts or mists.		
Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (C Hazard pictograms $\overbrace{GHS05}^{V}$ $\overbrace{GHS08}^{V}$ Signal word Danger Hazard-determining components of labeling: Hydrochloric Acid Hazard statements Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure. Precautionary statements Do not breathe dusts or mists.	GHS05 Corrosion	repeated exposure.
Signal word Danger Hazard-determining components of labeling: Hydrochloric Acid Hazard statements Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure. Precautionary statements Do not breathe dusts or mists.	GHS05 Corrosion Skin Corrosion 1A	repeated exposure. H314 Causes severe skin burns and eye damage.
Hazard-determining components of labeling: Hydrochloric Acid Hazard statements Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure. Precautionary statements Do not breathe dusts or mists.	GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements The product is classij	repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
Hydrochloric Acid Hazard statements Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure. Precautionary statements Do not breathe dusts or mists.	GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements The product is classi Hazard pictograms	repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
Hazard statementsCauses severe skin burns and eye damage.May cause damage to organs through prolonged or repeated exposure.Precautionary statementsDo not breathe dusts or mists.	GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements The product is classi Hazard pictograms GHS05 GHS08	repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure. <b>Precautionary statements</b> Do not breathe dusts or mists.	GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements The product is classi Hazard pictograms GHS05 GHS08 Signal word Danger Hazard-determining components of label	repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. fied and labeled according to the Globally Harmonized System (GHS
May cause damage to organs through prolonged or repeated exposure. <b>Precautionary statements</b> Do not breathe dusts or mists.	GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements The product is classi Hazard pictograms GHS05 GHS08 Signal word Danger Hazard-determining components of label Hydrochloric Acid	repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. fied and labeled according to the Globally Harmonized System (GHS
Precautionary statements Do not breathe dusts or mists.	GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements The product is classi Hazard pictograms GHS05 GHS08 Signal word Danger Hazard-determining components of label Hydrochloric Acid Hazard statements	repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. fied and labeled according to the Globally Harmonized System (GHS)
Do not breathe dusts or mists.	GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements The product is classi Hazard pictograms GHS05 GHS08 Signal word Danger Hazard-determining components of label Hydrochloric Acid Hazard statements Causes severe skin burns and eye damage	repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. fied and labeled according to the Globally Harmonized System (GHS ling:
Wash thoroughly after handling.	GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements The product is classif Hazard pictograms GHS05 GHS08 Signal word Danger Hazard-determining components of label Hydrochloric Acid Hazard statements Causes severe skin burns and eye damage May cause damage to organs through pro	repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. fied and labeled according to the Globally Harmonized System (GHS ling:
	Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements The product is classif Hazard pictograms GHS05 GHS08 Signal word Danger Hazard-determining components of label Hydrochloric Acid Hazard statements Causes severe skin burns and eye damage May cause damage to organs through pro Precautionary statements	repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. fied and labeled according to the Globally Harmonized System (GHS ling:

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Calcium Fluoride Standard 5% (Digested)

((	contd. of page 1)
Wear protective gloves/protective clothing/eye protection/face protection.	ioniai of page 1)
If swallowed: Call a poison center/doctor if you feel unwell.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and	d easy to do
Continue rinsing.	i easy io ao.
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = $0$	
3  0  Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
<b>HEALTH</b> <sup>*3</sup> Health = $*3$	
FIRE 0 Fire = $0$	
$\frac{1}{\text{REACTIVITY}[0]}  Reactivity = 0$	
Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• <b>PBT:</b> Not applicable.	
• <b>vPvB:</b> Not applicable.	
3 Composition/information on ingredients	
· Chemical characterization: Mixtures	
• <b>Description:</b> Mixture of the substances listed below with nonhazardous additions.	
Dangerous components:	
CAS: 7647-01-0 Hydrochloric Acid	9.192%
CAS: 10101-41-4 Calcium Sulfate, Powder	1.227%
· Table of Nonhazardous Ingredients	
France of Formagaraties Ingreatents	

CAS: 7732-18-5 Water

CAS: 7681-49-4 Sodium Fluoride

## 4 First-aid measures

## · Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3)

89.529%

0.052%

- US

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Calcium Fluoride Standard 5% (Digested)

(Contd. of page 2)

- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor. • Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## **6** Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. • Environmental precautions: Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals · PAC-1: CAS: 7647-01-0 Hydrochloric Acid 1.8 ppm CAS: 7681-49-4 Sodium Fluoride 17 mg/m<sup>3</sup> · PAC-2: CAS: 7647-01-0 Hydrochloric Acid 22 ppm CAS: 7681-49-4 Sodium Fluoride 90 mg/m<sup>3</sup> · PAC-3: CAS: 7647-01-0 Hydrochloric Acid 100 ppm CAS: 7681-49-4 Sodium Fluoride 1,100 mg/m<sup>3</sup>

## 7 Handling and storage

· Handling:

- · Precautions for safe handling
- *Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*

(Contd. on page 4)

<sup>-</sup> US -

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Calcium Fluoride Standard 5% (Digested)

(Contd. of page 3)

• Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:		
CAS: 7647-01-0 Hydrochloric Acid		
NIOSH RECOMENDED EXP LIMI	Ceiling limit value: 7.0 mg/m3 mg/m <sup>3</sup>	
PEL	Ceiling limit value: 7 mg/m³, 5 ppm	
REL	Ceiling limit value: 7 mg/m³, 5 ppm	
TLV	Ceiling limit value: 2 ppm	
	A4	
CAS: 10101-41-4 Calcium Sulfate, Powder		
TLV	Long-term value: 10* mg/m <sup>3</sup>	
	*as inhalable fraction	

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

 $Store\ protective\ clothing\ separately.$ 

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

US

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Calcium Fluoride Standard 5% (Digested)

(Contd. of page 4)

US

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Clear water white	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	<2	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	1.16626 g/cm³ (9.73244 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	

Printing date 06/10/2024

Reviewed on 06/10/2024

ade name: Calcium Fluoride Standard 5% (Digested)		
		(Contd. of page
· Solvent content:		
Water:	89.5 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	1.3 %	
• Other information	No further relevant information available.	

## **10** Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- $\cdot$  on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7681-49-4 Sodium Fluoride

· NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12** Ecological information

· Toxicity

• Aquatic toxicity: No further relevant information available.

· Persistence and degradability No further relevant information available.

(Contd. on page 7)

3

US

Printing date 06/10/2024

Reviewed on 06/10/2024

#### Trade name: Calcium Fluoride Standard 5% (Digested)

(Contd. of page 6)

- · Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential No further relevant information available}.$
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN3264
UN proper shipping name DOT IMDG, IATA	Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric Acid) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O. (Hydrochloric Acid)
Transport hazard class(es)	
CORROSIVE 8	
Class Label	8 Corrosive substances 8
IMDG, IATA	
• Class	8 Corrosive substances

A4

## Safety Data Sheet acc. to OSHA HCS

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Calcium Fluoride Standard 5% (Digested)

	(Contd. of page 7)
· Label	8
· Packing group · DOT, IMDG, IATA	111
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID), 8, III

# **15 Regulatory information**

 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 Sara

· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Hydrochloric Acid	ACTIVE
Sodium Fluoride	ACTIVE
· Hazardous Air Pollutants	
CAS: 7647-01-0 Hydrochloric Acid	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 7681-49-4 Sodium Fluoride

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 9)

Printing date 06/10/2024

Reviewed on 06/10/2024

Printing date 06/10/2024	<i>Reviewed on 06/10/2024</i>
Trade name: Calcium Fluoride Standard 5% (Digested)	
· Hazard pictograms	(Contd. of page 8)
GHS05 GHS08	
· Signal word Danger	
· Hazard-determining components of labeling:	
Hydrochloric Acid	
· Hazard statements	
Causes severe skin burns and eye damage.	
May cause damage to organs through prolonged or repeated exposure.	
· Precautionary statements	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin v	with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact	lenses, if present and easy to do.
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/interm	
· Chemical safety assessment: A Chemical Safety Assessment has not been carrie	ed out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 06/10/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 10-19-2020: Creation date for SDS. STN 06/10/2024 / 1.0 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

(Contd. on page 10)

US

Printing date 06/10/2024

Reviewed on 06/10/2024

#### Trade name: Calcium Fluoride Standard 5% (Digested)

(Contd. of page 9)

US

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corrosion 1A: Skin corrosion/irritation – Category 1A Eye Damage 1: Serious eye damage/eye irritation – Category 1 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2 • \* Data compared to the previous version altered.