Printing date 06/11/2024 Reviewed on 06/11/2024

1 Identification

· Product identifier

· Trade name: Color Solution For EZ1600 Ammonia, Nitrate, & Nitrite

· Article number: HAC313

· Details of the supplier of the safety data sheet

Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300

Canutec: 613-996-6666



### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Eye Damage 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

Phosphoric Acid 85%

· Hazard statements

Causes serious eye damage.

· Precautionary statements

Wear eye protection / face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Printing date 06/11/2024 Reviewed on 06/11/2024

Trade name: Color Solution For EZ1600 Ammonia, Nitrate, & Nitrite

(Contd. of page 1)

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components:             |   |         |  |
|-------------------------------------|---|---------|--|
| CAS: 7664-38-2 Phosphoric Acid 85%  |   | 9.993%  |  |
| · Table of Nonhazardous Ingredients |   |         |  |
| CAS: 7732-18-5                      | Water   | 88.958% |  |
| CAS: 63-74-1                        | Sulfanilamide (Aminobenzenesulfonamide)                         | 0.999%  |  |
| CAS: 1465-25-4                      | N-1-Napthylethylenediame Dihydrochloride, Reagent Grade, Powder | 0.05%   |  |

### 4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 06/11/2024 Reviewed on 06/11/2024

Trade name: Color Solution For EZ1600 Ammonia, Nitrate, & Nitrite

(Contd. of page 2)

- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| · PAC-1:       |   |                     |
|----------------|---|---------------------|
| CAS: 7664-38-2 | Phosphoric Acid 85%                     | 3 mg/m <sup>3</sup> |
| CAS: 63-74-1   | Sulfanilamide (Aminobenzenesulfonamide) | 13 mg/m³            |
| · PAC-2:       |   |                     |
| CAS: 7664-38-2 | Phosphoric Acid 85%                     | 30 mg/m³            |
| CAS: 63-74-1   | Sulfanilamide (Aminobenzenesulfonamide) | 140 mg/m³           |
| · PAC-3:       |   |                     |
| CAS: 7664-38-2 | Phosphoric Acid 85%                     | 150 mg/m³           |
| CAS: 63-74-1   | Sulfanilamide (Aminobenzenesulfonamide) | 830 mg/m³           |

### 7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 4)

Printing date 06/11/2024 Reviewed on 06/11/2024

Trade name: Color Solution For EZ1600 Ammonia, Nitrate, & Nitrite

(Contd. of page 3)

### · Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7664-38-2 Phosphoric Acid 85%

PEL Long-term value: 1 mg/m³

REL Short-term value: 3 mg/m<sup>3</sup>

Long-term value: 1 mg/m³

TLV Short-term value: 3 mg/m³ Long-term value: 1 mg/m³

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

*Color:* Clear water white

(Contd. on page 5)

Printing date 06/11/2024 Reviewed on 06/11/2024

Trade name: Color Solution For EZ1600 Ammonia, Nitrate, & Nitrite

|  |  | (Contd. of page |  |
|--|--|-----------------|--|
| Odor:  | Odorless                                   |                 |  |
| Odor threshold:  | Not determined.                            |                 |  |
| pH-value:  | Not determined.                            |                 |  |
| Change in condition  |  |                 |  |
| Melting point/Melting range:   | Undetermined.                              |                 |  |
| Boiling point/Boiling range:   | 100 °C (212 °F)                            |                 |  |
| Flash point:   | Not applicable.                            |                 |  |
| Flammability (solid, gaseous):                                       | Not applicable.                            |                 |  |
| Decomposition temperature:   | Not determined.                            |                 |  |
| Ignition temperature:  | Product is not selfigniting.               |                 |  |
| · Danger of explosion: Product does not present an explosion hazard. |  |                 |  |
| Explosion limits:  |  |                 |  |
| Lower:   | Not determined.                            |                 |  |
| Upper:   | Not determined.                            |                 |  |
| Vapor pressure at 20 °C (68 °F):                                     | 23 hPa (17.3 mm Hg)                        |                 |  |
| Density at 20 °C (68 °F): 1.06925 g/cm³ (8.92289 lbs/gal)            |  |                 |  |
| Relative density   | Not determined.                            |                 |  |
| Vapor density  | Not determined.                            |                 |  |
| Evaporation rate   | Not determined.                            |                 |  |
| Solubility in / Miscibility with                                     |  |                 |  |
| Water:   | Not miscible or difficult to mix.          |                 |  |
| Partition coefficient (n-octanol/wate                                | e <b>r</b> ): Not determined.              |                 |  |
| Viscosity:   |  |                 |  |
| Dynamic:   | Not determined.                            |                 |  |
| Kinematic:   | Not determined.                            |                 |  |
| Solvent content:   |  |                 |  |
| Water:   | 89.0 %                                     |                 |  |
| VOC content:   | 0.00 %                                     |                 |  |
|  | 0.0 g/l / 0.00 lb/gal                      |                 |  |
| Solids content:  | 11.0 %                                     |                 |  |
| Other information  | No further relevant information available. |                 |  |

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

Printing date 06/11/2024 Reviewed on 06/11/2024

Trade name: Color Solution For EZ1600 Ammonia, Nitrate, & Nitrite

(Contd. of page 5)

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 5,004 mg/kg

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Printing date 06/11/2024 Reviewed on 06/11/2024

Trade name: Color Solution For EZ1600 Ammonia, Nitrate, & Nitrite

(Contd. of page 6)

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

| 117          |            | •          | 4.     |
|--------------|------------|------------|--------|
| 14 Trans     | 427612 - 4 | 1711211711 | 171111 |
| I I I I WILL | portuin    | JUITING    | UUIU   |

|     |          | _   | _   |
|-----|----------|-----|-----|
| IIN | $N_{-}N$ | Vum | hor |
|     |          |     |     |

· IMDG, IATA

· DOT, IMDG, IATA

UN1760

· UN proper shipping name

 $\cdot DOT$ 

Corrosive liquids, n.o.s. (Phosphoric Acid 85%)

CORROSIVE LIQUID, N.O.S. (Phosphoric Acid 85%)

· Transport hazard class(es)

 $\cdot DOT$ 



· Class · Label 8 Corrosive substances

O

· IMDG, IATA



· Class

8 Corrosive substances

· Label

8

· Packing group

· DOT, IMDG, IATA

III

· Environmental hazards:

Not applicable.

· Special precautions for user

Warning: Corrosive substances

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

Not applicable.

· UN "Model Regulation":

UN 1760 CORROSIVE LIQUID, N.O.S. (PHOSPHORIC ACID

85%), 8, III

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 7664-38-2 Phosphoric Acid 85%

(Contd. on page 8)

Printing date 06/11/2024 Reviewed on 06/11/2024

Trade name: Color Solution For EZ1600 Ammonia, Nitrate, & Nitrite

(Contd. of page 7)

| · TSCA (Toxic Substances Control Act):                          |        |
|---|--------|
| Water   | ACTIVE |
| Phosphoric Acid 85%   | ACTIVE |
| Sulfanilamide (Aminobenzenesulfonamide)                         | ACTIVE |
| N-1-Napthylethylenediame Dihydrochloride, Reagent Grade, Powder | ACTIVE |

#### · Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:

Phosphoric Acid 85%

· Hazard statements

Causes serious eye damage.

· Precautionary statements

Wear eye protection / face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 9)

Printing date 06/11/2024 Reviewed on 06/11/2024

Trade name: Color Solution For EZ1600 Ammonia, Nitrate, & Nitrite

(Contd. of page 8)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 1.2, 06/10/2024: Reviewed SDS for accuracy. MH/STN

Revision 0.0, 05-29-2024: Creation date for SDS. STN

06/11/2024 / 1.0

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Eye Damage 1: Serious eye damage/eye irritation – Category 1

\* Data compared to the previous version altered.

-US