Printing date 06/04/2024

Reviewed on 06/04/2024

nting date 06/04/2024	
Identification	
Product identifier	
Trade name: <u>Isopropyl Alcohol</u> 85% v/v Aqueous Solution	
Article number: WES003	
Details of the supplier of the safety data sho Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	eet
Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions. Technical Coordinator Sherman Nelson shermann@aquasolutions. Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Hazard(s) identification	
Hazard(s) identification Classification of the substance or mixture GHS02 Flame Flammable Liquids 2	H225 Highly flammable liquid and vapor.
Classification of the substance or mixture GHS02 Flame	H225 Highly flammable liquid and vapor.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS07 Eye Irritation 2A	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. osure 3 H336 May cause drowsiness or dizziness.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS07 Eye Irritation 2A Specific Target Organ Toxicity - Single Exp. Label elements	H319 Causes serious eye irritation.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS07 Eye Irritation 2A Specific Target Organ Toxicity - Single Exp. Label elements GHS label elements The product is classifie	H319 Causes serious eye irritation. osure 3 H336 May cause drowsiness or dizziness.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS07 Eye Irritation 2A Specific Target Organ Toxicity - Single Exp. Label elements GHS label elements The product is classifie	H319 Causes serious eye irritation. osure 3 H336 May cause drowsiness or dizziness.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS07 Eye Irritation 2A Specific Target Organ Toxicity - Single Exp. Label elements GHS label elements The product is classifie Hazard pictograms Single Comparison of the substance or mixture Classifie Statements Statements The product is classifie Hazard pictograms	H319 Causes serious eye irritation. osure 3 H336 May cause drowsiness or dizziness.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS07 Eye Irritation 2A Specific Target Organ Toxicity - Single Exp. Label elements GHS label elements The product is classifie Hazard pictograms GHS02 GHS07	H319 Causes serious eye irritation. cosure 3 H336 May cause drowsiness or dizziness. ed and labeled according to the Globally Harmonized System (GH.

Printing date 06/04/2024

Reviewed on 06/04/2024

## Trade name: Isopropyl Alcohol 85% v/v Aqueous Solution

	(Contd. of page 1)
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water	er/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses,	if present and easy to do.
Continue rinsing.	
Call a poison center/doctor if you feel unwell.	
If eye irritation persists: Get medical advice/attention.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international	regulations.
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 2	
$\frac{3}{Fire = 3}$	
2  0  Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
<b>HEALTH</b> 2 $Health = 2$	
<b>REACTIVITY</b> $\bigcirc$ <i>Reactivity</i> = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• <b><i>PBT:</i></b> Not applicable.	
• <b>vPvB</b> : Not applicable.	
11	
3 Composition/information on ingredients	
• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:       CAS: 67-63-0     Isopropanol	81.646%
	81.040%
· Table of Nonhazardous Ingredients	
CAS: 7732-18-5 Water	18.354%
	LIE .

(Contd. on page 3)

US

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Isopropyl Alcohol

85% v/v Aqueous Solution

(Contd. of page 2)

### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. · Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals · PAC-1: 400 ppm CAS: 67-63-0 Isopropanol · PAC-2: CAS: 67-63-0 Isopropanol 2000\* ppm · PAC-3: CAS: 67-63-0 Isopropanol 12000\*\* ppm

(Contd. on page 4)

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Isopropyl Alcohol

85% v/v Aqueous Solution

(Contd. of page 3)

### 7 Handling and storage

#### · Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Con	ponents with limit values that require monitoring at the workplace:
CAS	5: 67-63-0 Isopropanol
PEL	Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
REL	. Short-term value: 1225 mg/m³, 500 ppm
	Long-term value: 980 mg/m³, 400 ppm
TLV	Short-term value: 400 ppm
	Long-term value: 200 ppm
	BEI, A4
· Ingr	redients with biological limit values:
CAS	S: 67-63-0 Isopropanol
BEI	40 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift at end of workweek
	LD50: Acetone (background, nonspecific)
· Add	itional information: The lists that were valid during the creation were used as basis.
· Exp	osure controls
· Pers	sonal protective equipment:
· Gen	eral protective and hygienic measures:
Kee	p away from foodstuffs, beverages and feed.
Imm	ediately remove all soiled and contaminated clothing.
Was	h hands before breaks and at the end of work.
Avo	id contact with the eyes.
	id contact with the eyes and skin.
· Bree	athing equipment:
	ase of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use iratory protective device that is independent of circulating air.
resp	(Contd. on page 5)

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Isopropyl Alcohol 85% v/v Aqueous Solution

(Contd. of page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and chemical properties General Information		

Printing date 06/04/2024

Reviewed on 06/04/2024

#### Trade name: Isopropyl Alcohol 85% v/v Aqueous Solution

	(Contd. of page
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
· Explosion limits:	
Lower:	2 Vol %
Upper:	12 Vol %
· Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)
· Density at 20 °C (68 °F):	0.82446 g/cm <sup>3</sup> (6.88012 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	81.6 %
Water:	18.4 %
VOC content:	81.65 %
	673.1 g/l / 5.62 lb/gal
Solids content:	0.0 %
• Other information	No further relevant information available.

## **10 Stability and reactivity**

· Reactivity No further relevant information available.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- $\cdot \textit{Additional toxicological information:}$

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

(Contd. on page 7)

<sup>·</sup> Chemical stability

\_\_\_\_US

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Isopropyl Alcohol

85% v/v Aqueous Solution

(Contd. of page 6)

3

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 Isopropanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## <u>12 Ecological information</u>

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN1219	
· UN proper shipping name		
· DOT, IMDG, IATA	Isopropanol	

US

## Safety Data Sheet acc. to OSHA HCS

Printing date 06/04/2024

Reviewed on 06/04/2024

### Trade name: Isopropyl Alcohol 85% v/v Aqueous Solution

3 Flammable liquids
3
3 Flammable liquids
3
11
Not applicable.
Warning: Flammable liquids
<i>i): 30</i>
В
Not applicable.
UN 1219 ISOPROPANOL, 3, II

# **15 Regulatory information**

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara · Section 355 (extremely hazardous substances): None of the ingredients is listed. · Section 313 (Specific toxic chemical listings): CAS: 67-63-0 Isopropanol · TSCA (Toxic Substances Control Act): Isopropanol ACTIVE Water ACTIVE · Hazardous Air Pollutants None of the ingredients is listed. · Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. (Contd. on page 9)

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Isopropyl Alcohol

85% v/v Aqueous Solution

(Contd. of page 8)

A4

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 67-63-0 Isopropanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

Hazard-determining components of labeling: Isopropanol
Hazard statements Highly flammable liquid and vapor. Causes serious eve irritation.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Isopropyl Alcohol

85% v/v Aqueous Solution

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. of page 9)

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 06/04/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 10-12-2015. STN 06/04/2024 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 • \* Data compared to the previous version altered.