Printing date 07/17/2024

Reviewed on 07/17/2024

### **1** Identification

- · Product identifier
- · Trade name: Iron (II) Sulfide, Granular
- Article number: CH038
- · CAS Number:
- 1317-37-9
- **EC number:** 215-268-6
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Aqua Solutions, Inc.
  6913 Highway 225 DEER PARK, TX 77536 USA
  800-256-2586
- Information department: Technical Coordinator
   Sherman Nelson shermann@aquasolutions.org
   Emergency telephone number:
- Chemtrec: 800-424-9300 Canutec: 613-996-6666

# 2 Hazard(s) identification

· Classification of the substance or mixture



Skin Irritation 2H315 Causes skin irritation.Specific Target Organ Toxicity - Single Exposure 3H335 May cause respiratory irritation.

Eye Irritation 2B

· Label elements

· GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).

H320 Causes eye irritation.

· Hazard pictograms



Signal word Warning
Hazard statements

Causes skin and eye irritation.
May cause respiratory irritation.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling. Do not touch eyes.
Use only outdoors or in a well-ventilated area.
Wear protective gloves.
If on skin: Wash with plenty of water.

(Contd. on page 2)

\_\_\_\_\_US

Printing date 07/17/2024

Reviewed on 07/17/2024

#### Trade name: Iron (II) Sulfide, Granular

(Contd. of page 1)
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Call a poison center/doctor if you feel unwell.
Specific treatment (see on this label).
Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical help.
Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
· Wr A raings (scale 0 - 4)
Health = 1
Fire = 0
$\frac{1}{0} Reactivity = 0$
· HMIS-ratings (scale 0 - 4)
HEALTH 1 $Health = 1$
FIRE 0 $Fire = 0$
<b>REACTIVITY</b> $0$ Reactivity = 0
new number of the new number o
· Other hazards
· Results of PBT and vPvB assessment
• <b><i>PBT</i></b> : Not applicable.
· vPvB: Not applicable.
3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- CAS: 1317-37-9 Ferrous Sulfide
- Identification number(s)
- · EC number: 215-268-6

# 4 First-aid measures

- Description of first aid measures
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

Printing date 07/17/2024

Reviewed on 07/17/2024

Trade name: Iron (II) Sulfide, Granular

(Contd. of page 2)

#### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### **6** Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- **PAC-1:** 30 mg/m<sup>3</sup>
- · PAC-2: 330 mg/m<sup>3</sup>
- · PAC-3: 2,000 mg/m3

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 1317-37-9 Ferrous Sulfide

- REL Long-term value: 1 mg/m<sup>3</sup>
- as Fe
- TLV Long-term value: 1 mg/m<sup>3</sup> as Fe

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

US -

Printing date 07/17/2024

Reviewed on 07/17/2024

#### Trade name: Iron (II) Sulfide, Granular

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Powder	
Color:	Grey to brown-black	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	1,195 °C (34.295 °F)	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Product is not flammable.	
Decomposition temperature:	Not determined.	

Printing date 07/17/2024

Reviewed on 07/17/2024

### Trade name: Iron (II) Sulfide, Granular

	(Contd. of p	age	
· Ignition temperature:	Not determined.		
• Danger of explosion:	Product does not present an explosion hazard.		
· Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
· Vapor pressure:	Not applicable.		
· Density at 20 °C (68 °F):	4.84 g/cm <sup>3</sup> (40.3898 lbs/gal)		
· Bulk density:	$1,700 \text{ kg/m}^3$		
· Relative density	Not determined.		
· Vapor density	Not applicable.		
$\cdot$ Evaporation rate	Not applicable.		
· Solubility in / Miscibility with			
Water:	Not determined.		
· Partition coefficient (n-octanol/v	water): Not determined.		
· Viscosity:			
Dynamic:	Not applicable.		
Kinematic:	Not applicable.		
• Other information	No further relevant information available.		

#### **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

(Contd. on page 6)

Printing date 07/17/2024

Reviewed on 07/17/2024

#### Trade name: Iron (II) Sulfide, Granular

(Contd. of page 5)

# **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, ADN, IMDG, IATA	Not regulated	
UN proper shipping name		
DOT	Not regulated	
	Not regulated	
ADN, IMDG, IATA	Not regulated	
Transport hazard class(es)		
DOT	Not applicable	
Class	Not regulated	
ADN/R Class:	Not regulated	
Packing group		
DOT, IMDG, IATA	Not regulated	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	: II of	
MARPOL73/78 and the IBC Code	Not applicable.	

Printing date 07/17/2024

Reviewed on 07/17/2024

(Contd. of page 6)

Trade name: Iron (II) Sulfide, Granular

· UN "Model Regulation":

Not regulated

#### **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

- · Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.

· Carcinogenic categories

- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



Signal word Warning
 Hazard statements
 Causes skin and eye irritation.
 May cause respiratory irritation.

· Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Do not touch eyes. Use only outdoors or in a well-ventilated area. Wear protective gloves. If on skin: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical help. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. (Contd. on page 8)

Printing date 07/17/2024

Reviewed on 07/17/2024

Trade name: Iron (II) Sulfide, Granular

(Contd. of page 7)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

#### · Contact:

Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2 07/17/2024: Reviewed SDS for accuracy. MH/STN 07/17/2024 / 1.2 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2B: Serious eye damage/eye irritation – Category 2B Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 • \* Data compared to the previous version altered.