

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/11/2020

Reviewed on 08/11/2020

## 1 Identification


- **Product identifier**
- **Trade name:** Electrolyte Enamel Rater Solution
- **Article number:** BAN005
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Aqua Solutions, Inc.  
6913 Highway 225  
DEER PARK, TX 77536  
USA  
800-256-2586
- **Information department:**  
Technical Coordinator  
Sherman Nelson sherman@aquasolutions.org
- **Emergency telephone number:**  
Chemtrec: 800-424-9300  
Canutec: 613-996-6666



## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
*The product is not classified, according to the Globally Harmonized System (GHS).*

---

  - **Label elements**
  - **GHS label elements** Not Applicable
  - **Hazard pictograms** Not Applicable
  - **Signal word** Not Applicable
  - **Hazard statements** Not Applicable
  - **Precautionary statements**  
*If swallowed: Call a poison center/doctor if you feel unwell.*  
*If on skin: Wash with plenty of water.*  
*If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*  
*Store in a closed container.*  
*Dispose of contents/container in accordance with local/regional/national/international regulations.*
  - **Classification system:**
  - **NFPA ratings (scale 0 - 4)**
- 

Health = 0  
Fire = 0  
Reactivity = 0
- **HMIS-ratings (scale 0 - 4)**
- |            |   |                |
|------------|---|----------------|
| HEALTH     | 0 | Health = 0     |
| FIRE       | 0 | Fire = 0       |
| REACTIVITY | 0 | Reactivity = 0 |
- **Other hazards**
  - **Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.

US

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/11/2020

Reviewed on 08/11/2020

Trade name: *Electrolyte Enamel Rater Solution*

(Contd. of page 1)

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.
- **Dangerous components:** Not Applicable

- **Table of Nonhazardous Ingredients**

CAS: 7732-18-5	Water	97.727%
CAS: 13746-66-2	Potassium Ferricyanide	0.995%
CAS: 67-63-0	Isopropanol	0.781%
CAS: 7647-14-5	Sodium Chloride	0.497%

### 4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately rinse with water.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Dispose contaminated material as waste according to item 13.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

- **PAC-I:**

CAS: 13746-66-2	Potassium Ferricyanide	13 mg/m <sup>3</sup>
CAS: 67-63-0	Isopropanol	400 ppm

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/11/2020

Reviewed on 08/11/2020

**Trade name: Electrolyte Enamel Rater Solution**

(Contd. of page 2)

<b>· PAC-2:</b>		
CAS: 13746-66-2	Potassium Ferricyanide	18 mg/m <sup>3</sup>
CAS: 67-63-0	Isopropanol	2000* ppm
<b>· PAC-3:</b>		
CAS: 13746-66-2	Potassium Ferricyanide	110 mg/m <sup>3</sup>
CAS: 67-63-0	Isopropanol	12000** ppm

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/11/2020

Reviewed on 08/11/2020

**Trade name:** *Electrolyte Enamel Rater Solution*

(Contd. of page 3)

- **Eye protection:** *Not required.*
- **Body protection:** *Protective work clothing*

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

<b>Form:</b>	<i>Liquid</i>
<b>Color:</b>	<i>Light orange to red</i>
<b>Odor:</b>	<i>Odorless</i>
<b>Odor threshold:</b>	<i>Not determined.</i>

· **pH-value:** *Not determined.*

· **Change in condition**

<b>Melting point/Melting range:</b>	<i>0 °C (32 °F)</i>
<b>Boiling point/Boiling range:</b>	<i>100 °C (212 °F)</i>

· **Flash point:** *Not applicable.*

· **Flammability (solid, gaseous):** *Not determined.*

· **Decomposition temperature:** *Not determined.*

· **Auto igniting:** *Product is not selfigniting.*

· **Danger of explosion:** *Product does not present an explosion hazard.*

· **Explosion limits:**

<b>Lower:</b>	<i>Not determined.</i>
<b>Upper:</b>	<i>Not determined.</i>

· **Vapor pressure at 20 °C (68 °F):** *23 hPa (17.3 mm Hg)*

· **Density at 20 °C (68 °F):** *1.01299 g/cm<sup>3</sup> (8.4534 lbs/gal)*

· **Relative density** *Not determined.*

· **Vapor density** *Not determined.*

· **Evaporation rate** *Not applicable.*

· **Solubility in / Miscibility with**

**Water:** *Fully miscible.*

· **Partition coefficient (n-octanol/water):** *Not determined.*

· **Viscosity:**

<b>Dynamic:</b>	<i>Not determined.</i>
<b>Kinematic:</b>	<i>Not determined.</i>

· **Solvent content:**

<b>Organic solvents:</b>	<i>0.8 %</i>
<b>Water:</b>	<i>97.7 %</i>
<b>VOC content:</b>	<i>0.78 %</i>

**Solids content:** *1.5 %*

· **Other information** *No further relevant information available.*

(Contd. on page 5)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 08/11/2020

Reviewed on 08/11/2020

**Trade name: Electrolyte Enamel Rater Solution**

(Contd. of page 4)

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product is not subject to classification according to internally approved calculation methods for preparations:  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

CAS: 67-63-0 | Isopropanol

3

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

US

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/11/2020

Reviewed on 08/11/2020

Trade name: *Electrolyte Enamel Rater Solution*

(Contd. of page 5)

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** *Smaller quantities can be disposed of with household waste.*
- **Uncleaned packagings:**
- **Recommendation:** *Disposal must be made according to official regulations.*
- **Recommended cleansing agent:** *Water, if necessary with cleansing agents.*

## 14 Transport information

<b>· UN-Number</b>	
<b>· DOT, IMDG, IATA</b>	<i>Not regulated</i>
<b>· UN proper shipping name</b>	
<b>· DOT, IATA</b>	<i>Not regulated</i>
<b>· IMDG</b>	<i>Not Regulated</i>
	<i>Not regulated</i>
<b>· Transport hazard class(es)</b>	
<b>· DOT, ADN, IMDG, IATA</b>	
<b>· Class</b>	<i>Not regulated</i>
<b>· Packing group</b>	
<b>· DOT, IMDG, IATA</b>	<i>Not regulated</i>
<b>· Environmental hazards:</b>	<i>Not applicable.</i>
<b>· Special precautions for user</b>	<i>Not applicable.</i>
<b>· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	<i>Not applicable.</i>
<b>· UN "Model Regulation":</b>	<i>Not regulated</i>

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

<b>· Section 355 (extremely hazardous substances):</b>	
<i>None of the ingredients is listed.</i>	
<b>· Section 313 (Specific toxic chemical listings):</b>	
CAS: 13746-66-2	<i>Potassium Ferricyanide</i>
CAS: 67-63-0	<i>Isopropanol</i>
<b>· TSCA (Toxic Substances Control Act):</b>	
<i>Water</i>	<b>ACTIVE</b>
<i>Potassium Ferricyanide</i>	<b>ACTIVE</b>
<i>Isopropanol</i>	<b>ACTIVE</b>
<i>Sodium Chloride</i>	<b>ACTIVE</b>
<b>· Hazardous Air Pollutants</b>	
CAS: 13746-66-2	<i>Potassium Ferricyanide</i>

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/11/2020

Reviewed on 08/11/2020

**Trade name: Electrolyte Enamel Rater Solution**

(Contd. of page 6)

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

CAS: 13746-66-2 Potassium Ferricyanide

II

· **TLV (Threshold Limit Value established by ACGIH)**

CAS: 67-63-0 Isopropanol

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** Not Applicable

· **Hazard pictograms** Not Applicable

· **Signal word** Not Applicable

· **Hazard statements** Not Applicable

· **Precautionary statements**

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Store in a closed container.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Department issuing SDS:** Environment protection department.

· **Contact:**

· **Date of preparation / last revision**

Revision 0.0, 08-11-2020: Creation date for SDS. STN

08/11/2020 / -

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

(Contd. on page 8)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 08/11/2020

Reviewed on 08/11/2020

**Trade name: Electrolyte Enamel Rater Solution**

*NIOSH: National Institute for Occupational Safety*

*OSHA: Occupational Safety & Health*

*TLV: Threshold Limit Value*

*PEL: Permissible Exposure Limit*

*REL: Recommended Exposure Limit*

(Contd. of page 7)

US