Printing date 08/16/2024 Reviewed on 08/16/2024

1 Identification

· Product identifier

· Trade name: Fluoride Standard 4.0 ppm

w/ Tisab II

· Article number: HON175

Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number:

Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS07

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:

Acetic Acid, Glacial

· Hazard statements

May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Store in a closed container.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: Fluoride Standard 4.0 ppm

w/ Tisab II

(Contd. of page 1)

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 0 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-19-7 A	cetic Acid, Glacial	1.116%
· Table of Nonhazardous Ingredients		
CAS: 7732-18-5	Water	96.32%
	Sodium Chloride	2.34%
CAS: 6132-04-3	Sodium Citrate Dihydrate	0.223%
CAS: 7681-49-4	Sodium Fluoride	0.001%

4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: Fluoride Standard 4.0 ppm

w/ Tisab II

(Contd. of page 2)

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 64-19-7	Acetic Acid, Glacial	5 ppm
CAS: 7681-49-4	Sodium Fluoride	17 mg/m³
· PAC-2:		
CAS: 64-19-7	Acetic Acid, Glacial	35 ppm
CAS: 7681-49-4	Sodium Fluoride	90 mg/m³
· <i>PAC-3</i> :		
CAS: 64-19-7	Acetic Acid, Glacial	250 ppm
CAS: 7681-49-4	Sodium Fluoride	1,100 mg/m³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 4)

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: Fluoride Standard 4.0 ppm

w/ Tisab II

(Contd. of page 3)

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 64-19-7 Acetic Acid, Glacial

PEL Long-term value: 25 mg/m³, 10 ppm REL Short-term value: 37 mg/m³, 15 ppm

Long-term value: 25 mg/m³, 10 ppm

TLV Short-term value: 15 ppm Long-term value: 10 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Goggles recommended during refilling.
- · Body protection: Protective work clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Color: Colorless
Odor: Odorless
Odor threshold: Not determined.

• pH-value: Not determined.

(Contd. on page 5)

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: Fluoride Standard 4.0 ppm w/ Tisab II

Melting point/Melting range: Boiling point/Boiling range: 100 °C (212 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.01514 g/cm³ (8.47134 lbs/gal) Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 1.1 % Water: 96.3 % VOC content: 1.12 % II.3 g/l / 0.09 lb/gal Solids content: 2.6 %			(Contd. of page
Boiling point/Boiling range: 100 °C (212 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.01514 g/cm³ (8.47134 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Viscosity: Not determined. Not determined. Solubility in / Miscibility with Water: 1.1 % Water: Not determined. Not determined. Not determined. Not determined. Solvent content: Not determined. Solvent content: 0.1 1 % Water: 96.3 % VOC content: 1.12 % 11.3 g/l / 0.09 lb/gal Solids content: 2.6 %	· Change in condition		
Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.01514 g/cm³ (8.47134 lbs/gal) Relative density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Viscosity: Not determined. Solvent content: Not determined. Solvent content: Organic solvents: 1.1 % Water: 96.3 % VOC content: 1.12 % 11.3 g/1 / 0.09 lb/gal Solids content: 2.6 %			
Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.01514 g/cm³ (8.47134 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. Solvent content: Organic solvents: 1.1 % Water: 96.3 % VOC content: 1.12 % 11.3 g/1 / 0.09 lb/gal Solids content:	Boiling point/Boiling range:	100 °C (212 °F)	
Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.01514 g/cm³ (8.47134 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 1.1 % Water: 96.3 % VOC content: 1.12 % 11.3 g/1 / 0.09 lb/gal Solids content: 2.6 %	· Flash point:	Not applicable.	
Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.01514 g/cm³ (8.47134 lbs/gal) Relative density Not determined. Vapor density Not determined. Exaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Kinematic: Not determined. Solvent content: Not determined. Solvent content: 1.1 % Water: 96.3 % VOC content: 1.12 % 11.3 g/1/0.09 lb/gal Solids content: 2.6 %	Flammability (solid, gaseous):	Not applicable.	
Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.01514 g/cm³ (8.47134 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Solvent content: Organic solvents: Value: 1.1 % Water: 96.3 % VOC content: 1.12 % 11.3 g/l / 0.09 lb/gal Solids content: 2.6 %	Decomposition temperature:	Not determined.	
Explosion limits: Lower: Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.01514 g/cm³ (8.47134 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Solvent content: Organic solvents: 1.1 % Water: 96.3 % VOC content: 1.12 % 11.3 g/l / 0.09 lb/gal Solids content: 2.6 %	· Ignition temperature:	Product is not selfigniting.	
Lower: Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.01514 g/cm³ (8.47134 lbs/gal) Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 1.1 % Water: 96.3 % VOC content: 1.12 % 11.3 g/l / 0.09 lb/gal Solids content: 2.6 %	· Danger of explosion:	Product does not present an explosion hazard.	
Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.01514 g/cm³ (8.47134 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Kinematic: Not determined. Solvent content: Not determined. Solvent content: 1.1 % Water: 96.3 % VOC content: 1.12 % 11.3 g/l / 0.09 lb/gal Solids content: 2.6 %	· Explosion limits:		
Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.01514 g/cm³ (8.47134 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 1.1 % Water: 96.3 % VOC content: 1.12 % 11.3 g/l / 0.09 lb/gal Solids content: 2.6 %	Lower:	Not determined.	
Density at 20 °C (68 °F): Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. Solvent content: Organic solvents: 1.1 % Water: 96.3 % VOC content: 1.12 % 11.3 g/l / 0.09 lb/gal Solids content: 2.6 %	Upper:	Not determined.	
Relative density Not determined. Vapor density Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 1.1 % Water: 96.3 % VOC content: 1.12 % 11.3 g/l / 0.09 lb/gal Solids content: 2.6 %	· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Vapor density Evaporation rate Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 1.1 % Water: 96.3 % VOC content: 1.12 % 11.3 g/l / 0.09 lb/gal Solids content: 2.6 %	Density at 20 °C (68 °F):	1.01514 g/cm³ (8.47134 lbs/gal)	
Evaporation rate Not determined. Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: Water: VOC content: 1.1 % Water: 1.12 % 11.3 g/l / 0.09 lb/gal Solids content: 2.6 %	Relative density	Not determined.	
Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 1.1 % Water: 96.3 % VOC content: 1.12 % 11.3 g/l / 0.09 lb/gal Solids content: 2.6 %	· Vapor density	Not determined.	
Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 1.1 % Water: 96.3 % VOC content: 1.12 % 11.3 g/l / 0.09 lb/gal Solids content: 2.6 %	· Evaporation rate	Not determined.	
Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 1.1 % Water: 96.3 % VOC content: 1.12 % 11.3 g/l / 0.09 lb/gal Solids content: 2.6 %	· Solubility in / Miscibility with		
Viscosity:	Water:	Fully miscible.	
Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 1.1 % Water: 96.3 % VOC content: 1.12 % 11.3 g/l / 0.09 lb/gal Solids content: 2.6 %	· Partition coefficient (n-octanol/wate	e r): Not determined.	
Not determined. Not determined.	· Viscosity:		
Solvent content:	Dynamic:	Not determined.	
Organic solvents: 1.1 % Water: 96.3 % VOC content: 1.12 % 11.3 g/l / 0.09 lb/gal Solids content: 2.6 %	Kinematic:	Not determined.	
Water: 96.3 % VOC content: 1.12 % 11.3 g/l / 0.09 lb/gal Solids content: 2.6 %	Solvent content:		
VOC content: 1.12 % 11.3 g/l / 0.09 lb/gal Solids content: 2.6 %	Organic solvents:		
11.3 g/l / 0.09 lb/gal Solids content: 2.6 %	,,		
Solids content: 2.6 %	VOC content:		
		11.3 g/l / 0.09 lb/gal	
Other information No further relevant information available.	Solids content:	2.6 %	
	· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: Fluoride Standard 4.0 ppm

w/ Tisab II

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Dermal LD50 94,984 mg/kg (rabbit)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7681-49-4 Sodium Fluoride

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 7)

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: Fluoride Standard 4.0 ppm

w/ Tisab II

(Contd. of page 6)

· Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information		
UN-Number DOT, IMDG, IATA	Not regulated	
UN proper shipping name DOT, IMDG, IATA	Not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA Class	Not regulated	
Packing group DOT, IMDG, IATA	Not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
UN "Model Regulation":	Not regulated	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

· Section 355	(extremely	[,] hazardous	substances):
---------------	------------	------------------------	--------------

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Sodium Chloride	ACTIVE
Acetic Acid, Glacial	ACTIVE
Sodium Fluoride	ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 8)

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: Fluoride Standard 4.0 ppm

w/ Tisab II

(Contd. of page 7)

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 7681-49-4 Sodium Fluoride

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

Acetic Acid, Glacial

· Hazard statements

May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a closed container.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 1.2, 08-16-2024: Reviewed SDS for accuracy. STN/GW 08/16/2024 / 1.1

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

(Contd. on page 9)

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: Fluoride Standard 4.0 ppm w/ Tisab II

(Contd. of page 8)

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Sensitization - Skin 1: Ŝkin sensitisation - Category 1

* Data compared to the previous version altered.