Printing date 08/13/2024

Reviewed on 08/13/2024

### **1** Identification

- · Product identifier
- Trade name: Anti-Foam for EZ7202/EZ7250/EZ7251/EZ7252 Series
- Article number: HAC452 • EC number:
- 203-917-6
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Aqua Solutions, Inc.
  6913 Highway 225

DEER PARK, TX 77536 USA 800-256-2586

 Information department: Technical Coordinator
 Sherman Nelson shermann@aquasolutions.org
 Technical Coordinator
 Sherman Nelson shermann@aquasolutions.org
 Emergency telephone number: Chemtrec: 800-424-9300
 Canutec: 613-996-6666

### 2 Hazard(s) identification

#### · Classification of the substance or mixture



Acute Toxicity - Oral 4 H302 Harmful if swallowed.

Skin Irritation 2	H315 Causes skin irritation.
Eye Irritation 2A	H319 Causes serious eye irritation.
Flammable Liquids 4	H227 Combustible liquid.

· Label elements

• *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



Signal word Warning
Hazard statements
Combustible liquid.
Harmful if swallowed.
Causes skin irritation.
Causes serious eye irritation.
Precautionary statements
Keep away from flames and hot surfaces. – No smoking.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.



Printing date 08/13/2024

Reviewed on 08/13/2024

Trade name: Anti-Foam for EZ7202/EZ7250/EZ7251/EZ7252 Series

(Contd. of page 1) Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If on skin: Wash with plenty of water. Specific treatment (see on this label). If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 2Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 2 Health = 2FIRE 2 Fire = 2REACTIVITY 0 *Reactivity* = 0• Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- Octyl Alcohol
- · Identification number(s)
- **EC number:** 203-917-6

### 4 First-aid measures

- · Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 08/13/2024

Reviewed on 08/13/2024

(Contd. of page 2)

Trade name: Anti-Foam for EZ7202/EZ7250/EZ7251/EZ7252 Series

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.* 

#### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- **PAC-1:** 5 ppm
- · PAC-2: 20 ppm
- · PAC-3: 150 ppm

#### 7 Handling and storage

- · Handling:
- *Precautions for safe handling No special precautions are necessary if used correctly.*
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

Octyl Alcohol

WEEL Long-term value: 50 ppm

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

US -

Printing date 08/13/2024

Reviewed on 08/13/2024

#### Trade name: Anti-Foam for EZ7202/EZ7250/EZ7251/EZ7252 Series

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Liquid	
Color:	Colorless to yellow	
Odor:	Mild	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	-15 °C (5 °F)	
Boiling point/Boiling range:	196 °C (384.8 °F)	
Flash point:	81 °C (177.8 °F)	
Flammability (solid, gaseous):	Not applicable.	
Auto igniting:	270 °C (518 °F)	
Decomposition temperature:	Not determined.	

Printing date 08/13/2024

Reviewed on 08/13/2024

#### Trade name: Anti-Foam for EZ7202/EZ7250/EZ7251/EZ7252 Series

		(Contd. of page 4
· Ignition temperature:	Not determined.	
· Danger of explosion:	Not determined.	
• Explosion limits:		
Lower:	0.8 Vol %	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	0.032 hPa (0 mm Hg)	
· Density at 20 °C (68 °F):	0.817 g/cm <sup>3</sup> (6.81787 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
• Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	<b>r</b> ): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
• Other information	No further relevant information available.	

### **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

Oral LD50 500 mg/kg (ATE)

- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

(Contd. on page 6)

Printing date 08/13/2024

Reviewed on 08/13/2024

#### Trade name: Anti-Foam for EZ7202/EZ7250/EZ7251/EZ7252 Series

(Contd. of page 5)

#### **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

· UN-Number · DOT, ADN, IMDG, IATA	Not regulated	
· UN proper shipping name		
· DOT, ADN, IMDĞ, IATA	Not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA		
· Class	Not regulated	
· Packing group		
· DOT, IMDG, IATA	Not regulated	
· Environmental hazards:		
· Marine pollutant:	Yes (P)	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

(Contd. on page 7)

Printing date 08/13/2024

Reviewed on 08/13/2024

#### Trade name: Anti-Foam for EZ7202/EZ7250/EZ7251/EZ7252 Series

(Contd. of page 6)

#### **15 Regulatory information**

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- Sara
- Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is not listed.
- TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Warning · Hazard statements Combustible liquid. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. · Precautionary statements *Keep away from flames and hot surfaces. – No smoking.* Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If on skin: Wash with plenty of water. Specific treatment (see on this label). If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

Printing date 08/13/2024

\*

Reviewed on 08/13/2024

# Trade name: Anti-Foam for EZ7202/EZ7250/EZ7251/EZ7252 Series

(Contd. of page 7)

Other informati	
	based on our present knowledge. However, this shall not constitute a guarantee for an oures and shall not establish a legally valid contractual relationship.
· Department issuing	SDS: Environment protection department.
· Contact:	
Date of Preparation	/Last Revision:
• Date of preparation	
	2024: Reviewed SDS for accuracy. STN/GW
	2024. Reviewed SDS for accuracy. STN/GW
08/13/2024 / -	
• Abbreviations and	
	ritime Code for Dangerous Goods
DOT: US Department of	
IATA: International Air	Fransport Association
P: Marine Pollutant	
	ntory of Existing Commercial Chemical Substances
	s Service (division of the American Chemical Society)
	ptection Association (USA)
	ials Identification System (USA)
LC50: Lethal concentra	
LD50: Lethal dose, 50 p	
PBT: Persistent, Bioacc	
<i>vPvB: very Persistent an</i>	
	te for Occupational Safety
OSHA: Occupational So TLV: Threshold Limit V	
PEL: Permissible Expos	
REL: Recommended Expos	
1	ammable liquids – Category 4
	Acute toxicity – Category 4 Acute toxicity – Category 4
	rrosion/irritation – Category 2
	s eve damage/eve irritation – Category 2A
	the previous version altered.