Printing date 08/28/2020 Reviewed on 08/28/2020

1 Identification

· Product identifier

· Trade name: Sulphide Stock Standard Soln

10,000 mg/L S2- For EZ3518 Sulphide Series

· Article number: HAC426

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson sherman@aquasolutions.org

· Emergency telephone number:

Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

Sodium Hydroxide

Sodium Sulfide

· Hazard statements

Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

(Contd. on page 2)

Printing date 08/28/2020 Reviewed on 08/28/2020

Trade name: Sulphide Stock Standard Soln

10,000 mg/L S2- For EZ3518 Sulphide Series

(Contd. of page 1)

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *3 Fire = 0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

· Dangerous components:

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

	CAS: 1310-73-2 Sodium Hydroxide				
Ī	CAS: 54-21-7	Sodium Salicylate	8.649%		
		Sodium Sulfide	8.0968%		
	· Table of Nonhazardous Ingredients				
	CAS: 7732-18-5	Water	70.496%		
	CAS: 50-81-7	Ascorbic Acid (Vitamin C)	1.946%		

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

Printing date 08/28/2020 Reviewed on 08/28/2020

Trade name: Sulphide Stock Standard Soln

10,000 mg/L S2- For EZ3518 Sulphide Series

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:				
CAS: 1310-73-2	Sodium Hydroxide	$0.5 \ mg/m^3$		
	Sodium Sulfide	0.17 mg/m^3		
· PAC-2:				
CAS: 1310-73-2	Sodium Hydroxide	5 mg/m³		
	Sodium Sulfide	1.9 mg/m^3		
· PAC-3:				
CAS: 1310-73-2	Sodium Hydroxide	50 mg/m³		
	Sodium Sulfide	11 mg/m³		

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 4)

Printing date 08/28/2020 Reviewed on 08/28/2020

Trade name: Sulphide Stock Standard Soln

10,000 mg/L S2- For EZ3518 Sulphide Series

(Contd. of page 3)

- · Further information about storage conditions: Keep receptacle tightly sealed.
- \cdot *Specific end use*(s) *No further relevant information available.*

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

	•
CAS:	1310-73-2 Sodium Hydroxide
PEL	Long-term value: 2 mg/m³
REL	Ceiling limit value: 2 mg/m³
TLV	Ceiling limit value: 2 mg/m³

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Printing date 08/28/2020 Reviewed on 08/28/2020

Trade name: Sulphide Stock Standard Soln 10,000 mg/L S2- For EZ3518 Sulphide Series

 $\cdot \textit{Body protection:} \ Protective \ work \ clothing$

(Contd. of page 4)

Information on basic physical and chemical properties				
General Information				
· Appearance:				
Form:	Liquid			
Color:	Clear to pale yellow			
· Odor:	Odorless to mild sulfur (rotton egg)			
Odor threshold:	Not determined.			
· pH-value:	Not determined.			
Change in condition				
Melting point/Melting range:	Undetermined.			
Boiling point/Boiling range:	100 °C (212 °F)			
Flash point:	Not applicable.			
Flammability (solid, gaseous):	Not applicable.			
Decomposition temperature:	Not determined.			
Auto igniting:	Product is not selfigniting.			
Danger of explosion:	Product does not present an explosion hazard.			
· Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)			
Density at 20 °C (68 °F):	1.09955 g/cm³ (9.17574 lbs/gal)			
Relative density	Not determined.			
· Vapor density	Not determined.			
· Evaporation rate	Not determined.			
Solubility in / Miscibility with				
Water:	Fully miscible.			
Partition coefficient (n-octanol/wate	r): Not determined.			
Viscosity:				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
· Solvent content:				
Water:	70.5 %			
VOC content:	0.00 %			
	0.0 g/l / 0.00 lb/gal			
Solids content:	29.5 %			
• Other information No further relevant information available.				

Printing date 08/28/2020 Reviewed on 08/28/2020

Trade name: Sulphide Stock Standard Soln

10,000 mg/L S2- For EZ3518 Sulphide Series

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:	
ATE (Acute Toxicity Estimate)	

		2,618 mg/kg
Dermal	<i>LD50</i>	3,705 mg/kg

CAS: 1310-73-2 Sodium Hydroxide

Oral	LD50	500	mg/kg	(ATE)

Sodium Sulfide

 Oral
 LD50
 500 mg/kg (ATE)

 Dermal
 LD50
 300 mg/kg (ATE)

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Printing date 08/28/2020 Reviewed on 08/28/2020

Trade name: Sulphide Stock Standard Soln

10,000 mg/L S2- For EZ3518 Sulphide Series

(Contd. of page 6)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

1 4 7			C	
14 1	ransp	ort in	torm	ากกท
	uuusp		UI IIIU	
	_	·		

· UN-Number · DOT, IMDG, IATA	UN1719
· UN proper shipping name	
$\cdot DOT$	Caustic alkali liquids, n.o.s. (Sodium hydroxide, Sodium sulfide,
	hydrated)
\cdot IMDG	CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE,
	SODIUM SULPHIDE, HYDRATED), MARINE POLLUTANT
\cdot IATA	CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE,
	SODIUM SULPHIDE, HYDRATED)

- · Transport hazard class(es)
- $\cdot DOT$



· Class 8 Corrosive substances

(Contd. on page 8)

Printing date 08/28/2020 Reviewed on 08/28/2020

Trade name: Sulphide Stock Standard Soln

10,000 mg/L S2- For EZ3518 Sulphide Series

(Contd. of page 7) · Label · IMDG · Class 8 Corrosive substances · Label \cdot IATA · Class 8 Corrosive substances · Label · Packing group · DOT, IMDG, IATA II · Environmental hazards: Product contains environmentally hazardous substances: Sodium Sulfide · Marine pollutant: Symbol (fish and tree) Warning: Corrosive substances · Special precautions for user · Hazard identification number (Kemler code): 80 · EMS Number: F-A,S-B· Segregation groups Alkalis · Stowage Category SG22 Stow "away from" ammonium salts · Segregation Code SG35 Stow "separated from" SGG1-acids · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L · IMDG · Limited quantities (LQ) 1LCode: E2 · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · UN ''Model Regulation'': UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE, SODIUM SULPHIDE, HYDRATED), 8, II

Printing date 08/28/2020 Reviewed on 08/28/2020

Trade name: Sulphide Stock Standard Soln

10,000 mg/L S2- For EZ3518 Sulphide Series

(Contd. of page 8)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

Water	ACTIVE
Sodium Hydroxide	ACTIVE
Sodium Salicylate	ACTIVE
Ascorbic Acid (Vitamin C)	ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

 $So dium\ Hydroxide$

Sodium Sulfide

· Hazard statements

Causes severe skin burns and eye damage.

(Contd. on page 10)

Printing date 08/28/2020 Reviewed on 08/28/2020

Trade name: Sulphide Stock Standard Soln

10,000 mg/L S2- For EZ3518 Sulphide Series

(Contd. of page 9)

· Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- · Date of preparation / last revision

Revision 0.0, 08-28-2020: Creation date for SDS. STN 08/28/2020 / -

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1