Printing date 06/13/2024

Reviewed on 06/13/2024

1 Identification

- · Product identifier
- · Trade name: Sodium Chromate 1% w/v Solution
- · Article number: THE429
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Sensitization - Respiratory 1H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.Germ Cell Mutagenicity 1BH340 May cause genetic defects.Carcinogenicity 1BH350 May cause cancer.Toxic to Reproduction 1BH360 May damage fertility or the unborn child.



Sensitization - Skin 1

H317 May cause an allergic skin reaction.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Sodium Chromate
Hazard statements May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause genetic defects. May cause cancer. May damage fertility or the unborn child.

(Contd. on page 2)

⁻ US

Printing date 06/13/2024

Reviewed on 06/13/2024

recautionary statements btain special instructions before use. o not handle until all safety precautions have been read and understood. woid breathing dust/fume/gas/mist/vapors/spray ontaminated work clothing must not be allowed out of the workplace. 'ear protective gloves/protective clothing/eye protection/face protection. 'n case of inadequate ventilation] wear respiratory protection. 'on skin: Wash with plenty of water. 'inhaled. If breathing is difficult, remove person to fresh air and keep comfortable for breathing. F exposed or concerned: Get medical advice/attention. 'experiencing respiratory symptoms: Call a poison center/doctor. 'ash contaminated clothing before reuse. 'tore locked up. ispose of contents/container in accordance with local/regional/national/international regulations. Lassification system: FPA ratings (scale 0 - 4) MIS-ratings (scale 0 - 6) MIS-ratings ((Contd. of page
btain special instructions before use. o not handle until all safety precautions have been read and understood. woid breathing dust/fume/gas/mist/vapors/spray ontaminated work clothing must not be allowed out of the workplace. Vear protective gloves/protective clothing/eye protection/face protection. In case of inadequate ventilation] wear respiratory protection. on skin: Wash with plenty of water. Tinhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. F exposed or concerned: Get medical advice/attention. F exposed or concerned: Get medical advice/attention. F exposed or concerned: Get medical advice/attention. F experiencing respiratory symptoms: Call a poison center/doctor. Yash contaminated clothing before reuse. Yore locked up. Tore locked up. Tore locked up. The e 0 Health = 0 Fire = 0 Reactivity = 0 MIS-ratings (scale 0 - 4) The e 0 Fire = 0	(2000 0 10
o not handle until all safety precautions have been read and understood. void breathing dust/fume/gas/mist/vapors/spray ontaminated work clothing must not be allowed out of the workplace. 'ear protective gloves/protective clothing/eye protection/face protection. 'n case of inadequate ventilation] wear respiratory protection. 'on skin: Wash with plenty of water. 'inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. F exposed or concerned: Get medical advice/attention. 'experiencing respiratory symptoms: Call a poison center/doctor. 'ash contaminated clothing before reuse. 'tore locked up. ispose of contents/container in accordance with local/regional/national/international regulations. Tasisfication system: FPA ratings (scale 0 - 4) MIS-ratings (scale 0 - 4) MIS-ratings (scale 0 - 4) MIS-ratings (scale 0 - 4) Health = % Fire = 0 Reactivity = 0 Health = % Fire = 0	
woid breathing dust/fume/gas/mist/vapors/spray ontaminated work clothing must not be allowed out of the workplace. Vear protective gloves/protective clothing/eye protection/face protection. In case of inadequate ventilation] wear respiratory protection. In case of concerned: Get medical advice/attention. In case of contents/container in accordance with local/regional/national/international regulations. Iteration system: IFPA ratings (scale $0 - 4$) In the let $= 0$ Reactivity $= 0$ INIS-ratings (scale $0 - 4$) Image: Image: Im	e been read and understood.
contaminated work clothing must not be allowed out of the workplace. Vear protective gloves/protective clothing/eye protection/face protection. In case of inadequate ventilation] wear respiratory protection. In case of concerned: Get medical advice/attention. If exposed or concerned: Get medical advice/attention. If experiencing respiratory symptoms: Call a poison center/doctor. Vash contaminated clothing before reuse. It is pose of contents/container in accordance with local/regional/national/international regulations. It is pose of contents/container in accordance with local/regional/national/international regulations. It is pose of contents/container in accordance with local/regional/national/international regulations. It is pose of contents/container in accordance with local/regional/national/international regulations. It is pose of contents/container in accordance with local/regional/national/international regulations. It is pose of contents/container in accordance with local/regional/national/international regulations. It is pose of contents/container in accordance with local/regional/national/international regulations. It is pose of contents/container in accordance with local/regional/national/international regulations. It is pose of contents/container in accordance with local/regional/national/international regulations. It is pose of contents/container in accordance with local/regional/national/international regulations. It is pose of contents/container in accordance with local/regional/national/international regulations. It is pose of co	
We ar protective gloves/protective clothing/eye protection/face protection. The case of inadequate ventilation] wear respiratory protection. The case of concerned: Get medical advice/attention. The case of concerned: Get medical advice/attention. The case of respiratory symptoms: Call a poison center/doctor. The case of contents/container in accordance with local/regional/national/international regulations. The case of contents/container in accordance with local/regional/national/international regulations. The case of case of - 4) The case of case of case of - 4) The case of	
The case of inadequate ventilation] wear respiratory protection. To n skin: Wash with plenty of water. Tinhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. Texposed or concerned: Get medical advice/attention. Decific treatment (see on this label). Tskin irritation or rash occurs: Get medical advice/attention. Texperiencing respiratory symptoms: Call a poison center/doctor. Yash contaminated clothing before reuse. Tore locked up. Tispose of contents/container in accordance with local/regional/national/international regulations. Lassification system: FPA ratings (scale 0 - 4) Health = 0 Fire = 0 Reactivity = 0 MIS-ratings (scale 0 - 4) Health = *0 Fire = 0 Fire = 0 Fire = 0 Fire = 0	
Fon skin: Wash with plenty of water. Tinhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. Fexposed or concerned: Get medical advice/attention. Decific treatment (see on this label). Skin irritation or rash occurs: Get medical advice/attention. Texperiencing respiratory symptoms: Call a poison center/doctor. Vash contaminated clothing before reuse. Tore locked up. Tispose of contents/container in accordance with local/regional/national/international regulations. Lassification system: FPA ratings (scale 0 - 4) Health = 0 Fire = 0 Reactivity = 0 TMIS-ratings (scale 0 - 4) Health = *0 Fire = 0 Fire = 0 Fire = 0 Fire = 0	
Tinhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. F exposed or concerned: Get medical advice/attention. becific treatment (see on this label). Tskin irritation or rash occurs: Get medical advice/attention. Texperiencing respiratory symptoms: Call a poison center/doctor. Tash contaminated clothing before reuse. tore locked up. ispose of contents/container in accordance with local/regional/national/international regulations. Lassification system: FPA ratings (scale 0 - 4) Health = 0 Fire = 0 Reactivity = 0 MIS-ratings (scale 0 - 4) Health = *0 Fire = 0 Fire = 0 Fire = 0	
F exposed or concerned: Get medical advice/attention. pecific treatment (see on this label). Skin irritation or rash occurs: Get medical advice/attention. Skin irritation or rash occurs: Get medical advice/attention. Skin irritation or rash occurs: Get medical advice/attention. Seperiencing respiratory symptoms: Call a poison center/doctor. Sash contaminated clothing before reuse. tore locked up. Sispose of contents/container in accordance with local/regional/national/international regulations. Lassification system: FPA ratings (scale 0 - 4) Health = 0 Fire = 0 Reactivity = 0 MIS-ratings (scale 0 - 4) Health = *0 Fire = 0 Fire = 0 Fire = 0	son to fresh air and keep comfortable for breathing.
provide the second state of the second state	
skin irritation or rash occurs: Get medical advice/attention. Texperiencing respiratory symptoms: Call a poison center/doctor. Vash contaminated clothing before reuse. tore locked up. Tispose of contents/container in accordance with local/regional/national/international regulations. Jassification system: FPA ratings (scale 0 - 4) Health = 0 Fire = 0 Reactivity = 0 VMIS-ratings (scale 0 - 4) Health = *0 Fire = 0 Health = *0 Fire = 0 Fire = 0	
Texperiencing respiratory symptoms: Call a poison center/doctor. Vash contaminated clothing before reuse. Variable to contents/container in accordance with local/regional/national/international regulations. Lassification system: FPA ratings (scale 0 - 4) Health = 0 Fire = 0 Reactivity = 0 MIS-ratings (scale 0 - 4) Health = *0 FIRE 10 Health = *0 Fire = 0	dvice/attention.
Wash contaminated clothing before reuse.tore locked up.ispose of contents/container in accordance with local/regional/national/international regulations.Lassification system:FPA ratings (scale 0 - 4) $I = 0$	
tore locked up. ispose of contents/container in accordance with local/regional/national/international regulations. Lassification system: FPA ratings (scale 0 - 4) Health = 0 Fire = 0 Reactivity = 0 MIS-ratings (scale 0 - 4) Health = *0 FIRE \bigcirc Health = *0 Fire = 0	
This pose of contents/container in accordance with local/regional/national/international regulations. Lassification system: FPA ratings (scale 0 - 4) Health = 0 Fire = 0 Reactivity = 0 MIS-ratings (scale 0 - 4) Health = *0 Fire = 0 Health = *0 Fire = 0 Fire = 0	
Assification system:FPA ratings (scale 0 - 4) 0 0 0 0 $Fire = 0$	vith local/regional/national/international regulations.
FPA ratings (scale $0 - 4$) $1 - 0$ $1 - 0$ $1 - 0$ $1 - 0$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ $1 - 1$ </td <td></td>	
Health = 0 Fire = 0 Reactivity = 0 MIS-ratings (scale 0 - 4) Health = *0 Fire = 0 Fire = 0	
Fire = 0 Reactivity = 0 $Fire = 0$ $Fire = 0$ $Fire = 0$ $Fire = 0$	
0 0 Reactivity = 0 $MIS-ratings (scale 0 - 4)$ $HEALTH 0 Health = *0$ $Fire = 0$	
Image: MIS-ratings (scale 0 - 4)HEALTH $\textcircled{0}$ Health = *0Fire $\textcircled{0}$	
HEALTH*0Health = $*0$ FIREImage: Image of the state of t	
FIRE 0 $Fire = 0$	
FIRE 0 $Fire = 0$	
EACINITU Reactivity = 0	
ther hazards	
esults of PBT and vPvB assessment	
BT: Not applicable.	
PvB: Not applicable.	

· Description: Mixture of the substances listed below with nonhazardous additions.

1	
• Dangerous comp	onents:
CAS: 10034-82-9	Sodium Chromate
• Table of Nonhaz	urdous Ingredients
CAS: 7732-18-5	Water

4 First-aid measures

· Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

0.1%

99.9%

US

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Sodium Chromate 1% w/v Solution

(Contd. of page 2)

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- *Reference to other sections* See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

CAS: 10034-82-9 Sodium Chromate

· PAC-2:

CAS: 10034-82-9 Sodium Chromate

• PAC-3:

CAS: 10034-82-9 Sodium Chromate

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

 $0.87 \, mg/m^3$

 15 mg/m^3

 91 mg/m^3

- US

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Sodium Chromate 1% w/v Solution

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 10034-82-9 Sodium Chromate

ACGIH TLV Short-term value: 0.03 mg/m³ Ceiling limit value 0.1 mg/m³0.1 OSHA PEL Short-term value: 0.005 mg/m³

Ceiling limit value 0.1 mg/m³0.1

· Ingredients with biological limit values:

CAS: 10034-82-9 Sodium Chromate

TOTAL CHROMIUM 25 ug/L

Time: end of shift at end of work week LD50: Total Chromium

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Sodium Chromate 1% w/v Solution

• Eye protection:

(Contd. of page 4)



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties	
General Information		
Appearance:	7 1	
Form: Color:	Liquid Clear Yellow	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	$100 \ ^{\circ}C \ (212 \ ^{\circ}F)$	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.0017 g/cm³ (8.35919 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	99.9 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.1 %	

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Sodium Chromate 1% w/v Solution

• Other information

No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 13,000 mg/kg (rat)

Inhalative LC50/4h 33 mg/l (rat)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization:

Sensitization possible through inhalation. Sensitization possible through skin contact.

· Additional toxicological information:

The nue duct about the following d

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

The product can cause inheritable damage.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 10034-82-9 Sodium Chromate

1 Group 1

• NTP (National Toxicology Program) CAS: 10034-82-9 Sodium Chromate

Known to be a Human Carcinogen

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

• Aquatic toxicity: No further relevant information available.

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 7)

US

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Sodium Chromate 1% w/v Solution

(Contd. of page 6)

- · Mobility in soil No further relevant information available.
- \cdot Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

· Results of PBT and vPvB assessment

· PBT: Not applicable.

• **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, IMDG, IATA	UN3287
· UN proper shipping name	
\cdot DOT \cdot DOT	Toxic liquid, inorganic, n.o.s.
· IMDG, IATA	TOXIC LIQUID, INORGANIC, N.O.S.
· Transport hazard class(es)	
·DOT	
TOXIC	
· Class	6.1 Toxic substances
· Label	6.1
· IMDG, IATA	
1	
· Class	6.1 Toxic substances
· Label	6.1
· Packing group	
· DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
	(Contd. on page

ACTIVE

Reviewed on 06/13/2024

Safety Data Sheet acc. to OSHA HCS

Trade name: Sodium Chromate 1% w/v Solution (Contd. of page 7) · Special precautions for user Warning: Toxic substances · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. UN 3287 TOXIC LIQUID, INORGANIC, N.O.S. 6.1, II

· UN "Model Regulation":

Printing date 06/13/2024

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

Water

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: Sodium Chromate

(Contd. on page 9)

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Sodium Chromate 1% w/v Solution

	(Contd. of page 8)
· Hazard statements	
May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
May cause an allergic skin reaction.	
May cause genetic defects.	
May cause cancer.	
May damage fertility or the unborn child.	
· Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves/protective clothing/eye protection/face protection.	
[In case of inadequate ventilation] wear respiratory protection.	
If on skin: Wash with plenty of water.	
<i>If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.</i>	
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
If skin irritation or rash occurs: Get medical advice/attention.	
If experiencing respiratory symptoms: Call a poison center/doctor.	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations	
· National regulations:	

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 0.1, 06/13/2024: Reviewed SDS for accuracy. MH/STN 06/13/2024 / 1.1

• Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value

(Contd. on page 10)

PEL: Permissible Exposure Limit

US

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Sodium Chromate 1% w/v Solution

REL: Recommended Exposure Limit BEI: Biological Exposure Limit Sensitization - Respiratory 1: Respiratory sensitisation – Category 1 Sensitization - Skin 1: Skin sensitisation – Category 1 Germ Cell Mutagenicity 1B: Germ cell mutagenicity – Category 1B Carcinogenicity 1B: Carcinogenicity – Category 1B Toxic to Reproduction 1B: Reproductive toxicity – Category 1B • * Data compared to the previous version altered. (Contd. of page 9)

US —