Printing date 05/16/2024

Reviewed on 05/16/2024

Identification	
Product identifier	
·	
Trade name: <u>Sodium Standard</u> 5.0 ppm in 2% HCl	
Article number: LY139	
Details of the supplier of the safety data s	sheet
Manufacturer/Supplier:	
Aqua Solutions, Inc.	
6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536 USA	
800-256-2586	
Information department: Technical Coordinator	
Sherman Nelson shermann@aquasolution.	is org
Emergency telephone number:	
<i>Chemtrec:</i> 800-424-9300	
Canutec: 613-996-6666	
	l Exposure 2 H373 May cause damage to organs through prolong repeated exposure.
No.	
Specific Target Organ Toxicity - Repeated	
Specific Target Organ Toxicity - Repeated	repeated exposure.
Specific Target Organ Toxicity - Repeated GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements The product is classif Hazard pictograms	repeated exposure. H314 Causes severe skin burns and eye damage.
Specific Target Organ Toxicity - Repeated GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements The product is classif	repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
Specific Target Organ Toxicity - Repeated GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements The product is classif Hazard pictograms GHS05 GHS08 Signal word Danger	repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. fied and labeled according to the Globally Harmonized System (GH
Specific Target Organ Toxicity - Repeated GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements The product is classif Hazard pictograms GHS05 GHS08 Signal word Danger Hazard-determining components of label	repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. fied and labeled according to the Globally Harmonized System (GH
Specific Target Organ Toxicity - Repeated GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements The product is classif Hazard pictograms GHS05 GHS08 Signal word Danger Hazard-determining components of label Hydrochloric Acid Hazard statements	repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. fied and labeled according to the Globally Harmonized System (GH
Specific Target Organ Toxicity - Repeated GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements The product is classif Hazard pictograms GHS05 GHS08 Signal word Danger Hazard-determining components of label Hydrochloric Acid Hazard statements Causes severe skin burns and eye damage.	repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. fied and labeled according to the Globally Harmonized System (GH
Specific Target Organ Toxicity - Repeated GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements The product is classif Hazard pictograms GHS05 GHS08 Signal word Danger Hazard-determining components of label Hydrochloric Acid Hazard statements Causes severe skin burns and eye damage. May cause damage to organs through prod	repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. fied and labeled according to the Globally Harmonized System (GH
Specific Target Organ Toxicity - Repeated GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements The product is classif Hazard pictograms GHS05 GHS08 Signal word Danger Hazard-determining components of label Hydrochloric Acid Hazard statements Causes severe skin burns and eye damage. May cause damage to organs through prod	repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. fied and labeled according to the Globally Harmonized System (GH
Specific Target Organ Toxicity - Repeated GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements The product is classif Hazard pictograms GHS05 GHS08 Signal word Danger Hazard-determining components of label Hydrochloric Acid Hazard statements Causes severe skin burns and eye damage. May cause damage to organs through prod	repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. fied and labeled according to the Globally Harmonized System (GH

Printing date 05/16/2024

Trade name: Sodium Standard 5.0 ppm in 2% HCl Reviewed on 05/16/2024

(Contd. of page 1)
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Call a poison center/doctor if you feel unwell.
If on skin: Wash with plenty of water.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
Health = 3
Fire = 0
3 0 Reactivity = 0
· HMIS-ratings (scale 0 - 4)
HEALTH 2 $Health = 2$
FIRE 0 Fire = 0
REACTIVITY 0 Reactivity = 0
· Other hazards
· Results of PBT and vPvB assessment
• PBT: Not applicable.
· vPvB: Not applicable.
3 Composition/information on ingredients
· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 7647-01-0	Hydrochloric Acid	2.293%	
· Table of Nonhazardous Ingredients			
CAS: 7732-18-5	Water	97.679%	
CAS: 7697-37-2	Nitric Acid	0.026%	
CAS: 7631-99-4	Sodium Nitrate	0.002%	

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 05/16/2024

Trade name: Sodium Standard 5.0 ppm in 2% HCl

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

- Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:				
CAS: 7647-01-0	Hydrochloric Acid	1.8 ppm		
CAS: 7697-37-2	Nitric Acid	0.16 ppm		
CAS: 7631-99-4	Sodium Nitrate	4.1 mg/m ³		
· PAC-2:				
CAS: 7647-01-0	Hydrochloric Acid	22 ppm		
CAS: 7697-37-2	Nitric Acid	24 ppm		
CAS: 7631-99-4	Sodium Nitrate	45 mg/m ³		
· PAC-3:				
CAS: 7647-01-0	Hydrochloric Acid	100 ppm		
CAS: 7697-37-2	Nitric Acid	92 ppm		
CAS: 7631-99-4	Sodium Nitrate	270 mg/m ³		

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Reviewed on 05/16/2024

(Contd. of page 2)

Printing date 05/16/2024

Trade name: Sodium Standard 5.0 ppm in 2% HCl Reviewed on 05/16/2024

(Contd. of page 3)

• Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:			
	CAS: 7647-01-0 Hydrochloric Acid		
	NIOSH RECOMENDED EXP LIMI	Ceiling limit value: 7.0 mg/m3 mg/m ³	
	PEL	Ceiling limit value: 7 mg/m ³ , 5 ppm	
	REL	Ceiling limit value: 7 mg/m³, 5 ppm	
	TLV	Ceiling limit value: 2 ppm	
		A4	

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Sodium Standard 5.0 ppm in 2% HCl

(Contd. of page 4)

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	chemical properties	
General Information		
Appearance: Form:	Liquid	
Form: Color:	Liquid Clear	
· Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	<2	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.0031 g/cm ³ (8.37087 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
• Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	p r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	97.7 %	
VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal	

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Sodium Standard 5.0 ppm in 2% HCl

(Contd. of page 5)

Solids content:

0.0 %

• Other information

No further relevant information available.

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- \cdot on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- \cdot Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.

(Contd. on page 7)

us —

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Sodium Standard 5.0 ppm in 2% HCl

(Contd. of page 6)

Additional	ecological	information:
------------	------------	--------------

· General notes:

Not hazardous for water.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information	
· UN-Number · DOT, ADN, IMDG, IATA	Not regulated
· UN proper shipping name · DOT, ADN, IMDG, IATA	Not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	Not regulated
· Packing group · DOT, IMDG, IATA	Not regulated
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	II of Not applicable.
· UN "Model Regulation":	Not regulated

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 8)

US

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Sodium Standard 5.0 ppm in 2% HCl

Sara	(Contd. of page
Section 355 (extremely hazardous substances):	
CAS: 7697-37-2 Nitric Acid	
Section 313 (Specific toxic chemical listings):	
CAS: 7697-37-2 Nitric Acid	
TSCA (Toxic Substances Control Act):	
Water	ACTIV
Hydrochloric Acid	ACTIV
Nitric Acid	ACTIV
Sodium Nitrate	ACTIV
Hazardous Air Pollutants	I
CAS: 7647-01-0 Hydrochloric Acid	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
GHS label elements The product is classified and labeled according to the Globally Harm Hazard pictograms	vonized System (GHS)
GHS05 GHS08	
Signal word Danger	
 Hazard-determining components of labeling: Hydrochloric Acid Hazard statements Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure. Precautionary statements Do not breathe dusts or mists. 	

Wash thoroughly after handling.

Printing date 05/16/2024

Trade name: Sodium Standard 5.0 ppm in 2% HCl

Reviewed on 05/16/2024

(Contd. of page 8)

Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to a Continue rinsing. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	
16 Other information	
This information is based on our present knowledge. However, this shall not constitute a guarantee for a specific product features and shall not establish a legally valid contractual relationship.	ıny
 Department issuing SDS: Environment protection department. Contact: Date of Preparation / Last Revision: Date of preparation / Last revision Revision 1.2, 05/16/2024: Reviewed SDS for accuracy. MH/STN 05/16/2024 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit Skin Corrosion 1: Skin corrosion/irritation – Category 1 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2 * Data compared to the previous version altered. 	— US -