Printing date 09/17/2024

Reviewed on 09/17/2024

### **1** Identification

- · Product identifier
- · Trade name: Nitric Acid 10% v/v Trace Metals Grade
- · Article number: SPE544
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Aqua Solutions, Inc.
  6913 Highway 225 DEER PARK, TX 77536 USA
  800-256-2586
- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- *Emergency telephone number:* Chemtrec: 800-424-9300 Canutec: 613-996-6666

#### 2 Hazard(s) identification



GHS05 Corrosion

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

*Eye Damage 1* H318 Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



- · Signal word Danger
- Hazard-determining components of labeling: Nitric Acid
  Hazard statements Causes severe skin burns and eye damage.
  Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting.
  - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
  - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

(Contd. on page 2)

<sup>-</sup> US

Printing date 09/17/2024

Reviewed on 09/17/2024

#### Trade name: Nitric Acid 10% v/v Trace Metals Grade

	(Contd. of page 1)
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	15
· Classification system:	
· NFPA ratings (scale 0 - 4)	
· WETA Taings (scale 0 - 4)	
Health = 3	
Fire = 0	
$\frac{3}{Reactivity} = 0$	
· HMIS-ratings (scale 0 - 4)	
HEALTH 3 $Health = 3$	
FIRE 0 Fire = 0	
<b>REACTIVITY</b> $O$ <i>Reactivity</i> = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
· <b><i>PBT</i></b> : Not applicable.	
• <b>vPvB:</b> Not applicable.	

# 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7697-37-2 Nitric Acid

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

#### 4 First-aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **5** *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)

14.31%

85.69%

<sup>·</sup> Description of first aid measures

<sup>-</sup> US

(Contd. of page 2)

### Safety Data Sheet acc. to OSHA HCS

Printing date 09/17/2024

Reviewed on 09/17/2024

#### Trade name: Nitric Acid 10% v/v Trace Metals Grade

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
· Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
· Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
· Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
· Protective Action Criteria for Chemicals
· PAC-1:
CAS: 7697-37-2 Nitric Acid 0.16 ppm
· PAC-2:
CAS: 7697-37-2 Nitric Acid 24 ppm
· PAC-3:
CAS: 7697-37-2 Nitric Acid 92 ppm

#### 7 Handling and storage

#### · Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 4)

US –

Printing date 09/17/2024

Reviewed on 09/17/2024

## Trade name: Nitric Acid 10% v/v Trace Metals Grade

(Contd. of page 3)

	ponents with limit values that require monitoring at the workplace:
CAS	: 7697-37-2 Nitric Acid
PEL	Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
REL	Short-term value: 10 mg/m <sup>3</sup> , 4 ppm
	Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
TLV	Short-term value: (4) NIC-0.025 ppm
	Long-term value: (2) ppm NIC-A4
A	
	tional information: The lists that were valid during the creation were used as basis.
	osure controls
	onal protective equipment:
	eral protective and hygienic measures:
	away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing.
	h hands before breaks and at the end of work.
	d contact with the eyes.
	d contact with the eyes and skin.
	thing equipment:
In ca	use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u
	iratory protective device that is independent of circulating air.
	iratory protective device that is independent of circulating air. ection of hands:
Prote	Protective gloves glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
The solution of the solution o	ection of hands: Protective gloves glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the preparation/ th
Prote The s Due chem Selec Mate The s varie the g	ection of hands: Protective gloves glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the nical mixture. ction of the glove material on consideration of the penetration times, rates of diffusion and the degradation prial of gloves selection of the suitable gloves does not only depend on the material, but also on further marks of quality and
Prote Prote	ection of hands: Protective gloves glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the nical mixture. Stion of the glove material on consideration of the penetration times, rates of diffusion and the degradation <b>prial of gloves</b> selection of the suitable gloves does not only depend on the material, but also on further marks of quality and the selection of the suitable gloves does not only depend on the material of several substances, the resistance love material can not be calculated in advance and has therefore to be checked prior to the application. <b>tration time of glove material</b> exact break through time has to be found out by the manufacturer of the protective gloves and has to be
Proto Proto The g Due chem Select Mate The g Pene The cobset	ection of hands: Protective gloves glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the nical mixture. Stion of the glove material on consideration of the penetration times, rates of diffusion and the degradation <b>prial of gloves</b> selection of the suitable gloves does not only depend on the material, but also on further marks of quality and the selection of the suitable gloves does not only depend on the material of several substances, the resistance love material can not be calculated in advance and has therefore to be checked prior to the application. <b>tration time of glove material</b> exact break through time has to be found out by the manufacturer of the protective gloves and has to be
Proto Proto The g Due chem Select Mate The g Pene The cobset	ection of hands: Protective gloves glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the tical mixture. ction of the glove material on consideration of the penetration times, rates of diffusion and the degradation to a gloves selection of the suitable gloves does not only depend on the material, but also on further marks of quality and ess from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance love material can not be calculated in advance and has therefore to be checked prior to the application. theration time of glove material exact break through time has to be found out by the manufacturer of the protective gloves and has to be rved. protection:
Proto Proto The s Due chem Selec Mate The s Varie the g Pene The cobset	ection of hands: Protective gloves glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the tical mixture. tion of the glove material on consideration of the penetration times, rates of diffusion and the degradation trial of gloves selection of the suitable gloves does not only depend on the material, but also on further marks of quality and the suitable gloves does not only depend on the material, but also on further marks of quality and the suitable gloves does not only depend on the material of several substances, the resistance love material can not be calculated in advance and has therefore to be checked prior to the application. the suitable floves material exact break through time has to be found out by the manufacturer of the protective gloves and has to be rved.

Printing date 09/17/2024

Reviewed on 09/17/2024

Trade name: Nitric Acid 10% v/v Trace Metals Grade

(Contd. of page 4)

Information on basic physical and c	chemical properties
General Information	
Appearance:	
Form:	Liquid
Color: Odor:	Clear Odorless
Odor:	Not determined.
<i>pH-value at 20 °C (68 °F):</i>	<2
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	Not applicable.
Flammability:	Not applicable.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.0503 g/cm <sup>3</sup> (8.76475 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	p <b>r):</b> Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	05.5.67
Water:	85.7%
VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %
souus content.	0.0 /0

# **10** Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 6)

US

Printing date 09/17/2024

Reviewed on 09/17/2024

Trade name: Nitric Acid 10% v/v Trace Metals Grade

· Conditions to avoid No further relevant information available.

• *Incompatible materials:* No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

### **11** Toxicological information

· Information on toxicological effects

#### • Acute toxicity:

#### · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 21 mg/l • Primary irritant effect:

· Primary irritant effect:

 $\cdot$  on the skin: Strong caustic effect on skin and mucous membranes.

• on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

(Contd. on page 7)

US

(Contd. of page 6)

### Safety Data Sheet acc. to OSHA HCS

Printing date 09/17/2024

Reviewed on 09/17/2024

Trade name: Nitric Acid 10% v/v Trace Metals Grade

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

## **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN2031	
· UN proper shipping name		
· DOT	Nitric acid solution	
· IMDG, IATA	NITRIC ACID solution	
· Transport hazard class(es)		
·DOT		
$\wedge$		
CORROSIVE		
· Class	8 Corrosive substances	
· Label	8	
· IMDG, IATA		
· Class	8 Corrosive substances	
· Label	8	
· Packing group		
· DOT, IMDG, IATA	II	
· Environmental hazards:		
· Marine pollutant:	No	
· Special precautions for user	Warning: Corrosive substances	
· Ĥazard identification number (Keml		
· EMS Number:	F-A,S-Q	
· Segregation groups	(SGG1) Acids	
· Stowage Category	A	

Printing date 09/17/2024

Reviewed on 09/17/2024

Trade name: Nitric Acid 10% v/v Trace Metals Grade

	(Contd. of page
· Stowage Code	SW2 Clear of living quarters.
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
• DOT • Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN ''Model Regulation'':	UN 2031 NITRIC ACID SOLUTION, 8, II

# **15** Regulatory information

\*

· Saf	ety, health and	l environmental	regulations/legi	slation specific	for the substa	nce or mixture
No	further relevan	t information av	vailable.			
· Sar	a					

· Section 355 (extremely hazardous substances):	
CAS: 7697-37-2 Nitric Acid	
· Section 313 (Specific toxic chemical listings):	
CAS: 7697-37-2 Nitric Acid	
TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Nitric Acid	ACTIVE
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
None of the ingredients is listed.	

(Contd. on page 9) US

Printing date 09/17/2024

Reviewed on 09/17/2024

Trade name: Nitric Acid 10% v/v Trace Metals Grade

	(Contd. of page
NIOSH-C	a (National Institute for Occupational Safety and Health)
None of th	e ingredients is listed.
GHS label	elements The product is classified and labeled according to the Globally Harmonized System (GHS).
Hazard pie	
▲ <sup>-</sup>	
Pa	
<ul> <li>₩ č</li> </ul>	
GHS05	
Signal wor	rd Danger
U	
	termining components of labeling:
Nitric Acia	
Hazard sta	
	vere skin burns and eye damage.
	nary statements
	athe dusts or mists.
	oughly after handling.
	ective gloves/protective clothing/eye protection/face protection.
0	ed: Rinse mouth. Do NOT induce vomiting.
	or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHAL	ED: Remove person to fresh air and keep comfortable for breathing.
If in eyes:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to a
Continue r	insing.
Immediate	ly call a poison center/doctor.
Specific tr	eatment (see on this label).
Wash cont	aminated clothing before reuse.
Store locke	
	contents/container in accordance with local/regional/national/international regulations.
	safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.1, 09/17/2024: Reviewed SDS for accuracy. CMC/STN 09/17/2024 / -· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

· Department issuing SDS: Environment protection department.

(Contd. on page 10)

US

Printing date 09/17/2024

Reviewed on 09/17/2024

#### Trade name: Nitric Acid 10% v/v Trace Metals Grade

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corrosion 1A: Skin corrosion/irritation – Category 1A Eye Damage 1: Serious eye damage/eye irritation – Category 1 • \* Data compared to the previous version altered. (Contd. of page 9)

US —