Printing date 07/18/2024

Reviewed on 07/18/2024

#### **1 Identification**

- · Product identifier
- Trade name: <u>Lead Nitrate</u> <u>Solution</u>
- · Article number: R310406
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Aqua Solutions, Inc.
  6913 Highway 225 DEER PARK, TX 77536 USA
  800-256-2586
- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

#### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carcinogenicity 2H351 Suspected of causing cancer.Toxic to Reproduction 1AH360 May damage fertility or the unborn child.Specific Target Organ Toxicity - Repeated Exposure 2H373 May cause damage to organs through prolonged or<br/>repeated exposure.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

Hazard-determining components of labeling: Lead Nitrate
Hazard statements
Suspected of causing cancer. May damage fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure.
Precautionary statements
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dust/fume/gas/mist/vapors/spray.
Wear protective gloves/protective clothing/eye protection/face protection. IF exposed or concerned: Get medical advice/attention.

(Contd. on page 2)



US

Printing date 07/18/2024

Trade name: Lead Nitrate Solution Reviewed on 07/18/2024

Get medical advice/attention if you feel unwell.	(Contd. of page 1)
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations	2
· Classification system:	
· NFPA ratings (scale 0 - 4)	
$\begin{array}{c} \textbf{Health} = 0\\ Fire = 0\\ Reactivity = 0 \end{array}$	
· HMIS-ratings (scale 0 - 4)	
HEALTH $\bullet$ 0FIRE0Fire = 0REACTIVITY0Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• <b>PBT</b> : Not applicable.	
• <b>vPvB:</b> Not applicable.	

#### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 10099-74-8 Lead Nitrate

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

#### **4** First-aid measures

#### · Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation: Supply fresh air; consult doctor in case of complaints.

- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.

• Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **5** *Fire-fighting measures*

· Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

(Contd. on page 3)

1.5%

98.5%

<sup>–</sup> US

Printing date 07/18/2024

Trade name: Lead Nitrate Solution Reviewed on 07/18/2024

(Contd. of page 2)

- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### **6** Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Environmental precautions:
- Do not allow product to reach sewage system or any water course.
- Inform respective authorities in case of seepage into water course or sewage system.
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 10099-74-8	Lead Nitrate	$0.24 mg/m^3$
· PAC-2:		
CAS: 10099-74-8	Lead Nitrate	180 mg/m <sup>3</sup>
· PAC-3·		

• PAC-3:

CAS: 10099-74-8 Lead Nitrate

#### 7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- $\cdot$  Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 4)

1,100 mg/m<sup>3</sup>

<sup>-</sup> US

*Printing date 07/18/2024* 

Trade name: Lead Nitrate Solution

Reviewed on 07/18/2024

	(Contd. of page 3)
· Cont	trol parameters
· Com	ponents with limit values that require monitoring at the workplace:
CAS	: 10099-74-8 Lead Nitrate
PEL	Long-term value: 0.05 mg/m <sup>3</sup> as Pb; See 29 CFR 1910.1025
REL	Long-term value: 0.05* mg/m³ as Pb;*8-hr TWA; See Pocket Guide App. C
TLV	Long-term value: 0.05 mg/m <sup>3</sup> as Pb; A3, BEI
· Ingr	edients with biological limit values:
CAS	: 10099-74-8 Lead Nitrate
BEI	200 μg/100 ml LD50 Intraperitoneal: blood Time: not critical LD50: Lead
· Addi	tional information: The lists that were valid during the creation were used as basis.
• Pers • Gena Keep Wash Stora • Brea In co resp	osure controls onal protective equipment: eral protective and hygienic measures: o away from foodstuffs, beverages and feed. h hands before breaks and at the end of work. e protective clothing separately. ething equipment: use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use iratory protective device that is independent of circulating air. ection of hands:
	Protective gloves glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the
Seleo • <b>Mat</b> o	nical mixture. ction of the glove material on consideration of the penetration times, rates of diffusion and the degradation erial of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.





Tightly sealed goggles

 $(Contd. \ on \ page \ 5)$ 

US

Printing date 07/18/2024

Reviewed on 07/18/2024

(Contd. of page 4)

Trade name: Lead Nitrate Solution

· Body protection: Protective work clothing

Physical and chemical proper		
Information on basic physical and c	hemical properties	
General Information Appearance:		
Form:	Liquid	
Color:	Colorless	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.05303 g/cm³ (8.78754 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	<b>r</b> ): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	98.5 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	1.5 %	
Other information	No further relevant information available.	

(Contd. on page 6)

Printing date 07/18/2024

Reviewed on 07/18/2024

Trade name: Lead Nitrate Solution

(Contd. of page 5)

#### **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 33,333 mg/kg

- Inhalative LC50/4h 100 mg/l
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

#### · Carcinogenic categories

CAS: 10099-74-8 Lead Nitrate

· NTP (National Toxicology Program)

CAS: 10099-74-8 Lead Nitrate

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12** Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 7)

2A

R

US

Printing date 07/18/2024

Trade name: Lead Nitrate Solution

· **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

### **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

\*

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN3287
UN proper shipping name DOT IMDG, IATA	Toxic liquid, inorganic, n.o.s. (Lead Nitrate) TOXIC LIQUID, INORGANIC, N.O.S. (Lead Nitrate)
Transport hazard class(es)	
DOT	
Toxic 6	
Class	6.1 Toxic substances
Label	6.1
6	
Class	6.1 Toxic substances
Label	6.1
Packing group DOT, IMDG, IATA	111
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Toxic substances
EMS Number:	F-A,S-A
Segregation groups	(SGG7) Heavy metals and their salts (including their organometally compounds)
Stowage Category	A

(Contd. of page 6)

Printing date 07/18/2024

Reviewed on 07/18/2024

Trade name: Lead Nitrate Solution

	(Contd. of page 7
• Transport in bulk according to Annex . MARPOL73/78 and the IBC Code	II of Not applicable.
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
·IMDG	
· Limited quantities (LQ)	5L
$\cdot$ Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3287 TOXIC LIQUID, INORGANIC, N.O.S. (LEAD NITRATE)
5	6.1, III

## **15 Regulatory information**

# • Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extre	emely hazardous substances):	
None of the ingred	lients is listed.	
· Section 313 (Spec	ific toxic chemical listings):	
CAS: 10099-74-8	Lead Nitrate	
· TSCA (Toxic Sub	stances Control Act):	
Water		ACTIVE
Lead Nitrate		ACTIVE
· Hazardous Air Pa	llutants	
CAS: 10099-74-8	Lead Nitrate	
· Proposition 65		
· Chemicals known	to cause cancer:	
CAS: 10099-74-8	Lead Nitrate	
· Chemicals known	to cause reproductive toxicity for females:	
None of the ingred	lients is listed.	
· Chemicals known	to cause reproductive toxicity for males:	
None of the ingred	lients is listed.	
· Chemicals known	to cause developmental toxicity:	
None of the ingred	lients is listed.	
· Carcinogenic cate	rgories	
· EPA (Environme	ntal Protection Agency)	
CAS: 10099-74-8	Lead Nitrate	B2
· TLV (Threshold I	Limit Value)	
CAS: 10099-74-8		A3
	(Cont	d. on page 9)
		US

Printing date 07/18/2024

Trade name: Lead Nitrate Solution

Reviewed on 07/18/2024

(Contd. of page 8)

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: Lead Nitrate

· Hazard statements

Suspected of causing cancer.

May damage fertility or the unborn child.

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective gloves/protective clothing/eye protection/face protection. IF exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2 07/18/2024: Reviewed SDS for accuracy. MH/STN Creation Date for SDS 12-03-2014 STN 07/18/2024 / 1.0 · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

(Contd. on page 10)

US

Printing date 07/18/2024

Reviewed on 07/18/2024

Trade name: Lead Nitrate Solution

(Contd. of page 9)

US

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Carcinogenicity 2: Carcinogenicity – Category 2 Toxic to Reproduction 1A: Reproductive toxicity – Category 1A Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2 • \* Data compared to the previous version altered.