US

Safety Data Sheet acc. to OSHA HCS

Printing date 07/22/2024

1 Identification

· Product identifier


• Trade name: Sodium Acetate

Reviewed on 07/22/2024

Buffer Solution • Article number: FOX023 · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org · Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 **2** Hazard(s) identification · Classification of the substance or mixture GHS07 Sensitization - Skin 1 H317 May cause an allergic skin reaction. · Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS07 · Signal word Warning · Hazard-determining components of labeling: Acetic Acid, Glacial · Hazard statements May cause an allergic skin reaction. · Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves. If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store in a closed container. Dispose of contents/container in accordance with local/regional/national/international regulations. (Contd. on page 2)

Printing date 07/22/2024

Trade name: Sodium Acetate Buffer Solution Reviewed on 07/22/2024



3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

 Dangerous 	components:
-------------------------------	-------------

CAS: 64-19-7 Acetic Acid, Glacial

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

CAS: 6131-90-4 Sodium Acetate Trihydrate

4 First-aid measures

· Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.

• Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

US

0.71%

86.21%

13.08%

Printing date 07/22/2024

Trade name: Sodium Acetate

Buffer Solution

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

 Environmental p Dilute with plent Do not allow to e Methods and ma Absorb with liquidity Dispose contaministic Ensure adequate Reference to oth 	y of water. enter sewers/ surface or ground water. terial for containment and cleaning up: id-binding material (sand, diatomite, acid binders, universal binders, sawdust). nated material as waste according to section 13. ventilation.	
See Section 13 fo	information on personal protection equipment. r disposal information. c Criteria for Chemicals	
· PAC-1:		
CAS: 6131-90-4	Sodium Acetate Trihydrate	11 mg/m ³
CAS: 64-19-7	Acetic Acid, Glacial	5 ppm
· PAC-2:		
CAS: 6131-90-4	Sodium Acetate Trihydrate	120 mg/m ³
CAS: 64-19-7	Acetic Acid, Glacial	35 ppm
· PAC-3:		
CAS: 6131-90-4	Sodium Acetate Trihydrate	690 mg/m ³
CAS: 64-19-7	Acetic Acid, Glacial	250 ppm

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.
- 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 4)

Reviewed on 07/22/2024

(Contd. of page 2)

US

Printing date 07/22/2024

Trade name: Sodium Acetate Buffer Solution Reviewed on 07/22/2024

(Contd. of page 3)

Com	ponents with limit values that require monitoring at the workplace:
CAS	: 64-19-7 Acetic Acid, Glacial
PEL	Long-term value: 25 mg/m ³ , 10 ppm
REL	Short-term value: 37 mg/m ³ , 15 ppm
	Long-term value: 25 mg/m ³ , 10 ppm
TLV	Short-term value: 15 ppm
	Long-term value: 10 ppm
Addi	tional information: The lists that were valid during the creation were used as basis.
Expo	osure controls
	onal protective equipment:
	eral protective and hygienic measures:
	ediately remove all soiled and contaminated clothing.
	h hands before breaks and at the end of work.
	thing equipment:
	use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u
	ratory protective device that is independent of circulating air. e ction of hands:
1100	centon of numus.
ſ	Ωη · · · · · · · · · · · · · · · · · · ·
- Miles	Protective gloves
The	glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
	to missing tests no recommendation to the glove material can be given for the product/ the preparation/ th
	ical mixture.
	ction of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	erial of gloves
	selection of the suitable gloves does not only depend on the material, but also on further marks of quality an
	es from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance
	love material can not be calculated in advance and has therefore to be checked prior to the application.
	tration time of glove material
	exact break through time has to be found out by the manufacturer of the protective gloves and has to l
obset	
	protection: Goggles recommended during refilling.
воау	protection: Protective work clothing
Phy	sical and chemical properties
Info	rmation on basic physical and chemical properties
	eral Information
	erance:
Anne	

Form:	Liquid	
Color:	Clear	
· Odor:	Slight Vinegar	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	

(Contd. on page 5)

Printing date 07/22/2024

Reviewed on 07/22/2024

Trade	name:	Sodium Acetate
		Buffer Solution

	(Contd. of page
• Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Auto igniting:	600 °C (1,112 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	1.05924 g/cm ³ (8.83936 lbs/gal) Not determined. Not determined. Not determined.
• Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	e r): Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
 Solvent content: Organic solvents: Water: VOC content: 	0.7 % 86.2 % 0.71 % 7.5 g/l / 0.06 lb/gal
Solids content:	13.1 %
• Other information	No further relevant information available.

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

US

Printing date 07/22/2024

Trade name: Sodium Acetate Buffer Solution Reviewed on 07/22/2024

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- \cdot on the eye: No irritating effect.
- Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 7)

Printing date 07/22/2024

Reviewed on 07/22/2024

Trade name: Sodium Acetate Buffer Solution

(Contd. of page 6)

regulated regulated
regulated
regulated
regulated
upplicable.
ıpplicable.
applicable.

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

Water

Acetic Acid, Glacial

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 8)

ACTIVE

ACTIVE

- US

Printing date 07/22/2024

Trade name: Sodium Acetate Buffer Solution Reviewed on 07/22/2024

(Contd. of page 7)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Warning

Hazard-determining components of labeling: Acetic Acid, Glacial
Hazard statements May cause an allergic skin reaction.
Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves. If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store in a closed container.
Dispose of contents/container in accordance with local/regional/national/international regulations.

• **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

- · Contact:
- Date of Preparation / Last Revision:
- Date of preparation / last revision

Revision 1.2 07/22/2024: Reviewed SDS for accuracy. MH/STN 07/22/2024 / 1.0 • **Abbreviations and acronyms:** IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 9)

⁻ US

Printing date 07/22/2024

Trade name: Sodium Acetate Buffer Solution Reviewed on 07/22/2024

(Contd. of page 8)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Sensitization - Skin 1: Skin sensitisation - Category 1 • * Data compared to the previous version altered.

US