

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2024

Reviewed on 07/19/2024

## 1 Identification

- **Product identifier**
- **Trade name:** Ion Strength Adjuster  
for Cyanide Measurements
- **Article number:** SPX860
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Aqua Solutions, Inc.  
6913 Highway 225  
DEER PARK, TX 77536  
USA  
800-256-2586
- **Information department:**  
Technical Coordinator  
Sherman Nelson [shermann@aquasolutions.org](mailto:shermann@aquasolutions.org)
- **Emergency telephone number:**  
Chemtrec: 800-424-9300  
Canutec: 613-996-6666



## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS03 Flame over circle

Oxidizing Liquids 2 H272 May intensify fire; oxidizer.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS03

- **Signal word** *Danger*
- **Hazard statements**  
*May intensify fire; oxidizer.*
- **Precautionary statements**  
*Keep away from heat.*  
*Keep/Store away from clothing/combustible materials.*  
*Take any precaution to avoid mixing with combustibles.*  
*Wear protective gloves/protective clothing/eye protection/face protection.*  
*In case of fire: Use CO2, powder or water spray to extinguish.*  
*Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 0

Fire = 3

Reactivity = 0

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2024

Reviewed on 07/19/2024

**Trade name: Ion Strength Adjuster  
for Cyanide Measurements**

(Contd. of page 1)

The substance possesses oxidizing properties.

· **HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = 0
FIRE	3	Fire = 3
REACTIVITY	0	Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 7757-79-1	Potassium Nitrate	10.802%
CAS: 584-08-7	Potassium Carbonate	3.337%

· **Table of Nonhazardous Ingredients**

CAS: 7732-18-5	Water	85.075%
CAS: 144-55-8	Sodium Bicarbonate	0.786%

### 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### \* 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**  
Dilute with plenty of water.

(Contd. on page 3)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2024

Reviewed on 07/19/2024

**Trade name: Ion Strength Adjuster  
for Cyanide Measurements**

(Contd. of page 2)

*Do not allow to enter sewers/ surface or ground water.*

**· Methods and material for containment and cleaning up:**

*Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).*

*Dispose contaminated material as waste according to section 13.*

**· Reference to other sections**

*See Section 7 for information on safe handling.*

*See Section 8 for information on personal protection equipment.*

*See Section 13 for disposal information.*

**· Protective Action Criteria for Chemicals**

**· PAC-1:**

CAS: 7757-79-1	Potassium Nitrate	9 mg/m <sup>3</sup>
CAS: 584-08-7	Potassium Carbonate	5.6 mg/m <sup>3</sup>
CAS: 144-55-8	Sodium Bicarbonate	13 mg/m <sup>3</sup>

**· PAC-2:**

CAS: 7757-79-1	Potassium Nitrate	100 mg/m <sup>3</sup>
CAS: 584-08-7	Potassium Carbonate	11 ppm
CAS: 144-55-8	Sodium Bicarbonate	140 mg/m <sup>3</sup>

**· PAC-3:**

CAS: 7757-79-1	Potassium Nitrate	600 mg/m <sup>3</sup>
CAS: 584-08-7	Potassium Carbonate	66 ppm
CAS: 144-55-8	Sodium Bicarbonate	840 mg/m <sup>3</sup>

## 7 Handling and storage

**· Handling:**

**· Precautions for safe handling** *No special precautions are necessary if used correctly.*

**· Information about protection against explosions and fires:** *No special measures required.*

**· Conditions for safe storage, including any incompatibilities**

**· Storage:**

**· Requirements to be met by storerooms and receptacles:** *No special requirements.*

**· Information about storage in one common storage facility:** *Not required.*

**· Further information about storage conditions:** *None.*

**· Specific end use(s)** *No further relevant information available.*

## 8 Exposure controls/personal protection

**· Additional information about design of technical systems:** *No further data; see section 7.*

**· Control parameters**

**· Components with limit values that require monitoring at the workplace:**

*The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.*

**· Additional information:** *The lists that were valid during the creation were used as basis.*

**· Exposure controls**

**· Personal protective equipment:**

**· General protective and hygienic measures:** *Wash hands before breaks and at the end of work.*

**· Breathing equipment:** *Not required.*

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2024

Reviewed on 07/19/2024

**Trade name: Ion Strength Adjuster  
for Cyanide Measurements**

(Contd. of page 3)

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Goggles recommended during refilling.

· **Body protection:** Protective work clothing

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Liquid

Color: Clear

· **Odor:** Odorless

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 100 °C (212 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Ignition temperature:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower: Not determined.

Upper: Not determined.

· **Vapor pressure at 20 °C (68 °F):** 23 hPa (17.3 mm Hg)

· **Density at 20 °C (68 °F):** 1.17657 g/cm<sup>3</sup> (9.81848 lbs/gal)

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2024

Reviewed on 07/19/2024

**Trade name: Ion Strength Adjuster  
for Cyanide Measurements**

(Contd. of page 4)

- |   |  |
|---|--|
| <b>· Solubility in / Miscibility with Water:</b>  | Fully miscible.                            |
| <b>· Partition coefficient (n-octanol/water):</b> | Not determined.                            |
| <b>· Viscosity:</b>                               |  |
| <b>Dynamic:</b>                                   | Not determined.                            |
| <b>Kinematic:</b>                                 | Not determined.                            |
| <b>· Solvent content:</b>                         |  |
| <b>Water:</b>                                     | 85.1 %                                     |
| <b>VOC content:</b>                               | 0.00 %                                     |
|   | 0.0 g/l / 0.00 lb/gal                      |
| <b>· Solids content:</b>                          | 14.9 %                                     |
| <b>· Other information</b>                        | No further relevant information available. |

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
  - **Acute toxicity:**
- |   |      |                    |
|---|------|--------------------|
| <b>· LD/LC50 values that are relevant for classification:</b> |      |                    |
| <b>ATE (Acute Toxicity Estimate)</b>                          |      |                    |
| Oral  | LD50 | 56,035 mg/kg (rat) |
- **Primary irritant effect:**
  - **on the skin:** No irritant effect.
  - **on the eye:** No irritating effect.
  - **Sensitization:** No sensitizing effects known.
  - **Additional toxicological information:**

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

US

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2024

Reviewed on 07/19/2024

**Trade name: Ion Strength Adjuster  
for Cyanide Measurements**

(Contd. of page 5)

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>· <b>UN-Number</b></li> <li>· <b>DOT, IMDG, IATA</b></li> </ul>                                | <p style="margin: 0;">UN3139</p>  |
| <ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>DOT</b></li> <li>· <b>IMDG, IATA</b></li> </ul> | <p style="margin: 0;">Oxidizing liquid, n.o.s.<br/>OXIDIZING LIQUID, N.O.S.</p> |
| <ul style="list-style-type: none"> <li>· <b>Transport hazard class(es)</b></li> <li>· <b>DOT</b></li> </ul>                           | <p style="margin: 0;">5.1 Oxidizing substances</p>                              |
| <ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>  | <p style="margin: 0;">5.1</p>   |



(Contd. on page 7)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2024

Reviewed on 07/19/2024

**Trade name: Ion Strength Adjuster  
for Cyanide Measurements**

(Contd. of page 6)

· **IMDG, IATA**



· **Class** 5.1 Oxidizing substances  
· **Label** 5.1

· **Packing group**  
· **DOT, IMDG, IATA** III

· **Environmental hazards:** Not applicable.

· **Special precautions for user** Warning: Oxidizing substances  
· **Hazard identification number (Kemler code):** 50  
· **EMS Number:** F-A,S-Q  
· **Stowage Category** A  
· **Stowage Code** SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

· **Transport/Additional information:**

· **DOT**  
· **Quantity limitations** On passenger aircraft/rail: 25 kg  
On cargo aircraft only: 100 kg

· **IMDG**  
· **Limited quantities (LQ)** 5 kg  
· **Excepted quantities (EQ)** Code: E1  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 1000 ml

· **UN "Model Regulation":** UN 3139 OXIDIZING LIQUID, N.O.S. 5.1, III

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
No further relevant information available.

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

CAS: 7757-79-1 | Potassium Nitrate

· **TSCA (Toxic Substances Control Act):**

Water	ACTIVE
Potassium Nitrate	ACTIVE
Potassium Carbonate	ACTIVE
Sodium Bicarbonate	ACTIVE

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2024

Reviewed on 07/19/2024

**Trade name: Ion Strength Adjuster  
for Cyanide Measurements**

(Contd. of page 7)

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS03

· **Signal word** *Danger*

· **Hazard statements**

May intensify fire; oxidizer.

· **Precautionary statements**

Keep away from heat.

Keep/Store away from clothing/combustible materials.

Take any precaution to avoid mixing with combustibles.

Wear protective gloves/protective clothing/eye protection/face protection.

In case of fire: Use CO<sub>2</sub>, powder or water spray to extinguish.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environment protection department.

· **Contact:**

Date of Preparation / Last Revision:

· **Date of preparation / last revision**

Revision 1.2 07/18/2024; Reviewed SDS for accuracy. MH/STN

(Contd. on page 9)

US



# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2024

Reviewed on 07/19/2024

**Trade name: Ion Strength Adjuster  
for Cyanide Measurements**

(Contd. of page 8)

07/19/2024 / 1.0

**Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Oxidizing Liquids 2: Oxidizing liquids – Category 2

· **\* Data compared to the previous version altered.**

US