

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/03/2021

Reviewed on 09/03/2021

1 Identification

- **Product identifier**
- **Trade name:** Total Iron Ref2 Std 500 ppb
(0.5 ppm) for EZ2005/EZ2306 Total Iron
- **Article number:** HAC636
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Aqua Solutions, Inc.
6913 Highway 225
DEER PARK, TX 77536
USA
800-256-2586
- **Information department:**
Technical Coordinator
Sherman Nelson shermann@aquasolutions.org
- **Emergency telephone number:**
Chemtrec: 800-424-9300
Canutec: 613-996-6666



2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Carc. 1A H350 May cause cancer.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS08

- **Signal word** Danger
- **Hazard-determining components of labeling:**
Sulfuric Acid 96 - 98%
- **Hazard statements**
May cause cancer.
- **Precautionary statements**
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Call a poison center/doctor if you feel unwell.
If on skin: Wash with plenty of water.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF exposed or concerned: Get medical advice/attention.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/03/2021

Reviewed on 09/03/2021

**Trade name: Total Iron Ref2 Std 500 ppb
(0.5 ppm) for EZ2005/EZ2306 Total Iron**

(Contd. of page 1)

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

| | | |
|------------|---|----------------|
| HEALTH | 0 | Health = *0 |
| FIRE | 0 | Fire = 0 |
| REACTIVITY | 0 | Reactivity = 0 |

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

| | | |
|----------------|------------------------|--------|
| CAS: 7664-93-9 | Sulfuric Acid 96 - 98% | 0.101% |
|----------------|------------------------|--------|

· **Table of Nonhazardous Ingredients**

| | | |
|----------------|--------------------------|---------|
| CAS: 7732-18-5 | Water | 99.899% |
| CAS: 7783-85-9 | Ferrous Ammonium Sulfate | 0.0002% |

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately rinse with water.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

US

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/03/2021

Reviewed on 09/03/2021

**Trade name: Total Iron Ref2 Std 500 ppb
(0.5 ppm) for EZ2005/EZ2306 Total Iron**

(Contd. of page 2)

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:

| | | |
|----------------|--------------------------|------------------------|
| CAS: 7664-93-9 | Sulfuric Acid 96 - 98% | 0.20 mg/m ³ |
| CAS: 7783-85-9 | Ferrous Ammonium Sulfate | 9.6 mg/m ³ |

· PAC-2:

| | | |
|----------------|--------------------------|-----------------------|
| CAS: 7664-93-9 | Sulfuric Acid 96 - 98% | 8.7 mg/m ³ |
| CAS: 7783-85-9 | Ferrous Ammonium Sulfate | 110 mg/m ³ |

· PAC-3:

| | | |
|----------------|--------------------------|-----------------------|
| CAS: 7664-93-9 | Sulfuric Acid 96 - 98% | 160 mg/m ³ |
| CAS: 7783-85-9 | Ferrous Ammonium Sulfate | 640 mg/m ³ |

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· Components with limit values that require monitoring at the workplace:

| | |
|---------------------------------------|--|
| CAS: 7664-93-9 Sulfuric Acid 96 - 98% | |
| PEL | Long-term value: 1 mg/m ³ |
| REL | Long-term value: 1 mg/m ³ |
| TLV | Long-term value: 0.2* mg/m ³ *as thoracic fraction, A2 |

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/03/2021

Reviewed on 09/03/2021

**Trade name: Total Iron Ref2 Std 500 ppb
(0.5 ppm) for EZ2005/EZ2306 Total Iron**

(Contd. of page 3)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Liquid

Color: Colorless

· **Odor:** Odorless

· **Odor threshold:** Not determined.

· **pH-value:** Not applicable.

· **Change in condition**

Melting point/Melting range: 0 °C (32 °F)

Boiling point/Boiling range: 100 °C (212 °F)

· **Flash point:** Not applicable.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/03/2021

Reviewed on 09/03/2021

**Trade name: Total Iron Ref2 Std 500 ppb
(0.5 ppm) for EZ2005/EZ2306 Total Iron**

(Contd. of page 4)

| | |
|---|---|
| · Flammability (solid, gaseous): | Not determined. |
| · Decomposition temperature: | Not determined. |
| · Auto igniting: | Product is not selfigniting. |
| · Danger of explosion: | Product does not present an explosion hazard. |
| · Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| · Vapor pressure at 20 °C (68 °F): | 23 hPa (17.3 mm Hg) |
| · Density at 20 °C (68 °F): | 1.00084 g/cm ³ (8.35201 lbs/gal) |
| · Relative density | Not determined. |
| · Vapor density | Not applicable. |
| · Evaporation rate | Not applicable. |
| · Solubility in / Miscibility with Water: | Soluble. |
| · Partition coefficient (n-octanol/water): | Not determined. |
| · Viscosity: | |
| Dynamic: | Not applicable. |
| Kinematic: | Not applicable. |
| · Solvent content: | |
| Water: | 99.9 % |
| VOC content: | 0.00 % |
| Solids content: | 100.0 % |
| · Other information | No further relevant information available. |

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/03/2021

Reviewed on 09/03/2021

**Trade name: Total Iron Ref2 Std 500 ppb
(0.5 ppm) for EZ2005/EZ2306 Total Iron**

(Contd. of page 5)

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

| | | |
|----------------|------------------------|---|
| CAS: 7664-93-9 | Sulfuric Acid 96 - 98% | I |
|----------------|------------------------|---|

· **NTP (National Toxicology Program)**

| | | |
|----------------|------------------------|---|
| CAS: 7664-93-9 | Sulfuric Acid 96 - 98% | K |
|----------------|------------------------|---|

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:** Not hazardous for water.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· **UN-Number**

· **DOT, IMDG, IATA**

Not regulated

· **UN proper shipping name**

· **DOT, IMDG, IATA**

Not regulated

· **Transport hazard class(es)**

· **DOT, ADN, IMDG, IATA**

· **Class**

Not regulated

(Contd. on page 7)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/03/2021

Reviewed on 09/03/2021

**Trade name: Total Iron Ref2 Std 500 ppb
(0.5 ppm) for EZ2005/EZ2306 Total Iron**

(Contd. of page 6)

- | | |
|--|-----------------|
| · Packing group | |
| · DOT, IMDG, IATA | Not regulated |
| · Environmental hazards: | Not applicable. |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Not regulated |

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

- **Section 355 (extremely hazardous substances):**

| | |
|----------------|------------------------|
| CAS: 7664-93-9 | Sulfuric Acid 96 - 98% |
|----------------|------------------------|

- **Section 313 (Specific toxic chemical listings):**

| | |
|----------------|------------------------|
| CAS: 7664-93-9 | Sulfuric Acid 96 - 98% |
|----------------|------------------------|

- **TSCA (Toxic Substances Control Act):**

| | |
|-------|--------|
| Water | ACTIVE |
|-------|--------|

| | |
|------------------------|--------|
| Sulfuric Acid 96 - 98% | ACTIVE |
|------------------------|--------|

- **Hazardous Air Pollutants**

| |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

- **Proposition 65**

- **Chemicals known to cause cancer:**

| |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

- **Chemicals known to cause reproductive toxicity for females:**

| |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

- **Chemicals known to cause reproductive toxicity for males:**

| |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

- **Chemicals known to cause developmental toxicity:**

| |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

| |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

- **TLV (Threshold Limit Value)**

| | | |
|----------------|------------------------|----|
| CAS: 7664-93-9 | Sulfuric Acid 96 - 98% | A2 |
|----------------|------------------------|----|

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

| |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/03/2021

Reviewed on 09/03/2021

**Trade name: Total Iron Ref2 Std 500 ppb
(0.5 ppm) for EZ2005/EZ2306 Total Iron**

(Contd. of page 7)

· **Hazard pictograms**



GHS08

· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

Sulfuric Acid 96 - 98%

· **Hazard statements**

May cause cancer.

· **Precautionary statements**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **National regulations:**

· **Information about limitation of use:**

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.

Exceptions can be made by the authorities in certain cases.

· **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** *Environment protection department.*

· **Contact:**

· **Date of preparation / last revision**

Revision 1.0, 08-20-2021 updated product description. STN

09/03/2021 / 1.0

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

Printing date 09/03/2021

Reviewed on 09/03/2021

Trade name: Total Iron Ref2 Std 500 ppb
(0.5 ppm) for EZ2005/EZ2306 Total Iron

(Contd. of page 8)

REL: Recommended Exposure Limit
Carc. 1A: Carcinogenicity – Category 1A

· *** Data compared to the previous version altered.**

US