Printing date 05/20/2024

Reviewed on 05/20/2024

DNS

1 Identification

- · Product identifier
- · Trade name: <u>Decahydronaphthalene (Decalin)</u>
- Article number: D2100
- · CAS Number:
- 91-17-8
- *EC number:* 202-046-9
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536 USA
 800-256-2586
- Information department: Technical Coordinator
 Sherman Nelson shermann@aquasolutions.org
 Emergency telephone number:
- Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification


H226 Flammable liquid and vapor.
crossbones
3 H331 Toxic if inhaled.
izard
H304 May be fatal if swallowed and enters airways.
ı
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.

Printing date 05/20/2024

Reviewed on 05/20/2024

Trade name: Decahydronaphthalene (Decalin)

(Contd. of page 1)



- US

Printing date 05/20/2024

Reviewed on 05/20/2024

Trade name: Decahydronaphthalene (Decalin)

• **vPvB:** Not applicable.

(Contd. of page 2)

3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description

CAS: 91-17-8 Decahydronaphthalene (Decalin)

- · Identification number(s)
- EC number: 202-046-9

4 First-aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available. • Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- \cdot For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*

• Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.

(Contd. on page 4)

⁻ US

Printing date 05/20/2024

Reviewed on 05/20/2024

Trade name: Decahydronaphthalene (Decalin)

(Contd. of page 3)

- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- **PAC-1:** 2.4 ppm • **PAC-2:** 27 ppm
- **PAC-3:** 31 ppm

7 Handling and storage

· Handling:

- · Precautions for safe handling
- *Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.*
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
- Protect against electrostatic charges.

Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- · Breathing equipment:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

 $(Contd. \ on \ page \ 5)$

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/20/2024

Reviewed on 05/20/2024

Trade name: Decahydronaphthalene (Decalin)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

Appearance:IquidForm:LiquidColor:ColorlessOdor:OdorlessOdor threshold:Not determined.pH-value:Not determined.pH-value:Not determined.Change in condition Melting point/Melting range:-125 °C (-193 °F) 189-191 °C (372.2-375.8 °F)Flash point:57 °C (134.6 °F)Flammability (solid, gaseous):Flammable.Auto igniting:255 °C (491 °F)Decomposition temperature:Not determined.Ignition temperature:Not determined.Lower:0.4 Vol %Upper:4.9 Vol %Vapor pressure at 20 °C (68 °F):1.33 hPa (1 mm Hg) 100 hPa (75 mm Hg)Density at 20 °C (68 °F):0.896 g/cm³ (7.47712 lbs/gal)Relative density Vapor densityNot determined.Solubility in / Miscibility with Water:Not miscible or difficult to mix.	General Information		
Color:ColorlessOdor:OdorlessOdor threshold:Not determined.pH-value:Not determined.pH-value:Not determined.Change in condition Melting point/Melting range:-125 °C (-193 °F) Boiling point/Boiling range:Flash point:57 °C (134.6 °F)Flash point:57 °C (134.6 °F)Flammability (solid, gaseous):Flammable.Auto igniting:255 °C (491 °F)Decomposition temperature:Not determined.Ignition temperature:Not determined.Darger of explosion:Not determined.Explosion limits: Lower:0.4 Vol % 4.9 Vol %Upper:4.9 Vol %Vapor pressure at 20 °C (68 °F):1.33 hPa (1 mm Hg) 100 hPa (75 mm Hg)Density at 20 °C (68 °F):0.896 g/cm³ (7.47712 lbs/gal)Relative density Vapor densityNot determined.Solubility in / Miscibility withNot determined.		Liquid	
Odor:Odorless Odorless Odor threshold:Odorless Not determined.pH-value:Not determined.Change in condition Melting point/Melting range: Boiling point/Melting range:-125 °C (-193 °F) BOIL 0°C (372.2-375.8 °F)Flash point:57 °C (134.6 °F)Flammability (solid, gaseous):Flammable.Auto igniting:255 °C (491 °F)Decomposition temperature:Not determined.Ignition temperature:Not determined.Darger of explosion:Not determined.Explosion limits: Lower:0.4 Vol % 4.9 Vol %Vapor pressure at 20 °C (68 °F): Vapor pressure at 50 °C (122 °F):1.33 hPa (1 mm Hg) 100 hPa (75 mm Hg)Density at 20 °C (68 °F): Vapor density Not determined.0.896 g/cm³ (7.47712 lbs/gal) Relative density Not determined.Solubility in / Miscibility withNot determined.			
Odor threshold:Not determined.pH-value:Not determined.Change in condition Melting point/Melting range:.125 °C (-193 °F) 189-191 °C (372.2-375.8 °F)Flash point:57 °C (134.6 °F)Flammability (solid, gaseous):Flammable.Auto igniting:255 °C (491 °F)Decomposition temperature:Not determined.Ignition temperature:Not determined.Danger of explosion:Not determined.Explosion limits: Lower:0.4 Vol % 4.9 Vol %Vapor pressure at 20 °C (68 °F):1.33 hPa (1 mm Hg) 100 hPa (75 mm Hg)Density at 20 °C (68 °F):0.896 g/cm³ (7.47712 lbs/gal)Relative density Vapor densityNot determined.Solubility in / Miscibility with	001011		
Change in condition Melting point/Melting range:-125 °C (-193 °F) 189-191 °C (372.2-375.8 °F)Flash point:57 °C (134.6 °F)Flash point:57 °C (134.6 °F)Flammability (solid, gaseous):Flammable.Auto igniting:255 °C (491 °F)Decomposition temperature:Not determined.Ignition temperature:Not determined.Danger of explosion:Not determined.Explosion limits: Lower:0.4 Vol % 4.9 Vol %Upper:4.9 Vol %Vapor pressure at 20 °C (68 °F):1.33 hPa (1 mm Hg) 100 hPa (75 mm Hg)Density at 20 °C (68 °F):0.896 g/cm³ (7.47712 lbs/gal) Not determined.Relative density Vapor densityNot determined.Solubility in / Miscibility withNot determined.			
Meling point/Melting range: Boiling point/Boiling range:-125 °C (-193 °F) 189-191 °C (372.2-375.8 °F)Flash point:57 °C (134.6 °F)Flammability (solid, gaseous):Flammable.Auto igniting:255 °C (491 °F)Decomposition temperature:Not determined.Ignition temperature:Not determined.Danger of explosion:Not determined.Explosion limits: Lower: Upper:0.4 Vol % 4.9 Vol %Vapor pressure at 20 °C (68 °F):1.33 hPa (1 mm Hg) 100 hPa (75 mm Hg)Density at 20 °C (68 °F): Vapor density0.896 g/cm³ (7.47712 lbs/gal) Not determined.Solubility in / Miscibility withNot determined.	pH-value:	Not determined.	
Meling point/Melting range: Boiling point/Boiling range:-125 °C (-193 °F) 189-191 °C (372.2-375.8 °F)Flash point:57 °C (134.6 °F)Flammability (solid, gaseous):Flammable.Auto igniting:255 °C (491 °F)Decomposition temperature:Not determined.Ignition temperature:Not determined.Danger of explosion:Not determined.Explosion limits: Lower: Upper:0.4 Vol % 4.9 Vol %Vapor pressure at 20 °C (68 °F):1.33 hPa (1 mm Hg) 100 hPa (75 mm Hg)Density at 20 °C (68 °F): Vapor density0.896 g/cm³ (7.47712 lbs/gal) Not determined.Solubility in / Miscibility withNot determined.	Change in condition		
Boiling point/Boiling range:189-191°C (372.2-375.8°F)Flash point:57°C (134.6°F)Flammability (solid, gaseous):Flammable.Auto igniting:255°C (491°F)Decomposition temperature:Not determined.Ignition temperature:Not determined.Danger of explosion:Not determined.Explosion limits:0.4 Vol %Lower:0.4 Vol %Upper:4.9 Vol %Vapor pressure at 20°C (68°F):1.33 hPa (1 mm Hg)Density at 20°C (68°F):0.896 g/cm³ (7.47712 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with	8	-125 °C (-193 °F)	
Flammability (solid, gaseous):Flammable.Auto igniting:255 °C (491 °F)Decomposition temperature:Not determined.Ignition temperature:Not determined.Danger of explosion:Not determined.Explosion limits:0.4 Vol %Lower:0.4 Vol %Upper:4.9 Vol %Vapor pressure at 20 °C (68 °F):1.33 hPa (1 mm Hg)Vapor pressure at 50 °C (122 °F):0.896 g/cm³ (7.47712 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with		189-191 °C (372.2-375.8 °F)	
Auto igniting:255 °C (491 °F)Decomposition temperature:Not determined.Ignition temperature:Not determined.Danger of explosion:Not determined.Explosion limits:0.4 Vol %Upper:4.9 Vol %Vapor pressure at 20 °C (68 °F):1.33 hPa (1 mm Hg)Vapor pressure at 50 °C (122 °F):100 hPa (75 mm Hg)Density at 20 °C (68 °F):0.896 g/cm³ (7.47712 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with	Flash point:	57 °C (134.6 °F)	
Decomposition temperature:Not determined.Ignition temperature:Not determined.Danger of explosion:Not determined.Explosion limits:	Flammability (solid, gaseous):	Flammable.	
Ignition temperature:Not determined.Danger of explosion:Not determined.Explosion limits:	Auto igniting:	255 °C (491 °F)	
Danger of explosion:Not determined.Explosion limits: Lower: Upper:0.4 Vol %Vapor pressure at 20 °C (68 °F): Vapor pressure at 50 °C (122 °F):1.33 hPa (1 mm Hg) 100 hPa (75 mm Hg)Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate0.896 g/cm³ (7.47712 lbs/gal) Not determined.Solubility in / Miscibility withNot determined.	Decomposition temperature:	Not determined.	
Explosion limits: Lower: Upper:0.4 Vol % 4.9 Vol %Vapor pressure at 20 °C (68 °F): Vapor pressure at 50 °C (122 °F):1.33 hPa (1 mm Hg) 100 hPa (75 mm Hg)Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate0.896 g/cm³ (7.47712 lbs/gal) Not determined.Solubility in / Miscibility withNot determined.	Ignition temperature:	Not determined.	
Lower:0.4 Vol %Upper:4.9 Vol %Vapor pressure at 20 °C (68 °F):1.33 hPa (1 mm Hg)Vapor pressure at 50 °C (122 °F):100 hPa (75 mm Hg)Density at 20 °C (68 °F):0.896 g/cm³ (7.47712 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with	Danger of explosion:	Not determined.	
Upper:4.9 Vol %Vapor pressure at 20 °C (68 °F):1.33 hPa (1 mm Hg)Vapor pressure at 50 °C (122 °F):100 hPa (75 mm Hg)Density at 20 °C (68 °F):0.896 g/cm³ (7.47712 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with	Explosion limits:		
Vapor pressure at 20 °C (68 °F):1.33 hPa (1 mm Hg)Vapor pressure at 50 °C (122 °F):100 hPa (75 mm Hg)Density at 20 °C (68 °F):0.896 g/cm³ (7.47712 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with			
Vapor pressure at 50 °C (122 °F):100 hPa (75 mm Hg)Density at 20 °C (68 °F):0.896 g/cm³ (7.47712 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility withVapor density	Upper:	4.9 Vol %	
Vapor pressure at 50 °C (122 °F):100 hPa (75 mm Hg)Density at 20 °C (68 °F):0.896 g/cm³ (7.47712 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility withVapor density	Vapor pressure at 20 °C (68 °F):	1.33 hPa (1 mm Hg)	
Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with			
Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Value	Density at 20 °C (68 °F):	0.896 g/cm ³ (7.47712 lbs/gal)	
Evaporation rate Not determined. Solubility in / Miscibility with Image: Constraint of the second s	Relative density	Not determined.	
Solubility in / Miscibility with			
• •	Evaporation rate	Not determined.	
Water: Not miscible or difficult to mix.	Solubility in / Miscibility with		
	Water:	Not miscible or difficult to mix.	

US

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/20/2024

Reviewed on 05/20/2024

Trade name: Decahydronaphthalene (Decalin)

• Viscosity: Dynamic: Kinematic:

Not determined. Not determined.

· Other information

No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

- Inhalative LC50/4h 3 mg/l (ATE)
- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- \cdot on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Assessment by list): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Must not reach bodies of water or drainage ditch undiluted or unneutralized.

(Contd. on page 7)

Printing date 05/20/2024

Reviewed on 05/20/2024

Trade name: Decahydronaphthalene (Decalin)

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations


· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.



(Contd. of page 6)

Printing date 05/20/2024

Reviewed on 05/20/2024

Trade name: Decahydronaphthalene (Decalin)

	(Contd. of pa
Environmental hazards:	
Marine pollutant:	No
-	Yes (DOT)
	Symbol (fish and tree)
Special precautions for user	Warning: Flammable liquids
Poison inhalation hazard:	No
Hazard identification number (Kemler code).	: 30
EMS Number:	F-E,S-D
Stowage Category	Α
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
Remarks:	Special marking with the symbol (fish and tree).
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (\widetilde{EQ})	Code: El
· ~	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1147 DECAHYDRONAPHTHALENE, 3, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances): Substance is not listed.

- Section 313 (Specific toxic chemical listings): Substance is not listed.
- TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

Printing date 05/20/2024

Reviewed on 05/20/2024

Trade name: Decahydronaphthalene (Decalin)

(Contd. of page 8)



16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of Preparation / Last Revision:
- Date of preparation / last revision Revision 1.2, 05/20/2024: Reviewed SDS for accuracy. MH/STN 05/20/2024
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 10)

Printing date 05/20/2024

Reviewed on 05/20/2024

Trade name: Decahydronaphthalene (Decalin)

	(Contd. of page 9)
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flammable Liquids 3: Flammable liquids – Category 3	
Acute Toxicity - Inhalation 3: Acute toxicity – Category 3	
Skin Corrosion 1B: Skin corrosion/irritation – Category 1B	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
Aspiration Hazard 1: Aspiration hazard – Category 1	
* Data compared to the previous version altered.	