Printing date 07/24/2024 Reviewed on 07/24/2024

### 1 Identification

· Product identifier

· Trade name: Reagent 91

Hydrolyzable Chloride Reactant

· Article number: DC562

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Toxicity - Oral 3 H301 Toxic if swallowed.

Acute Toxicity - Dermal 3 H311 Toxic in contact with skin.

Acute Toxicity - Inhalation 3 H331 Toxic if inhaled.



GHS08 Health hazard

Toxic to Reproduction 1B H360 May damage fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure 1 H370 Causes damage to the central nervous system and the visual organs.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS06

GHS08

· Signal word Danger

(Contd. on page 2)

Printing date 07/24/2024 Reviewed on 07/24/2024

Trade name: Reagent 91

Hydrolyzable Chloride Reactant

(Contd. of page 1)

## · Hazard-determining components of labeling:

Ethylene Glycol Monomethyl Ether

Methanol

#### · Hazard statements

Highly flammable liquid and vapor.

Toxic if swallowed, in contact with skin or if inhaled.

May damage fertility or the unborn child.

Causes damage to the central nervous system and the visual organs.

#### · Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

*Use explosion-proof electrical/ventilating/lighting/equipment.* 

*Use only non-sparking tools.* 

Take precautionary measures against static discharge.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

Rinse mouth.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

*IF INHALED:* Remove person to fresh air and keep comfortable for breathing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Take off immediately all contaminated clothing and wash it before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2

Fire = 3

Reactivity = 0

## · HMIS-ratings (scale 0 - 4)



*Health* = 2 *Fire* = 3

Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

US

Printing date 07/24/2024 Reviewed on 07/24/2024

Trade name: Reagent 91

Hydrolyzable Chloride Reactant

(Contd. of page 2)

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
	Ethylene Glycol Monomethyl Ether	64.649%	
CAS: 67-56-1	Methanol	35.349%	
· Table of Nonhazardous Ingredients			
CAS: 845-10	Methyl Red Sodium Salt	0.002%	
CAS: 7447-41	-8 Lithium Chloride	0.001%	

### 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · **Protective equipment:** Mouth respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)

Printing date 07/24/2024 Reviewed on 07/24/2024

Trade name: Reagent 91

Hydrolyzable Chloride Reactant

(Contd. of page 3)

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

#### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· <i>PAC-1</i> :				
	Ethylene Glycol Monomethyl Ether	0.3 ppm		
CAS: 67-56-1	Methanol	530 ppm		
CAS: 7447-41-8	Lithium Chloride	2.3 mg/m <sup>3</sup>		
· PAC-2:				
	Ethylene Glycol Monomethyl Ether	14 ppm		
CAS: 67-56-1	Methanol	2,100 ppm		
CAS: 7447-41-8	Lithium Chloride	17 mg/m3		
· PAC-3:				
	Ethylene Glycol Monomethyl Ether	2000* ppm		
CAS: 67-56-1	Methanol	7200* ppm		
CAS: 7447-41-8	Lithium Chloride	100 mg/m3		

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 5)

Printing date 07/24/2024 Reviewed on 07/24/2024

Trade name: Reagent 91

Hydrolyzable Chloride Reactant

· Components with limit values that require monitoring at the workplace:

(Contd. of page 4)

#### · Control parameters

Components with time values that require mondoring at the workplace.			
Ethyle	lene Glycol Monomethyl Ether		
PEL	Long-term value: 80 mg/m³, 25 ppm Skin		
REL	Long-term value: $0.3 \text{ mg/m}^3$ , $0.1 \text{ ppm}$ Skin		
TLV	Long-term value: 0.1 ppm Skin; BEI		
WEEL	Skin; B		
CAS: 0	AS: 67-56-1 Methanol		
PEL	Long-term value: 260 mg/m³, 200 ppm		
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin		
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEIc		

### · Ingredients with biological limit values:

## Ethylene Glycol Monomethyl Ether

#### BEI 1 mg/g creatinine

LD50 Intraperitoneal: urine

Time: end of shift at end of workweek

LD50: 2-Methoxyacetic acid

#### CAS: 67-56-1 Methanol

#### BEI 15 mg/L

LD50 Intraperitoneal: urine

Time: end of shift

LD50: Methanol (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:

## · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 6)

Printing date 07/24/2024 Reviewed on 07/24/2024

Trade name: Reagent 91

Hydrolyzable Chloride Reactant

(Contd. of page 5)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

0 Dh	ugianl	and	a	remical	nua	nout	100
7 T II	ysicui	unu	CI	iemicui	שוע	peru	ies

· Information on basic physical and che	emical properties
· General Information	
· Appearance:	

Form: Liquid
Color: Orange
Odor: Organic
Odor threshold: Not detern

· Odor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range:

Melting point/Melting range:Undetermined.Boiling point/Boiling range:64 °C (147.2 °F)

• Flash point: 11 °C (51.8 °F)

· Flammability (solid, gaseous): Highly flammable.

• Auto igniting:  $310 \, ^{\circ}\text{C} \, (590 \, ^{\circ}\text{F})$ 

Decomposition temperature: Not determined.
 Ignition temperature: Product is not selfigniting.

• Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· Explosion limits:

 Lower:
 2.4 Vol %

 Upper:
 44 Vol %

· Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg)

• **Density at 20 °C (68 °F):** 0.8956 g/cm³ (7.47378 lbs/gal)

Relative density
 Vapor density
 Evaporation rate
 Not determined.
 Not determined.

(Contd. on page 7)

Printing date 07/24/2024 Reviewed on 07/24/2024

Trade name: Reagent 91

Hydrolyzable Chloride Reactant

		(Contd. of page
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octano	<b>l/water):</b> Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	100.0 %	
VOC content:	100.00 %	
	895.6 g/l / 7.47 lb/gal	
Solids content:	0.2 %	
Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

#### · LD/LC50 values that are relevant for classification:

# ATE (Acute Toxicity Estimate)OralLD50207 mg/kgDermalLD50566 mg/kgInhalativeLC50/4h5.66 mg/l

- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

· Carcinogenic categories

#### · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 8)

Printing date 07/24/2024 Reviewed on 07/24/2024

Trade name: Reagent 91

Hydrolyzable Chloride Reactant

(Contd. of page 7)

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

1 / //	•	 C	, •
	ransport	torma	7010
17 1	<b>                                    </b>	 <b></b>	,,,,,,

· UN-Number	
· DOT. IMDG. IATA	I/N1993

· UN proper shipping name

Flammable liquids, n.o.s. (Methanol, Ethylene Glycol Monomethyl Ether)

• IMDG, IATA FLAMMABLE LIQUID, N.O.S. (Methanol, Ethylene Glycol Monomethyl Ether)

- · Transport hazard class(es)
- · DOT



*Class* 3 Flammable liquids

(Contd. on page 9)

Printing date 07/24/2024 Reviewed on 07/24/2024

Trade name: Reagent 91

Hydrolyzable Chloride Reactant

	(Contd. of page
Label	3
IMDG, IATA	
3	
Class	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code).	
EMS Number:	<i>F-E</i> , <u><i>S-E</i></u>
Stowage Category	В
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E2
·	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (METHANO ETHYLENE GLYCOL MONOMETHYL ETHER), 3, II

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

Suru	
· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
Ethylene Glycol Monomethyl Ether	

CAS: 67-56-1 Methanol

TSCA (Toxic Substances Control Act):	
Ethylene Glycol Monomethyl Ether	ACTIVE
Methanol	ACTIVE
Methyl Red Sodium Salt	ACTIVE

(Contd. on page 10)

Printing date 07/24/2024 Reviewed on 07/24/2024

Trade name: Reagent 91

Hydrolyzable Chloride Reactant

Lithium Chloride (Contd. of page 9)

ACTIVE

· Hazardous Air Pollutants

ACIIVL

CAS: 67-56-1 Methanol

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

Ethylene Glycol Monomethyl Ether

· Chemicals known to cause developmental toxicity:

Ethylene Glycol Monomethyl Ether

CAS: 67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

02 GHS06 GHS08

· Signal word Danger

· Hazard-determining components of labeling:

Ethylene Glycol Monomethyl Ether

Methanol

· Hazard statements

Highly flammable liquid and vapor.

Toxic if swallowed, in contact with skin or if inhaled.

May damage fertility or the unborn child.

Causes damage to the central nervous system and the visual organs.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

(Contd. on page 11)

Printing date 07/24/2024 Reviewed on 07/24/2024

Trade name: Reagent 91

Hydrolyzable Chloride Reactant

(Contd. of page 10)

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

*If swallowed: Immediately call a poison center/doctor.* 

Specific treatment (see on this label).

Rinse mouth.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Take off immediately all contaminated clothing and wash it before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 1.2, 07-24-2024: Reviewed SDS for accuracy. STN/GW

Revision 0.0, 09-26-2018: Creation date for SDS. STN

07/24/2024 / 1.1

#### · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Liquids 2: Flammable liquids – Category 2

Acute Toxicity - Oral 3: Acute toxicity - Category 3

Toxic to Reproduction 1B: Reproductive toxicity – Category 1B

Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1

\* Data compared to the previous version altered.