Printing date 07/26/2024

\*

\*

Reviewed on 07/26/2024

Trade name: Cyrolite® (	220 Hiflo		
	Cyclohexanone		
Article number: ALC115			
Details of the supplier of Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	the safety data sheet	SOL	QUA JTIONS
Information department:			
Technical Coordinator Sherman Nelson sherman	n aguagalutions and		
Emergency telephone nu			
Chemtrec: 800-424-9300			
Canutec: 613-996-6666			
CHS02 Elama			
GHS02 Flame Flammable Liquids 3	H226 Flammable liquid and vapor	r.	
		r.	
Flammable Liquids 3		r.	
Flammable Liquids 3	nd crossbones	r.	
Flammable Liquids 3 GHS06 Skull a Acute Toxicity - Dermal 3	nd crossbones	r.	
Flammable Liquids 3 GHS06 Skull a Acute Toxicity - Dermal 3 GHS07 Acute Toxicity - Oral 4	nd crossbones H311 Toxic in contact with skin.	r.	
Flammable Liquids 3 GHS06 Skull a Acute Toxicity - Dermal 3 GHS07 Acute Toxicity - Oral 4	nd crossbones H311 Toxic in contact with skin. H302 Harmful if swallowed.	r.	
Flammable Liquids 3 Flammable Liquids 3 GHS06 Skull a Acute Toxicity - Dermal 3 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Inhalatio	nd crossbones H311 Toxic in contact with skin. H302 Harmful if swallowed. n 4 H332 Harmful if inhaled.		

GHS02 GHS06 GHS07

· Signal word Danger

• *Hazard-determining components of labeling: Cyclohexanone 99.8%* 

(Contd. on page 2)

<sup>-</sup> US

Printing date 07/26/2024

Reviewed on 07/26/2024

## Trade name: Cyrolite® G20 Hiflo 9% w/w in Cyclohexanone

(Contd. of page 1)
· Hazard statements
Flammable liquid and vapor.
Harmful if swallowed or if inhaled.
Toxic in contact with skin.
Causes skin irritation.
Causes serious eye irritation.
· Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Call a poison center/doctor if you feel unwell.
Rinse mouth.
Specific treatment (see on this label).
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Take off immediately all contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
ATTA Tuning's (scule 0 - 4)
Health = 2
Fire = 2
2 $0$ Reactivity = 0
· HMIS-ratings (scale 0 - 4)
$\frac{\text{HEALTH}}{2} Health = 2$
FIRE 2 $Fire = 2$
<b>REACTIVITY</b> $0$ Reactivity = 0
Other hazards
Results of PBT and vPvB assessment
<b>PBT:</b> Not applicable.
• <b>vPvB:</b> Not applicable.
(Contd. on page 3)

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Cyrolite® G20 Hiflo

9% w/w in Cyclohexanone

(Contd. of page 2)

91.0%

>8.55%

#### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 108-94-1 Cyclohexanone 99.8%

• Table of Nonhazardous Ingredients

CAS: 100-00-0 Proprietary, non-hazardous material

#### 4 First-aid measures

- · Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

(Contd. on page 4)

US

Printing date 07/26/2024

Reviewed on 07/26/2024

# Trade name: Cyrolite® G20 Hiflo

9% w/w in Cyclohexanone

 (Contd. of page 3)

 • Reference to other sections

 See Section 7 for information on safe handling.

 See Section 8 for information on personal protection equipment.

 See Section 13 for disposal information.

 • Protective Action Criteria for Chemicals

 • PAC-1:

 CAS: 108-94-1
 Cyclohexanone 99.8%

 • PAC-2:

 CAS: 108-94-1
 Cyclohexanone 99.8%

 • PAC-3:

 CAS: 108-94-1
 Cyclohexanone 99.8%

#### 7 Handling and storage

· Handling:

- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.*
- Prevent formation of aerosols.
- *Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- *Specific end use(s) No further relevant information available.*

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

Com	or parameters	
· Com	· Components with limit values that require monitoring at the workplace:	
CAS:	108-94-1 Cyclohexanone 99.8%	
PEL	Long-term value: 200 mg/m³, 50 ppm	
REL	Long-term value: 100 mg/m³, 25 ppm	
	Skin	
	Short-term value: 50 ppm	
	Long-term value: 20 ppm	
	Skin, BEI, A3	
	(Contd. on page 5)	
	U	

Printing date 07/26/2024

Reviewed on 07/26/2024

#### Trade name: Cyrolite® G20 Hiflo 9% w/w in Cyclohexanone

(Contd. of page 4)

# · Ingredients with biological limit values: CAS: 108-94-1 Cyclohexanone 99.8% BEI 80 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: 1.2-Cyclohexanediol (with hydrolysis, nonspecific, nonquantitative) 8 mg/LLD50 Intraperitoneal: urine Time: end of shift LD50: Cyclohexanol (with hydrolysis, nonspecific, nonquantitative) • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles · Body protection: Protective work clothing (Contd. on page 6)

Printing date 07/26/2024

\*

Reviewed on 07/26/2024

Trade name: Cyrolite® G20 Hiflo 9% w/w in Cyclohexanone

(Contd. of page 5)

Information on basic physical and c	hemical properties
General Information	
Appearance: Form:	Linuid
Form: Color:	Liquid Clear
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	26 °C (78.8 °F)
Boiling point/Boiling range:	153-156 °C (307.4-312.8 °F)
Flash point:	43 °C (109.4 °F)
Flammability (solid, gaseous):	Flammable.
Auto igniting:	420 °C (788 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vap- mixtures are possible.
Explosion limits:	
Lower:	1.3 Vol %
Upper:	9.4 Vol %
Vapor pressure at 20 °C (68 °F):	5 hPa (3.8 mm Hg)
Density at 20 °C (68 °F):	0.9585 g/cm³ (7.99868 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water at 20 °C (68 °F):	80 g/l
Partition coefficient (n-octanol/wate	<b>r</b> ): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	91.0%
VOC content:	91.00%
	872.2 g/l / 7.28 lb/gal
Solids content:	5.0 %
Other information	No further relevant information available.

(Contd. on page 7)

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Cyrolite® G20 Hiflo

9% w/w in Cyclohexanone

(Contd. of page 6)

#### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

 ATE (Acute Toxicity Estimate)

 Oral
 LD50

 549 mg/kg

Orui		547 mg/ng
Dermal	LD50	330 mg/kg
Inhalative	LC50/4h	12.1 mg/l

#### • Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

· on the eye: Irritating effect.

- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 108-94-1 Cyclohexanone 99.8%

· NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- *Persistence and degradability No further relevant information available.*
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

(Contd. on page 8)

3

<sup>-</sup> US

Printing date 07/26/2024

Reviewed on 07/26/2024

# Trade name: Cyrolite® G20 Hiflo

9% w/w in Cyclohexanone

(Contd. of page 7)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • **Results of PBT and vPvB assessment** 

• *PBT:* Not applicable.

• **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN1993
	01(1775
UN proper shipping name	
	Flammable liquids, n.o.s. (Cyclohexanone)
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Cyclohexanone)
Transport hazard class(es)	
DOT	
PAMMARE LOUD	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
3	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, ĬMDĠ, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number:	F-E,S-D
Stowage Category	A

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Cyrolite® G20 Hiflo 9% w/w in Cyclohexanone

	(Contd. of page 8
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
·IMDG	
· Limited quantities (LQ)	5L
$\cdot$ Excepted quantities ( $\widetilde{E}Q$ )	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (CYCLOHEXANONE), 3, III

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
Cyclohexanone 99.8%	ACTIVE
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
CAS: 108-94-1 Cyclohexanone 99.8%	A3
	(Contd. on page 10)

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Cyrolite® G20 Hiflo 9% w/w in Cyclohexanone

(Contd. of page 9) · NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed. • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS02 GHS06 GHS07 · Signal word Danger · Hazard-determining components of labeling: Cyclohexanone 99.8% · Hazard statements *Flammable liquid and vapor.* Harmful if swallowed or if inhaled. Toxic in contact with skin. Causes skin irritation. Causes serious eve irritation. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. Specific treatment (see on this label). If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 11)

Printing date 07/26/2024

Reviewed on 07/26/2024

# Trade name: Cyrolite® G20 Hiflo 9% w/w in Cyclohexanone

	(Contd. of page 10)
Department issuing SDS: Environment protection department.	
Contact:	
Date of Preparation / Last Revision:	
Date of preparation / last revision	
<i>Revision 1.2, 07-26-2024: Reviewed SDS for accuracy. STN/GW</i>	
07/26/2024 / 1.1	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 3: Flammable liquids – Category 3	
Acute Toxicity - Oral 4: Acute toxicity – Category 4	
Acute Toxicity - Dermal 3: Acute toxicity – Category 3	
Skin Irritation 2: Skin corrosion/irritation – Category 2	
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A	
* Data compared to the previous version altered.	
	US