Printing date 07/26/2024

Reviewed on 07/26/2024

1 Identification

- · Product identifier
- Trade name: <u>Acetic Acid 5%</u>
- · Article number: 206699
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 AQUA

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number:
- Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Skin Corrosion 1AH314 Causes severe skin burns and eye damage.Eye Damage 1H318 Causes serious eye damage.



Sensitization - Skin 1 H317 May cause an allergic skin reaction.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Acetic Acid, Glacial
Hazard statements Causes severe skin burns and eye damage. May cause an allergic skin reaction.
Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

US

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Acetic Acid 5%

	ontd. of page 1)
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and	l easv to do
Continue rinsing.	cusy to uo.
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
If skin irritation or rash occurs: Get medical advice/attention.	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system: · NFPA ratings (scale 0 - 4)	
A Third A things (scale 0 - 4)	
Health = 3	
Fire = 0	
3 0 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH 3 $Health = 3$	
FIRE 0 $Fire = 0$	
REACTIVITY 0 Reactivity = 0	
· Other hazards · Results of PBT and vPvB assessment	
• PBT: Not applicable.	
• vPvB : Not applicable.	
3 Composition/information on ingredients	
· Chemical characterization: Mixtures	
• Description: Mixture of the substances listed below with nonhazardous additions.	

· Dangerous components:

CAS: 64-19-7 Acetic Acid, Glacial

5.237%

94.763%

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

· Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

US

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Acetic Acid 5%

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
- Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- PAC-1:
 5 ppm

 CAS: 64-19-7
 Acetic Acid, Glacial
 5 ppm

 PAC-2:
 35 ppm

 CAS: 64-19-7
 Acetic Acid, Glacial
 35 ppm

 PAC-3:
 CAS: 64-19-7
 Acetic Acid, Glacial
 250 ppm

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- *Information about protection against explosions and fires: Keep respiratory protective device available.*
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

(Contd. of page 2)

US

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Acetic Acid 5%

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

• Control parameters

• Components with limit values that require monitoring at the workplace:

CAS: 64-19-7 Acetic Acid, Glacial

PEL Long-term value: 25 mg/m³, 10 ppm

- REL Short-term value: 37 mg/m³, 15 ppm
 - Long-term value: 25 mg/m³, 10 ppm

TLV Short-term value: 15 ppm Long-term value: 10 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. on page 5)

US

(Contd. of page 3)

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Acetic Acid 5%

· Body protection: Protective work clothing

Odor threshold: pH-value at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous):	Liquid Clear Vinegar Not determined. <2 Undetermined. 100 °C (212 °F) Not applicable. Not applicable.
Appearance: Form: Color: Odor: Odor threshold: pH-value at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous):	Clear Vinegar Not determined. <2 Undetermined. 100 °C (212 °F) Not applicable. Not applicable.
Color: Odor: Odor threshold: pH-value at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous):	Clear Vinegar Not determined. <2 Undetermined. 100 °C (212 °F) Not applicable. Not applicable.
Odor: Odor threshold: pH-value at 20 °C (68 °F): Change in condition Melting point/Melting range:	Vinegar Not determined. <2 Undetermined. 100 °C (212 °F) Not applicable. Not applicable.
Odor threshold: pH-value at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous):	Not determined. <2 Undetermined. 100 °C (212 °F) Not applicable. Not applicable.
pH-value at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous):	<2 Undetermined. 100 °C (212 °F) Not applicable. Not applicable.
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous):	Undetermined. 100 °C (212 °F) Not applicable. Not applicable.
Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous):	100 °C (212 °F) Not applicable. Not applicable.
Boiling point/Boiling range: Flash point: Flammability (solid, gaseous):	100 °C (212 °F) Not applicable. Not applicable.
Flash point: Flammability (solid, gaseous):	Not applicable. Not applicable.
Flammability (solid, gaseous):	Not applicable.
Auto igniting:	
8 8	485 °C (905 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.00561 g/cm ³ (8.39182 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	5.2 %
Water:	94.8 %
VOC content:	5.24 %
	52.7 g/l / 0.44 lb/gal
Solids content:	0.0 %

(Contd. of page 4)

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Acetic Acid 5%

• Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Dermal LD50 20,241 mg/kg (rabbit)

- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

(Contd. on page 7)

US

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Acetic Acid 5%

· Additional ecological information:

- General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-

value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation:* Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, IMDG, IATA	UN2790	
UN proper shipping name		
DOT	Acetic acid solution	
IMDG, IATA	ACETIC ACID SOLUTION	
Transport hazard class(es)		
DOT		
CORROSIVE 8		
Class	8 Corrosive substances	
Label	8	
IMDG, IATA		
No. Contraction of the second		
Class	8 Corrosive substances	
Label	8	
Packing group		
DOT, ĬMDG, IATA	III	

(Contd. of page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Acetic Acid 5%

· Environmental hazards:

· Special precautions for user

· Marine pollutant:

No Warning: Corrosive substances

• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

· UN "Model Regulation":

UN 2790 ACETIC ACID SOLUTION, 8, III

15 Regulatory information


Safety, health and environmental regulations/legislation specific for the substance or mixture	
No further relevant information available. • Sara	
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
• TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Acetic Acid, Glacial	ACTIVE
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
None of the ingredients is listed.	
·NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
• GHS label elements The product is classified and labeled according to the Globally Harmonized Sys	<i>tem (GHS).</i> Contd. on page 9)

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Acetic Acid 5%

(Contd. of page 8)



16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: *Date of Preparation / Last Revision:* • Date of preparation / last revision Revision 1.2, 07-26-2024: Reviewed SDS for accuracy. STN/GW 07/26/2024 / -· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

(Contd. on page 10)

U

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Acetic Acid 5%

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corrosion 1A: Skin corrosion/irritation – Category 1A Eye Damage 1: Serious eye damage/eye irritation – Category 1 Sensitization - Skin 1: Skin sensitisation – Category 1 • * **Data compared to the previous version altered.** (Contd. of page 9)

US —