Printing date 08/12/2024

Reviewed on 08/12/2024



Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: Copper Sulfate Solution for Surface Testing

(Contd. of page 1) If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. • Classification system: • NFPA ratings (scale 0 - 4)			
Health = 3 Fire = 0 Reactivity = 0			
· HMIS-ratings (scale 0 - 4)			
HEALTH*3Health = *3FIRE $\bigcirc$ Fire = 0REACTIVITY $\bigcirc$ Reactivity = 0			
• Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable.			
3 Composition/information on ingredients			
• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions.			
· Dangerous components:			
CAS: 7758-99-8 Cupric Sulfate Pentahydrate 19.211%			
CAS: 7664-93-9 Sulfuric Acid 96 - 98% 0.624%			
Table of Nonhazardous Ingredients			
CAS: 7732-18-5 Water 80.165%			

#### **4** First-aid measures

- Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# 5 Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

(Contd. on page 3)

US

Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: Copper Sulfate Solution for Surface Testing

(Contd. of page 2) • Special hazards arising from the substance or mixture No further relevant information available.

· Advice for firefighters • Protective equipment: No special measures required.

### 6 Accidental release measures

o Accidental release measures			
<ul> <li>Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.</li> <li>Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.</li> <li>Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.</li> <li>Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.</li> <li>Protective Action Criteria for Chemicals</li> </ul>			
• PAC-1:			
CAS: 7758-99-8 Cupric Sulfate Pentahydrate	12 mg/m <sup>3</sup>		
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	$0.20 \ mg/m^3$		
· PAC-2:			
CAS: 7758-99-8 Cupric Sulfate Pentahydrate	$32 \text{ mg/m}^3$		
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	8.7 mg/m <sup>3</sup>		
· PAC-3:			
CAS: 7758-99-8 Cupric Sulfate Pentahydrate	190 mg/m <sup>3</sup>		
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	160 mg/m <sup>3</sup>		

### 7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

(Contd. on page 4)

Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: Copper Sulfate Solution for Surface Testing

(Contd. of page 3)

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

#### · Control parameters

#### • Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

#### CAS: 7664-93-9 Sulfuric Acid 96 - 98%

PEL Long-term value: 1 mg/m<sup>3</sup>

REL Long-term value: 1 mg/m<sup>3</sup>

TLV Long-term value: 0.2\* mg/m<sup>3</sup>

\*as thoracic fraction, A2

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. on page 5)

US -

Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: Copper Sulfate Solution for Surface Testing

· Body protection: Protective work clothing

(Contd. of page 4)

Information on basic physical and c	hemical properties	
General Information		
· Appearance:		
Form:	Liquid	
Color: • Odor:	Clear Blue Odorless	
· Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.25191 g/cm³ (10.44719 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	80.2 %	
VOC content:	0.00%	
	0.0 g/l / 0.00 lb/gal	
Solids content:	19.2 %	
• Other information	No further relevant information available.	

(Contd. on page 6)

Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: Copper Sulfate Solution for Surface Testing

(Contd. of page 5)

### **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· NTP (National Toxicology Program)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)

1

Κ

U

Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: Copper Sulfate Solution for Surface Testing

(Contd. of page 6)

• Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN3082
UN proper shipping name	
DOT	Environmentally hazardous substance, liquid, n.o.s. (Cupr
	Sulfate Pentahydrate)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUI
IATA	N.O.S. (Cupric Sulfate Pentahydrate), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUI
	N.O.S. (Cupric Sulfate Pentahydrate)
Transport hazard class(es)	( <b>T</b>
DOT, IMDG, IATA	
Class Label	9 Miscellaneous dangerous substances and articles 9
	, 
Packing group DOT, IMDG, IATA	111
Environmental hazards:	Product contains environmentally hazardous substances: Cupi
Environmental nazaras.	Sulfate Pentahydrate
Marine pollutant:	Yes (DOT)
	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
Special precautions for user	Warning: Miscellaneous dangerous substances and articles
Hazard identification number (Kemler code). EMS Number:	: 90 F-A,S-F
	$\Gamma - A, S - \Gamma$
Stowage Category Transport in bulk according to Annex II of	11

Printing date 08/12/2024

Reviewed on 08/12/2024

### Trade name: Copper Sulfate Solution for Surface Testing

(Contd. of page 7
On passenger aircraft/rail: 450 L
On cargo aircraft only: 450 L
Special marking with the symbol (fish and tree).
5L
Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE
LIQUID, N.O.S. (CUPRIC SULFATE PENTAHYDRATE), 9, III

# **15 Regulatory information**

· Safety, health and envir · Sara	conmental regulations/legislation specific for the subs	stance or mixture
· Section 355 (extremely l	hazardous substances):	
CAS: 7664-93-9 Sulfuri	c Acid 96 - 98%	
• Section 313 (Specific to:	xic chemical listings):	
CAS: 7758-99-8 Cupric	Sulfate Pentahydrate	
CAS: 7664-93-9 Sulfuri	c Acid 96 - 98%	
· TSCA (Toxic Substance	es Control Act):	
Water		ACTIVE
Sulfuric Acid 96 - 98%		ACTIVE
· Hazardous Air Pollutan	its	
None of the ingredients i	is listed.	
· Proposition 65		
· Chemicals known to cat	use cancer:	
None of the ingredients i	is listed.	
· Chemicals known to cat	use reproductive toxicity for females:	
None of the ingredients i	is listed.	
· Chemicals known to cat	use reproductive toxicity for males:	
None of the ingredients i	is listed.	
· Chemicals known to cat	use developmental toxicity:	
None of the ingredients i	is listed.	
· Carcinogenic categories	5	
· EPA (Environmental Pr	rotection Agency)	
None of the ingredients i	is listed.	
• TLV (Threshold Limit V	Value)	
CAS: 7664-93-9 Sulfuri	c Acid 96 - 98%	A2
I		(Contd. on page 9

Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: Copper Sulfate Solution for Surface Testing

(Contd. of page 8)

#### $\cdot$ NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



- · Signal word Danger
- Hazard-determining components of labeling: Cupric Sulfate Pentahydrate Sulfuric Acid 96 - 98%
  Hazard statements Causes serious eye damage. May cause cancer.
  Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

- Date of Preparation / Last Revision:
- Date of preparation / last revision

Revision 1.2, 08-12-2024: Reviewed SDS for accuracy. STN/GW 08/12/2024 / 1.1

 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 10)

US

Printing date 08/12/2024

Reviewed on 08/12/2024

#### Trade name: Copper Sulfate Solution for Surface Testing

(Contd. of page 9)

US

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Eye Damage 1: Serious eye damage/eye irritation – Category 1 Carcinogenicity 1A: Carcinogenicity – Category 1A • \* Data compared to the previous version altered.