

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/05/2017

Reviewed on 10/05/2017

1 Identification

- **Product identifier**
- **Trade name:** Fluoride 500 ppm
in 50% v/v Tisab
- **Article number:** AM349
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Aqua Solutions, Inc.
6913 Highway 225
DEER PARK, TX 77536
USA
800-256-2586
- **Information department:**
Technical Coordinator
Sherman Nelson sherman@aquasolutions.org
- **Emergency telephone number:**
Chemtrec: 800-424-9300
Canutec: 613-996-6666



2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labeling:**
Acetic Acid
Sodium Hydroxide
- **Hazard statements**
Causes skin irritation.
Causes serious eye damage.
- **Precautionary statements**
Wash thoroughly after handling.
Wear protective gloves / eye protection / face protection.
IF ON SKIN: Wash with plenty of water.

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/05/2017

Reviewed on 10/05/2017

**Trade name: Fluoride 500 ppm
in 50% v/v Tisab**

(Contd. of page 1)

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**

HEALTH	2	Health = 2
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 64-19-7	Acetic Acid	2.932%
CAS: 1310-73-2	Sodium Hydroxide	1.148%

· **Table of Nonhazardous Ingredients**

CAS: 7647-14-5	Sodium Chloride	2.833%
CAS: 125572-95-4	CDTA (1,2-Cyclohexylene dinitrilo-tetraacetic Acid)	0.195%
CAS: 7681-49-4	Sodium Fluoride	0.054%
CAS: 7732-18-5	Water	92.838%

4 First-aid measures

· **Description of first aid measures**

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** If symptoms persist consult doctor.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

US

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/05/2017

Reviewed on 10/05/2017

**Trade name: Fluoride 500 ppm
in 50% v/v Tisab**

(Contd. of page 2)

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to item 13.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

- **PAC-1:**

CAS: 64-19-7	Acetic Acid	5 ppm
CAS: 1310-73-2	Sodium Hydroxide	0.5 mg/m ³
CAS: 7681-49-4	Sodium Fluoride	17 mg/m ³

- **PAC-2:**

CAS: 64-19-7	Acetic Acid	35 ppm
CAS: 1310-73-2	Sodium Hydroxide	5 mg/m ³
CAS: 7681-49-4	Sodium Fluoride	90 mg/m ³

- **PAC-3:**

CAS: 64-19-7	Acetic Acid	250 ppm
CAS: 1310-73-2	Sodium Hydroxide	50 mg/m ³
CAS: 7681-49-4	Sodium Fluoride	1,100 mg/m ³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/05/2017

Reviewed on 10/05/2017

**Trade name: Fluoride 500 ppm
in 50% v/v Tisab**

(Contd. of page 3)

· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

CAS: 64-19-7 Acetic Acid

PEL Long-term value: 25 mg/m³, 10 ppm

REL Short-term value: 37 mg/m³, 15 ppm
Long-term value: 25 mg/m³, 10 ppm

TLV Short-term value: 37 mg/m³, 15 ppm
Long-term value: 25 mg/m³, 10 ppm

CAS: 1310-73-2 Sodium Hydroxide

PEL Long-term value: 2 mg/m³

REL Ceiling limit value: 2 mg/m³

TLV Ceiling limit value: 2 mg/m³

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· **Breathing equipment:** Not required.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/05/2017

Reviewed on 10/05/2017

**Trade name: Fluoride 500 ppm
in 50% v/v Tisab**

(Contd. of page 4)

· **Eye protection:**

Tightly sealed goggles

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**· **General Information**· **Appearance:**

Form:	Liquid
Color:	Clear
Odor:	Vinegar
Odor threshold:	Not determined.

· **pH-value:** Not determined.· **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)

· **Flash point:** Not applicable.· **Flammability (solid, gaseous):** Not applicable.· **Ignition temperature:****Decomposition temperature:** Not determined.· **Auto igniting:** Product is not selfigniting.· **Danger of explosion:** Product does not present an explosion hazard.· **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

· **Vapor pressure at 20 °C (68 °F):** 23 hPa (17 mm Hg)· **Density at 20 °C (68 °F):** 1.02367 g/cm³ (8.543 lbs/gal)· **Relative density** Not determined.· **Vapor density** Not determined.· **Evaporation rate** Not determined.· **Solubility in / Miscibility with****Water:** Fully miscible.· **Partition coefficient (n-octanol/water):** Not determined.· **Viscosity:**

Dynamic:	Not determined.
Kinematic:	Not determined.

· **Solvent content:****Organic solvents:** 2.9 %

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/05/2017

Reviewed on 10/05/2017

**Trade name: Fluoride 500 ppm
in 50% v/v Tisab**

(Contd. of page 5)

Water:	92.8 %
VOC content:	2.9 %
	30.0 g/l / 0.25 lb/gl

Solids content:	4.2 %
Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Oral	LD50	45146 mg/kg (rat)
Dermal	LD50	36156 mg/kg (rabbit)

CAS: 1310-73-2 Sodium Hydroxide

Oral	LD50	2000 mg/kg (rat)
------	------	------------------

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

CAS: 7681-49-4	Sodium Fluoride	3
----------------	-----------------	---

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

US

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/05/2017

Reviewed on 10/05/2017

**Trade name: Fluoride 500 ppm
in 50% v/v Tisab**

(Contd. of page 6)

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
*Water hazard class 1 (Self-assessment): slightly hazardous for water
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
 Must not reach bodies of water or drainage ditch undiluted or unneutralized.*
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

<ul style="list-style-type: none"> · UN-Number · DOT, ADN, IMDG, IATA 	Not regulated
<ul style="list-style-type: none"> · UN proper shipping name · DOT, ADN, IMDG, IATA 	Not regulated
<ul style="list-style-type: none"> · Transport hazard class(es) · DOT, ADN, IMDG, IATA · Class 	Not regulated
<ul style="list-style-type: none"> · Packing group · DOT, IMDG, IATA 	Not regulated
<ul style="list-style-type: none"> · Environmental hazards: · Marine pollutant: 	No
<ul style="list-style-type: none"> · Special precautions for user 	Not applicable.
<ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/05/2017

Reviewed on 10/05/2017

**Trade name: Fluoride 500 ppm
in 50% v/v Tisab**

(Contd. of page 7)

· UN "Model Regulation": Not regulated

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

CAS: 64-19-7 Acetic Acid

CAS: 7647-14-5 Sodium Chloride

CAS: 1310-73-2 Sodium Hydroxide

CAS: 7681-49-4 Sodium Fluoride

CAS: 7732-18-5 Water

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

CAS: 7681-49-4 Sodium Fluoride

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger

· **Hazard-determining components of labeling:**

Acetic Acid

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/05/2017

Reviewed on 10/05/2017

**Trade name: Fluoride 500 ppm
in 50% v/v Tisab**

(Contd. of page 8)

Sodium Hydroxide

- **Hazard statements**

- Causes skin irritation.

- Causes serious eye damage.

- **Precautionary statements**

- Wash thoroughly after handling.

- Wear protective gloves / eye protection / face protection.

- IF ON SKIN: Wash with plenty of water.

- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

- Continue rinsing.

- Immediately call a POISON CENTER/doctor.

- Specific treatment (see on this label).

- If skin irritation occurs: Get medical advice/attention.

- Take off contaminated clothing and wash it before reuse.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Environment protection department.

- **Contact:**

- **Date of preparation / last revision**

- 10-05-2017: review SDS for accuracy. STN

- Creation date for SDS 01-08-2015. STN

- 10/05/2017 / -

- **Abbreviations and acronyms:**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation

- IATA: International Air Transport Association

- ACGIH: American Conference of Governmental Industrial Hygienists

- EINECS: European Inventory of Existing Commercial Chemical Substances

- ELINCS: European List of Notified Chemical Substances

- CAS: Chemical Abstracts Service (division of the American Chemical Society)

- NFPA: National Fire Protection Association (USA)

- HMIS: Hazardous Materials Identification System (USA)

- VOC: Volatile Organic Compounds (USA, EU)

- LC50: Lethal concentration, 50 percent

- LD50: Lethal dose, 50 percent

- PBT: Persistent, Bioaccumulative and Toxic

- vPvB: very Persistent and very Bioaccumulative

- NIOSH: National Institute for Occupational Safety

- OSHA: Occupational Safety & Health

- TLV: Threshold Limit Value

- PEL: Permissible Exposure Limit

- REL: Recommended Exposure Limit

- Skin Irrit. 2: Skin corrosion/irritation – Category 2

- Eye Dam. 1: Serious eye damage/eye irritation – Category 1