Printing date 08/14/2024

*

Reviewed on 08/14/2024

rinting date 08/14/2024		Reviewed on 08/14/2024
1 Identification		
· Product identifier		
• Trade name: <u>Sodium Sulfate</u> 0.4 ppm w/w in Denatured 2	licohol	
• Article number: MID031		
• Details of the supplier of the safety data s • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	heet	AQUA SOLUTIONS
• Information department: Technical Coordinator Sherman Nelson shermann@aquasolution • Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	s.org	
2 Hazard(s) identification		
• Classification of the substance or mixture		
GHS02 Flame		
Flammable Liquids 2	H225 Highly flammable	liquid and vapor.
GHS08 Health hazard		
Specific Target Organ Toxicity - Single Ex	posure 2 H371 May cause damag the visual organs.	te to the central nervous system and
 Label elements GHS label elements The product is classif Hazard pictograms 	ied and labeled according to the G	lobally Harmonized System (GHS).
GHS02 GHS08		
· Signal word Danger		
 Hazard-determining components of label Methanol Hazard statements Highly flammable liquid and vapor. May cause damage to the central nervous Precautionary statements 		
Keep away from heat/sparks/open flames// Keep container tightly closed.		
Ground/bond container and receiving equ Use explosion-proof electrical/ventilating/		
ese expression proof ereen ieur venniuning/	Same quipment.	(Contd. on page 2

(Contd. on page 2) US

Printing date 08/14/2024

Reviewed on 08/14/2024

Trade name: Sodium Sulfate 0.4 ppm w/w in Denatured Alcohol

(Contd. of page 1) Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. *IF exposed or concerned: Call a poison center/doctor.* In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 0Fire = 3Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH *1 *Health* = *1

FIRE3Fire = 3REACTIVITY0Reactivity = 0

- Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-17-5 E	Ethyl Alcohol, Absolute 200 Proof	89.64%
CAS: 67-56-1 N		4.98%
CAS: 67-63-0 I	sopropanol	4.98%
U	zardous Ingredients	
CAS: 7732-18-5		0.4%
CAS: 7757-82-6	Sodium Sulfate Anhydrous	0.0004%

4 First-aid measures

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

Printing date 08/14/2024

Reviewed on 08/14/2024

Trade name: Sodium Sulfate

0.4 ppm w/w in Denatured Alcohol

(Contd. of page 2)

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
 Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions:
 Dilute with plenty of water.
 Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up:
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Dispose contaminated material as waste according to section 13.

Dispose contaminated material as waste according to

Ensure adequate ventilation. • **Reference to other sections**

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

• Protective Action Criteria for Chemicals

	i Crueriu jor Chemicais	
· PAC-1:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	1,800 ppm
CAS: 67-56-1	Methanol	530 ppm
CAS: 67-63-0	Isopropanol	400 ppm
CAS: 7757-82-6	CAS: 7757-82-6 Sodium Sulfate Anhydrous	
· PAC-2:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	3300* ppm
CAS: 67-56-1	Methanol	2,100 ppm
CAS: 67-63-0	Isopropanol	2000* ppm
CAS: 7757-82-6	Sodium Sulfate Anhydrous	110 mg/m ³
· PAC-3:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	15000* ppm
CAS: 67-56-1	Methanol	7200* ppm
CAS: 67-63-0	Isopropanol	12000** ppn
		(Contd. on page

Printing date 08/14/2024

Reviewed on 08/14/2024

Trade name: Sodium Sulfate

0.4 ppm w/w in Denatured Alcohol

CAS: 7757-82-6 Sodium Sulfate Anhydrous

(Contd. of page 3) $650 mg/m^3$

7 Handling and storage

· Handling:

- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.*
- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

	ponents with limit values that require monitoring at the workplace:
CAS	: 64-17-5 Ethyl Alcohol, Absolute 200 Proof
PEL	Long-term value: 1900 mg/m³, 1000 ppm
REL	Long-term value: 1900 mg/m³, 1000 ppm
TLV	Short-term value: 1000 ppm A3
CAS	: 67-56-1 Methanol
PEL	Long-term value: 260 mg/m ³ , 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEIc
CAS	: 67-63-0 Isopropanol
PEL	Long-term value: 980 mg/m ³ , 400 ppm
REL	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
TLV	Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4
	(Contd. on page

Printing date 08/14/2024

Reviewed on 08/14/2024

Trade name: Sodium Sulfate

0.4 ppm w/w in Denatured Alcohol

(Contd. of page 4) · Ingredients with biological limit values: CAS: 67-56-1 Methanol BEI 15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific) CAS: 67-63-0 Isopropanol BEI 40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Tightly sealed goggles · **Body protection:** Protective work clothing

(Contd. on page 6)

Printing date 08/14/2024

*

Reviewed on 08/14/2024

Trade name: Sodium Sulfate 0.4 ppm w/w in Denatured Alcohol

(Contd. of page 5)

9 Physical and chemical properti	es
· Information on basic physical and ch	emical properties
· General Information	emen properties
· Appearance:	
Form:	Liquid
Color:	Clear water white
· Odor:	Alcohol
• Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	78.3 °C (172.9 °F)
· Flash point:	11 °C (51.8 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	425 °C (797 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
• Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
• Explosion limits:	
Lower:	3.5 Vol %
Upper:	19 Vol %
· Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
· Vapor pressure at 50 °C (122 °F):	280 hPa (210 mm Hg)
• Density at 20 °C (68 °F):	0.79008 g/cm ³ (6.59322 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/water): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	99.6 %
Water:	0.4 %
VOC content:	99.60 %
	786.9 g/l / 6.57 lb/gal
Solids content:	89.6 %
• Other information	No further relevant information available.

(Contd. on page 7)

US

Printing date 08/14/2024

Reviewed on 08/14/2024

Trade name: Sodium Sulfate

0.4 ppm w/w in Denatured Alcohol

(Contd. of page 6)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral	LD50	2,008 mg/kg
		6,024 mg/kg
Inhalative	LC50/4h	60.2 mg/l

• Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

CAS: 67-63-0 Isopropanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

• General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 8)

1 3

Printing date 08/14/2024

Reviewed on 08/14/2024

Trade name: Sodium Sulfate

0.4 ppm w/w in Denatured Alcohol

(Contd. of page 7)

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN1993
UN proper shipping name DOT	Flammable liquids, n.o.s. (Ethanol, Methanol, Isopropanol
IMDG, IATA) FLAMMABLE LIQUID, N.O.S. (Ethanol, Methanol, Isopropano)
Transport hazard class(es)	
DOT	
PLAIMABLE LOUD	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
· Class	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code EMS Number:	Warning: Flammable liquids e): 33 F-E,S-D

US

US

Safety Data Sheet acc. to OSHA HCS

Printing date 08/14/2024

Reviewed on 08/14/2024

Trade name: Sodium Sulfate

0.4 ppm w/w in Denatured Alcohol

	(Contd. of page
· Stowage Category	В
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
• DOT • Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL METHANOL, ISOPROPANOL), 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara

· Sara	
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
CAS: 67-56-1 Methanol	
CAS: 67-63-0 Isopropanol	
• TSCA (Toxic Substances Control Act):	
Ethyl Alcohol, Absolute 200 Proof	ACTIVI
Methanol	ACTIV
Isopropanol	ACTIV
Water	ACTIV
Sodium Sulfate Anhydrous	ACTIV
· Hazardous Air Pollutants	
CAS: 67-56-1 Methanol	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
• Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof	
I	(Contd. on page 2

(Contd. of page 9)

A3

A4

Safety Data Sheet acc. to OSHA HCS

Printing date 08/14/2024

Reviewed on 08/14/2024

Trade name: Sodium Sulfate

0.4 ppm w/w in Denatured Alcohol

CAS: 67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

CAS: 67-63-0 Isopropanol

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



GHS02 GHS08

· Signal word Danger

· Hazard-determining components of labeling: Methanol · Hazard statements Highly flammable liquid and vapor. May cause damage to the central nervous system and the visual organs. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. *IF exposed or concerned: Call a poison center/doctor.* In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

(Contd. on page 11)

⁻ US

Printing date 08/14/2024

Reviewed on 08/14/2024

Trade name: Sodium Sulfate 0.4 ppm w/w in Denatured Alcohol

	(Contd. of page 10)
Date of preparation / last revision	
Revision 1.2, 08-14-2024: Reviewed SDS for accuracy. STN/GW	
08/14/2024 / 1.1	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Specific Target Organ Toxicity - Single Exposure 2: Specific target organ toxicity (single exposure) – Category 2	
* Data compared to the previous version altered.	