Printing date 06/17/2024

*

Reviewed on 05/16/2024

I Hendification • Product identifier • Product identifier • Article mame: Hydrochloric Acid <u>2Very Solution • Article mamber: 4388 • Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. • Og13 Highway 223 DETRE PARK, TX 7236 USA 800-256-2586 • Information department: rechnical Coordinator Sherman Nelson shermann® aquasolutions.org Sherman Nelson shermann® (aquasolutions.org) Sherman Nelson shermannelson qaquasolutions.org <</u>	Printing date 00/17/2024	Kevlewed on 05/16/2024
 Product identifier Trade name: Hydrochloric Acid 2% w Solution Article number: 4388 Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. OHI Sight Soft Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. OHI Sight Soft Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. OHI Sight Soft Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. OHI Sight Soft Details of the supplier of the safety data sheet Manufacturer/Supplier: Agaa Solutions, Inc. OHI Sight Soft Details of the supplier of the safety data sheet Manufacturer/Supplier: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Femrean Velson shermann@aquasolutions.org Sherman Nelson shermann@aquasolutions.org Sherman Nelson shermann@aquasolutions.org Sherman Nelson shermann@aquasolutions.org Chaute: 613-990-6666 2 Hazard(s) identification Cature: 613-990-6666 2 Hazard(s) identification Cature: 613-990-6666 2 Hazard(s) identification Sheroson Na Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure. Skin Corrosion IA H314 Causes severe skin hurns and eye damage. Eye Damage 1 H318 Causes serieus eye damage. Label elements CHS05 Corrosion Skin Corrosion IA H314 Causes serieus eye damage. Label elements CHS08 Health hazard Signal word Danger Hazard jetograms Signal word Danger Hazard-determining components of labeling: Hydrochtoric Acid May cause severe skin hurns and eye damage. Kauses severe skin hurns and eye damage. May cause damage to mogen through prolonged or repeated exposure. Wazard detements Guasses sever	1 Identification	
 Trade name: <u>Hydrochloric Acid</u> <u>2% vk Solution</u> Article number: 4388 Details of the supplier of the sofety data sheet Monufacturer/Supplier: Aqua Solutions, Inc. Manufacturer/Supplier: Aqua Solutions, Inc. Map Solution, Incompany Solution, Incompany, Indiange Inc., May Solutio	1 Identification	
2% vb Solution • Article number: 4388 • Details of the supplier of the safety data sheet • Manufacturer/Supplier: Agua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 • Information department: Technical Coordinator Sherman Nelson shermann@ aquasolutions.org • Perchical Coordinator Sherman Nelson shermann@ aquasolutions.org • Bremain Nelson shermann@ aquasolutions.org • Bremain Nelson shermann@ aquasolutions.org • Bremerency telephone number: Chemics: • Sherman Nelson shermann@ aquasolutions.org • Bremerency telephone number: Chemics: • Orgen Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure. • Orgen GHSOS Corrosion Skin Corrosion 1A Skin Corrosion 1A • H314 Causes severe skin burns and eye damage. • H518 ble lements • Offs Label elements • Offs Label elements • HS18 Causes series sevin seving to the Globally Harmonized System (GHS). • Harard dictermining components of labeli	· Product identifier	
 Details of the supplier of the safety data sheet Manufacturer/Supplier: Aque Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org Energency telephone number: Chemtree: 613-996-6666 2 Hazard(s) identification Classification of the substance or mixture Outcome of the substance of the substance or mixture Stin Corrosion 1A H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H318 Causes		
 Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77336 USA 800-236-2386 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chentres: 800-242-9300 Canute: 613-996-6666 2 Hazard(s) identification Classification of the substance or mixture Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure. GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure. GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. Label elements GHS05 GHS08 Signal word Danger Hazard statements Causes severe skin burns and eye damage. Hydrochloric Acid Hazard statements Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure. 	• Article number: 4388	
USA 800-256-2586 • Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org Energency telephone number: Chentree: 800-242-9300 Canutec: 613-996-6666 • Instruction of the substance or mixture Chentree: 800-242-9300 Canutec: 613-996-6666 • Instruction of the substance or mixture H318 Causes serious damage to organs through prolonged or repeated exposure. • Instruction 1A H314 Causes serious eye damage. H318 Causes serious eye damage. • Instel elements • GHS lubel elements The product is classified and labeled according to the Globally Harmonized System (GHS). • Instruction Canute • GHS05 • GHS05 • GHS05 • GHS06 • Signal word Danger • Hazard-determining components of labeling: Hydrochhoric Acid • Hazard statements Causes servere skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure.	• Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225	AQUA SOLUTIONS
 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtree: 800-424-9300 Canutec: 613-996-6666 2 Hazard(s) identification Classification of the substance or mixture	USA	
Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Cherntre: 800-424-9300 Canutec: 613-996-6666 2 Hazard(s) identification • Classification of the substance or mixture	800-256-2586	
 Classification of the substance or mixture GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure. Geffer GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. Label elements GHS05 Corrosion GHS05 Corrosion Signal word Danger Hazard statements Hazard statements Causes severe skin burns and eye damage. Hazard statements Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure. 	Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number: Chemtrec: 800-424-9300	
 Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure. Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Signal word Danger Hazard-determining components of labeling: Hydrochloric Acid Hazard statements Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure. 		
repeated exposure. Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms	GHS08 Health hazard	
Skin Corrosion 1AH314 Causes severe skin burns and eye damage.Eye Damage 1H318 Causes serious eye damage.• Label elementsH318 Causes serious eye damage.• Label elementsThe product is classified and labeled according to the Globally Harmonized System (GHS).• Hazard pictograms $\overbrace{OHS05}^{\circ}$ GHS08• Signal word DangerHazard-determining components of labeling: Hydrochloric Acid• Hazard statementsKauses severe skin burns and eye damage. Hydrochloric Acid• Hazard statementsMay cause damage to organs through prolonged or repeated exposure.	Specific Target Organ Toxicity - Repeated Exposu	
 Eye Damage 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS05 GHS08 Signal word Danger Hazard-determining components of labeling: Hydrochloric Acid Hazard statements Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure. 	GHS05 Corrosion	
 GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS05 GHS05 Signal word Danger Hazard-determining components of labeling: Hydrochloric Acid Hazard statements Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure. 		
 Signal word Danger Hazard-determining components of labeling: Hydrochloric Acid Hazard statements Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure. 	· GHS label elements The product is classified and	labeled according to the Globally Harmonized System (GHS).
 Signal word Danger Hazard-determining components of labeling: Hydrochloric Acid Hazard statements Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure. 		
 Hazard-determining components of labeling: Hydrochloric Acid Hazard statements Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure. 	GHS05 GHS08	
 Hazard-determining components of labeling: Hydrochloric Acid Hazard statements Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure. 	· Signal word Danger	
May cause damage to organs through prolonged or repeated exposure.	• Hazard-determining components of labeling: Hydrochloric Acid	
	May cause damage to organs through prolonged of	or repeated exposure. (Contd. on page 2)

Printing date 06/17/2024

Reviewed on 05/16/2024

Trade name: Hydrochloric Acid 2% v/v Solution

	(Contd. of page 1
Precautionary statements	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/show IF INHALED: Remove person to fresh air and keep comfortable for breathing.	wer.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pres	ent and easy to do
Continue rinsing.	eni unu eusy io uo
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
<i>Get medical advice/attention if you feel unwell.</i>	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regula	tions
• Classification system:	
· NFPA ratings (scale 0 - 4)	
$3 \bigcirc Reactivity = 0$ $+ MIS-ratings (scale 0 - 4)$ $+ EALTH [3] Health = *3$	
FIRE 0 $Fire = 0$	
REACTIVITY O Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• PBT: Not applicable.	
• vPvB: Not applicable.	
Composition/information on ingredients	
Composition information on ingreatents	
• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
CAS: 7647-01-0 Hydrochloric Acid	2.293%

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

97.707%

US

Printing date 06/17/2024

Reviewed on 05/16/2024

Trade name: Hydrochloric Acid 2% v/v Solution

(Contd. of page 2)

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures	
Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
• Environmental precautions: Dilute with plenty of water.	
· Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent.	
Dispose contaminated material as waste according to section 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 7647-01-0 Hydrochloric Acid 1.8 ppm	
· PAC-2:	
CAS: 7647-01-0 Hydrochloric Acid 22 ppm	
· PAC-3:	
CAS: 7647-01-0 Hydrochloric Acid 100 ppm	

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

• Information about protection against explosions and fires: Keep respiratory protective device available.

(Contd. on page 4)

US

Printing date 06/17/2024

Reviewed on 05/16/2024

Trade name: Hydrochloric Acid 2% v/v Solution

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:		
CAS: 7647-01-0 Hydrochloric Acid		
NIOSH RECOMENDED EXP LIMI	Ceiling limit value: 7.0 mg/m3 mg/m ³	
PEL	Ceiling limit value: 7 mg/m ³ , 5 ppm	
REL	Ceiling limit value: 7 mg/m³, 5 ppm	
TLV	Ceiling limit value: 2 ppm A4	

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately. Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

US

Printing date 06/17/2024

Reviewed on 05/16/2024

Trade name: Hydrochloric Acid 2% v/v Solution

(Contd. of page 4)

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties	
General Information		
Appearance:	vi	
Form:	Liquid	
Color: Odor:	Clear Odorless	
Odor threshold:	Not determined.	
<i>pH-value at 20 °C (68 °F):</i>	<2	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.003 g/cm ³ (8.37004 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	97.7 %	
VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal	

Printing date 06/17/2024

Reviewed on 05/16/2024

(Contd. of page 5)

Trade name: Hydrochloric Acid 2% v/v Solution

Solids content:

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

0.0 %

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- \cdot on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 7)

US

Printing date 06/17/2024

Reviewed on 05/16/2024

Trade name: Hydrochloric Acid 2% v/v Solution

(Contd. of page 6)

Additional	ecological	information:
------------	------------	--------------

· General notes:

Not hazardous for water.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· Results of PBT and vPvB assessment

· PBT: Not applicable.

• **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information	
· UN-Number · DOT, ADN, IMDG, IATA	Not regulated
· UN proper shipping name · DOT, ADN, IMDG, IATA	Not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	Not regulated
· Packing group · DOT, IMDG, IATA	Not regulated
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	II of Not applicable.
· UN "Model Regulation":	Not regulated

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 8)

US

Printing date 06/17/2024

Reviewed on 05/16/2024

Trade name: Hydrochloric Acid 2% v/v Solution

	(Contd. of page 7
Sara	
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Hydrochloric Acid	ACTIVE
Hazardous Air Pollutants	
CAS: 7647-01-0 Hydrochloric Acid	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Hydrochloric Acid
Hazard statements Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure.
Precautionary statements Do not breathe dusts or mists.
Wash thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 9)

Printing date 06/17/2024

Reviewed on 05/16/2024

Trade name: Hydrochloric Acid 2% v/v Solution

(Contd. of page 8)

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- Contact:
- Date of Preparation / Last Revision: • Date of preparation / last revision Revision 0.1, 06/17/2024: Reviewed SDS for accuracy. MH/STN 06/17/2024 / 1.1 • Abbreviations and acronyms:
- IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation - Category 1 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2 \cdot * Data compared to the previous version altered.

US -