Printing date 05/23/2024

Reviewed on 05/23/2024

1 Identification

- · Product identifier
- Trade name: <u>Acidified Sodium</u> Arsenide Solution
- · Article number: ND326
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536 USA
 800-256-2586

• Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number:

Chemtrec: 800-424-9300 *Canutec:* 613-996-6666

2 Hazard(s) identification





GHS08 Health hazard

Carcinogenicity 1A H350 May cause cancer. Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure.



Skin Corrosion 1A Eye Damage 1 H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Hydrochloric Acid Sodium m-Arsenite
Hazard statements Causes severe skin burns and eye damage. May cause cancer. May cause damage to organs through prolonged or repeated exposure.



Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Acidified Sodium Arsenide Solution

	Contd. of page 1)
· Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and	d ages to do
Continue rinsing.	u eusy 10 ub.
Immediately call a poison center/doctor.	
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
Get medical advice/attention if you feel unwell.	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 3 Fire = 0 Reactivity = 0 HMIS-ratings (scale 0 - 4) HEALTH $\boxed{3}$ Health = 3 Fire = 0 Health = 3	
FIRE 0 $Fire = 0$	
REACTIVITY O Reactivity = 0	
 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 	
• vPvB: Not applicable.	
3 Composition/information on ingredients	
• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
CAS: 7647-01-0 Hydrochloric Acid	16.869%
CAS: 7784-46-5 Sodium m-Arsenite	0.978%
	0.27070

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

CAS: 497-19-8 Sodium Carbonate Anhydrous

CAS: 6834-92-0 Sodium Silicate, Meta

(Contd. on page 3)

82.142%

0.007%

0.003%

US

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Acidified Sodium Arsenide Solution

(Contd. of page 2)

4 First-aid measures

· Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures				
Mount respiratory protective device.				
Wear protective equipment. Keep unprotected persons away. • Environmental precautions:				
•				
Dilute with plenty of water.				
Do not allow to enter sewers/ surface or ground water.				
• Methods and material for containment and cleaning up:				
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).				
Use neutralizing agent.				
Dispose contaminated material as waste according to section 13.				
Ensure adequate ventilation.				
· Reference to other sections				
See Section 7 for information on safe handling.				
See Section 8 for information on personal protection equipment.				
See Section 13 for disposal information.				
· Protective Action Criteria for Chemicals				
· PAC-1:				
CAS: 7647-01-0 Hydrochloric Acid	1.8 ppm			
CAS: 7784-46-5 Sodium m-Arsenite	0.91 mg/m ³			
CAS: 497-19-8 Sodium Carbonate Anhydrous	$7.6 mg/m^3$			
CAS: 6834-92-0 Sodium Silicate, Meta	3.8 mg/m ³			
	(Contd. on page 4			

- US

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Acidified Sodium Arsenide Solution

	(Contd. of page 3)
· PAC-2:	
CAS: 7647-01-0 Hydrochloric Acid	22 ppm
CAS: 7784-46-5 Sodium m-Arsenite	10 mg/m ³
CAS: 497-19-8 Sodium Carbonate Anhydrous	83 mg/m ³
CAS: 6834-92-0 Sodium Silicate, Meta	42 mg/m ³
· PAC-3:	
CAS: 7647-01-0 Hydrochloric Acid	100 ppm
CAS: 7784-46-5 Sodium m-Arsenite	170 mg/m ³
CAS: 497-19-8 Sodium Carbonate Anhydrous	500 mg/m ³
CAS: 6834-92-0 Sodium Silicate, Meta	250 mg/m ³

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- Conditions for safe storage, including any incompatibilities • Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

• Components with limit values that require monitoring at the workplace:				
CAS: 7647-01-0 Hydrochloric Acid				
NIOSH RECOMENDED EXP LIMI	Ceiling limit value: 7.0 mg/m3 mg/m ³			
PEL	Ceiling limit value: 7 mg/m³, 5 ppm			
REL	Ceiling limit value: 7 mg/m³, 5 ppm			
TLV	Ceiling limit value: 2 ppm			
	A4			
CAS: 7784-46-5 Sodium m-Arsenite	CAS: 7784-46-5 Sodium m-Arsenite			
PEL	Long-term value: 0.01 mg/m ³			
	as As; 29CFR1910.1018			
REL	Ceiling limit value: 0.002 mg/m ³			
	as As; 15min; See Pocket Guide App. A			
TLV	Long-term value: 0.01 mg/m ³			
	as As			
	(Contd. on page 3			

Printing date 05/23/2024

Trade name: Acidified Sodium Arsenide Solution Reviewed on 05/23/2024

(Contd. of page 4) • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Tightly sealed goggles · Body protection: Protective work clothing 9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: Clear

• Odor: • Odor threshold: • pH-value at 20 °C (68 °F):

· Change in condition

• Change in condition Melting point/Melting range: Undetermined.

Odorless

2

Not determined.

(Contd. on page 6)

JS

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Acidified Sodium
Arsenide Solution

	(Contd. of pa	age
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	1.02257 g/cm³ (8.53335 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wo	uter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	82.1 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Acidified Sodium Arsenide Solution

(Contd. of page 6)

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

 Oral
 LD50
 4,193 mg/kg (rat)

 Dermal
 LD50
 15,339 mg/kg (rat)

 Inhalative
 LC50/4h
 51.1 mg/l

• Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

• on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7784-46-5 Sodium m-Arsenite

· NTP (National Toxicology Program)

CAS: 7784-46-5 Sodium m-Arsenite

· OSHA-Ca (Occupational Safety & Health Administration)

CAS: 7784-46-5 Sodium m-Arsenite

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 8)

1

K

US

Printing date 05/23/2024

Trade name: Acidified Sodium Arsenide Solution

(Contd. of page 7)

Reviewed on 05/23/2024

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
DOT, IMDG, IATA	UN2922
· UN proper shipping name	
DOT	<i>Corrosive liquids, toxic, n.o.s. (Hydrochloric Acid, Sodium Arsenite)</i>
· IMDG, IATA	CORROSIVE LIQUID, TOXIC, N.O.S. (Hydrochloric Ac Sodium m-Arsenite)
· Transport hazard class(es)	
DOT	
CORROSIVE 8 6	
· Class	8 Corrosive substances
· Label · IMDG	8, 6.1
· Class	8 Corrosive substances
· Label	8/6.1
· IATA	
· Class	8 Corrosive substances
· Label	8 (6.1)
· Packing group · DOT, IMDG, IATA	II

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Acidified Sodium Arsenide Solution

	(Contd. of page	
Environmental hazards:	Not applicable.	
Special precautions for user	Warning: Corrosive substances	
Hazard identification number (Kemler code	e): 80	
EMS Number:	F-A,S-B	
Segregation groups	(SGG1) Acids	
Stowage Category	В	
Stowage Code	SW2 Clear of living quarters.	
Transport in bulk according to Annex II of		
MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:		
DOT		
Quantity limitations	On passenger aircraft/rail: 1 L	
	On cargo aircraft only: 30 L	
IMDG		
Limited quantities (LQ)	1L	
Excepted quantities (EQ)	Code: E2	
	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 500 ml	
UN "Model Regulation":	UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S (HYDROCHLORIC ACID, SODIUM M-ARSENITE), 8 (6.1), II	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355	(extremely	hazardous	substances):
---------------	------------	-----------	--------------

CAS: 7784-46-5 Sodium m-Arsenite

• Section 313 (Specific toxic chemical listings): CAS: 7784-46-5 Sodium m-Arsenite

• TSCA (Toxic Substances Control Act):		
Water	ACTIVE	
Hydrochloric Acid	ACTIVE	
Sodium m-Arsenite	ACTIVE	
Sodium Carbonate Anhydrous	ACTIVE	
Sodium Silicate, Meta	ACTIVE	

- · Hazardous Air Pollutants
- CAS: 7647-01-0 Hydrochloric Acid
- CAS: 7784-46-5 Sodium m-Arsenite
- · Proposition 65
- \cdot Chemicals known to cause cancer:

CAS: 7784-46-5 Sodium m-Arsenite

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 10)

US

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Acidified Sodium Arsenide Solution

(Contd. of page 9)

Α

A1

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 7784-46-5 Sodium m-Arsenite

· TLV (Threshold Limit Value)

CAS: 7784-46-5 Sodium m-Arsenite

· NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 7784-46-5 Sodium m-Arsenite

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: Hydrochloric Acid Sodium m-Arsenite · Hazard statements Causes severe skin burns and eye damage. May cause cancer. May cause damage to organs through prolonged or repeated exposure. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Get medical advice/attention if you feel unwell. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · National regulations: · Additional classification according to Decree on Hazardous Materials: Carcinogenic hazardous material group III (dangerous). (Contd. on page 11)

Printing date 05/23/2024

Trade name: Acidified Sodium Arsenide Solution Reviewed on 05/23/2024

(Contd. of page 10)

•	Information	about	limitation	of use:
---	-------------	-------	------------	---------

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. *Exceptions can be made by the authorities in certain cases.*

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 05/23/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 11-17-2014. STN 05/23/2024 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation - Category 1 Carcinogenicity 1A: Carcinogenicity – Category 1A Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2 • * Data compared to the previous version altered.