Printing date 06/19/2024

Reviewed on 06/19/2024

15

111	- 4: C -	and a sec
<b>1</b> 1 1 a e	nupic	ation
	•	

- · Product identifier
- Trade name: <u>Stannous Chloride</u> 40% w/v in HCl
- · Article number: 8855

Details of the supplier of the safety data sheet
Manufacturer/Supplier: Aqua Solutions, Inc.
6913 Highway 225 DEER PARK, TX 77536 USA
800-256-2586

• Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org

• Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

# 2 Hazard(s) identification

H341 Suspected of causing genetic defects.
H361 Suspected of damaging fertility or the unborn child.
2 H373 May cause damage to organs through prolonged or repeated exposure.
H314 Causes severe skin burns and eye damage.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
H332 Harmful if inhaled.
H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.
eled according to the Globally Harmonized System (GHS). (Contd. on page 2)

Printing date 06/19/2024

Trade name: Stannous Chloride 40% w/v in HCl Reviewed on 06/19/2024



·U

Printing date 06/19/2024

Reviewed on 06/19/2024

#### Trade name: Stannous Chloride 40% w/v in HCl

(Contd. of page 2)

74.194%

25.807%

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

#### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

#### · Dangerous components:

CAS: 7647-01-0	Hydrochloric Acid

#### CAS: 10025-69-1 Stannous chloride dihydrate

#### 4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **5** *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced. • Advice for firefighters
- · Advice for firefigniers
- **Protective equipment:** Mouth respiratory protective device.

#### 6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

• Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

<sup>-</sup>US -

US

## Safety Data Sheet acc. to OSHA HCS

Printing date 06/19/2024

Reviewed on 06/19/2024

#### Trade name: Stannous Chloride 40% w/v in HCl

		(Contd. of page 3
• Methods and mat	erial for containment and cleaning up:	
Absorb with liquid	<i>l-binding material (sand, diatomite, acid binders, universal binders, sawdust).</i>	
Use neutralizing a		
	ated material as waste according to section 13.	
Ensure adequate		
· Reference to othe		
v	information on safe handling.	
	information on personal protection equipment.	
•	disposal information.	
· Protective Action	Criteria for Chemicals	
• PAC-1:		
CAS: 7647-01-0	Hydrochloric Acid	1.8 ppm
CAS: 10025-69-1	Stannous chloride dihydrate	11 mg/m <sup>3</sup>
· PAC-2:		
CAS: 7647-01-0	Hydrochloric Acid	22 ppm
CAS: 10025-69-1	Stannous chloride dihydrate	20 mg/m <sup>3</sup>
· PAC-3:		
CAS: 7647-01-0	Hydrochloric Acid	100 ppm
CAS: 10025-69-1	Stannous chloride dihydrate	760 mg/m <sup>3</sup>

## 7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- $\cdot$  Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:			
CAS: 7647-01-0 Hydrochloric Acid			
NIOSH RECOMENDED EXP LIMI	Ceiling limit value: 7.0 mg/m3 mg/m <sup>3</sup>		
PEL	<i>Ceiling limit value: 7 mg/m<sup>3</sup>, 5 ppm</i>		
REL	Ceiling limit value: 7 mg/m³, 5 ppm		
TLV	Ceiling limit value: 2 ppm		
	A4		
		(Contd. on page 5)	

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Stannous Chloride 40% w/v in HCl

		(Contd. of page 4)
CAS: 10025-69-1 Stannous chloride dihydrate		
PEL	Long-term value: 2 mg/m <sup>3</sup> as Sn	
REL	Long-term value: 2 mg/m <sup>3</sup> as Sn	
TLV	Long-term value: 2* mg/m³ *inhalable fraction, as Sn	

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:

General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

 ${\it Store\ protective\ clothing\ separately}.$ 

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

 $\cdot$  Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

# 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:
- Form:

Liquid

(Contd. on page 6)

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Stannous Chloride 40% w/v in HCl

	· · · · · · · · · · · · · · · · · · ·	of page
Color:	Clear to pale green	
Odor:	HCl odor	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	1.55 g/cm <sup>3</sup> (12.93475 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
VOC content:	0.00~%	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

# **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Stannous Chloride 40% w/v in HCl

(Contd. of page 6)

# **11 Toxicological information** · Information on toxicological effects · Acute toxicity: · LD/LC50 values that are relevant for classification: ATE (Acute Toxicity Estimate) Inhalative LC50/4h 5.81 mg/l · Primarv irritant effect: • on the skin: Strong caustic effect on skin and mucous membranes. • on the eye: Strong caustic effect. Strong irritant with the danger of severe eye injury. • Sensitization: Sensitization possible through skin contact. · Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Harmful Corrosive Irritant Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach. · Carcinogenic categories · IARC (International Agency for Research on Cancer) None of the ingredients is listed. · NTP (National Toxicology Program) None of the ingredients is listed. · OSHA-Ca (Occupational Safety & Health Administration) None of the ingredients is listed.

# **12** Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 8)

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Stannous Chloride 40% w/v in HCl

(Contd. of page 7)

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN1760
UN proper shipping name	
DOT	Corrosive liquids, n.o.s. (Hydrochloric Acid)
IMDG, IATA	CORROSIVE LIQUID, N.O.S. (Hydrochloric Acid)
Transport hazard class(es)	
DOT	
<u>a</u>	
CORROSIVE	
•	
Class	8 Corrosive substances
Label	8
IMDG	
Class	8 Corrosive substances
Label	8
ΙΑΤΑ	
8	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
	Symbol (fish and tree)
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemle	

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Stannous Chloride 40% w/v in HCl

	(Contd. of page
· EMS Number:	F-A,S-B
· Segregation groups	(SGG1) Acids
· Stowage Category	В
· Stowage Code	SW2 Clear of living quarters.
· Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
·IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (HYDROCHLORI
	ACID), 8, II

## **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

Hydrochloric Acid

· Hazardous Air Pollutants

ACTIVE

CAS: 7647-01-0 Hydrochloric Acid

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 10)

US

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Stannous Chloride 40% w/v in HCl

(Contd. of page 9)

• TLV (Thres	shold Limit	Value)
--------------	-------------	--------

None of the ingredients is listed.

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

· Hazard-determining components of labeling: Hydrochloric Acid Stannous chloride dihydrate · Hazard statements Harmful if inhaled. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Suspected of causing genetic defects. Suspected of damaging fertility or the unborn child. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Get medical advice/attention if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 11)

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Stannous Chloride 40% w/v in HCl

(Contd. of page 10)

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

#### · Contact:

Date of Preparation / Last Revision: · Date of preparation / last revision Revision 0.1, 06/19/2024: Reviewed SDS for accuracy. MH/STN 06/19/2024 / 1.0 • Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Acute Toxicity - Inhalation 4: Acute toxicity - Category 4 Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation - Category 1 Sensitization - Skin 1: Skin sensitisation - Category 1 Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2 Toxic to Reproduction 2: Reproductive toxicity - Category 2 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2  $\cdot$  \* Data compared to the previous version altered.

US