Printing date 08/15/2024

Reviewed on 08/15/2024

1 Identification

- · Product identifier
- Trade name: <u>TOC/TN Mixed Std. 16,000 ppm TOC</u> 4,000 ppm TN Solution
- · Article number: ND679
- \cdot Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586
- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- *Emergency telephone number:* Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture



Acute Toxicity - Oral 4 H302 Harmful if swallowed.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:
- Sodium Nitrate
- · Hazard statements
- Harmful if swallowed.
- · Precautionary statements
- Wash thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- If swallowed: Call a poison center/doctor if you feel unwell.
- Rinse mouth.
- Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Classification system:
- · NFPA ratings (scale 0 4)



(Contd. on page 2)

Printing date 08/15/2024

Reviewed on 08/15/2024

Trade name: TOC/TN Mixed Std. 16,000 ppm TOC 4,000 ppm TN Solution

(Contd. of page 1)

2.364%

94.324%

3.312%

· HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE
$$0$$
Fire = 0REACTIVITY 0 Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7631-99-4 Sodium Nitrate

• Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

CAS: 877-24-7 Potassium Hydrogen Phthalate

4 First-aid measures

· Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Immediately call a doctor.

· Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

(Contd. on page 3)

s -

Printing date 08/15/2024

Reviewed on 08/15/2024

Trade name: TOC/TN Mixed Std. 16,000 ppm TOC 4,000 ppm TN Solution	
	(Contd. of page 2)
Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Dispose contaminated material as waste according to section 13.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 877-24-7 Potassium Hydrogen Phthalate	9.6 mg/m ³
CAS: 7631-99-4 Sodium Nitrate	$4.1 mg/m^3$
· PAC-2:	
CAS: 877-24-7 Potassium Hydrogen Phthalate	110 mg/m ³
CAS: 7631-99-4 Sodium Nitrate	45 mg/m^3
· PAC-3:	
CAS: 877-24-7 Potassium Hydrogen Phthalate	$630 mg/m^{3}$
CAS: 7631-99-4 Sodium Nitrate	270 mg/m ³

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.

(Contd. on page 4)

US

Printing date 08/15/2024

Reviewed on 08/15/2024

Trade name: TOC/TN Mixed Std. 16,000 ppm TOC 4,000 ppm TN Solution

(Contd. of page 3)

• Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• *Penetration time of glove material* The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• *Eve protection:* Goggles recommended during refilling.

• **Body protection:** Protective work clothing

9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Clear Color: **Odorless** Odor: · Odor threshold: Not determined. Not determined. · pH-value: · Change in condition Melting point/Melting range: Undetermined. 100 °C (212 °F) Boiling point/Boiling range: · Flash point: Not applicable. · Flammability (solid, gaseous): Not applicable. · Decomposition temperature: Not determined. · Ignition temperature: Product is not selfigniting. • Danger of explosion: Product does not present an explosion hazard. • Explosion limits: Lower: Not determined. Not determined. Upper: · Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) • Density at 20 °C (68 °F): 1.05087 g/cm³ (8.76951 lbs/gal) · Relative density Not determined. Not determined. · Vapor density Not determined. · Evaporation rate · Solubility in / Miscibility with Fully miscible. Water: · Partition coefficient (n-octanol/water): Not determined.

(Contd. on page 5)

US

Printing date 08/15/2024

Reviewed on 08/15/2024

Trade name: TOC/TN Mixed Std. 16,000 ppm TOC 4,000 ppm TN Solution

		(Contd. of page 4
· Viscosity: Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	94.3 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	5.7 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral	LD50	53.6 mg/kg (rat)
Dermal	LD50	46,531 mg/kg
Inhalative	LC50/4h	63.5 mg/l

• Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

- Sensitization: No sensitizing effects known.
- · Additional toxicological information: Harmful

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 6)

US

Printing date 08/15/2024

Reviewed on 08/15/2024

Trade name: TOC/TN Mixed Std. 16,000 ppm TOC 4,000 ppm TN Solution

(Contd. of page 5)

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- *Persistence and degradability No further relevant information available.*
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number		
· DOT, IMDG, IATA	Not regulated	
· UN proper shipping name		
· DOT, IMDG, IATA	Not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA		
· Class	Not regulated	
· Packing group		
· DOT, IMDG, IATA	Not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex	: II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	Not regulated	

(Contd. on page 7)

Printing date 08/15/2024

Reviewed on 08/15/2024

Trade name: TOC/TN Mixed Std. 16,000 ppm TOC 4,000 ppm TN Solution

(Contd. of page 6)

ACTIVE

ACTIVE

ACTIVE

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

Water

Potassium Hydrogen Phthalate

Sodium Nitrate

• *Hazardous Air Pollutants* None of the ingredients is listed.

Proposition 65

• Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Warning

• *Hazard-determining components of labeling:* Sodium Nitrate

· Hazard statements

Harmful if swallowed.

Printing date 08/15/2024

Reviewed on 08/15/2024

Trade name: TOC/TN Mixed Std. 16,000 ppm TOC 4,000 ppm TN Solution

(Contd. of page 7)

· Precautionary statements

Wash thoroughly after handling. Do not eat, drink or smoke when using this product. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision:

- Date of preparation / last revision
- *Revision 1.2, 08-15-2024: Reviewed SDS for accuracy. STN/GW* 08/15/2024 / 1.1

• Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Acute Toxicity - Oral 4: Acute toxicity – Category 4 • * Data compared to the previous version altered.

- US -