



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Test	Target/UOM	Range	Result
Packaged Product: S2675 SODIUM CHLORIDE REAGENT ACS CRYSTAL			
ASSAY OF MATERIAL	>= 99.0% %		100.00%
Sample ID			
Tested 07/31/23			
Tester TBUR			
Recorded 07/31/23			
PH OF A 5% SOLUTION	5.0 - 9.0 AT 25 DEG C PH		5.9
Sample ID			
Tested 07/31/23			
Tester TBUR			
Recorded 07/31/23			
INSOLUBLE MATTER	MAX 0.005% %		0.0010%
Sample ID			
Tested 07/31/23			
Tester TBUR			
Recorded 07/31/23			
IODIDE	MAX 0.002% PPM		<=0.0020%
Sample ID			
Tested 07/31/23			
Tester TBUR			
Recorded 07/31/23			
BROMIDE (BR)	MAX 0.01% PPM		<0.010%
Sample ID			
Tested 07/31/23			
Tester TBUR			
Recorded 07/31/23			
PHOSPHATE CONTENT	MAX 5 PPM PPM		<5 PPM
Sample ID			
Tested 07/31/23			
Tester TBUR			
Recorded 07/31/23			
SULFATE (SO4) CONTENT	MAX 0.004% MAX 60 MG/KG		<0.0040%
Sample ID			
Tested 07/31/23			
Tester TBUR			
Recorded 07/31/23			
BARIUM	PASSES TEST BARIUM		PASSES TEST
Sample ID			
Tested 07/31/23			
Tester TBUR			
Recorded 07/31/23			



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

HEAVY METAL (AS PB)	MAX 5 PPM PPM	<5.0 PPM
Sample ID		
Tested	07/31/23	
Tester	TBUR	
Recorded	07/31/23	
IRON	MAX 2 PPM PPM	<2 PPM
Sample ID		
Tested	07/31/23	
Tester	TBUR	
Recorded	07/31/23	
CALCIUM CONTENT	MAX 0.002% PPM	<0.0010%
Sample ID		
Tested	07/31/23	
Tester	TBUR	
Recorded	07/31/23	
MAGNESIUM (MG) CONTENT	MAX 0.001% PPM	<0.0010%
Sample ID		
Tested	07/31/23	
Tester	TBUR	
Recorded	07/31/23	
POTASSIUM CONTENT	MAX 0.005% PPM	0.0030%
Sample ID		
Tested	07/31/23	
Tester	TBUR	
Recorded	07/31/23	
DATE OF MANUFACTURE	DD/MM/YYYY	03/24/23
Sample ID		
Tested	07/31/23	
Tester	TBUR	
Recorded	07/31/23	
Lot #	320902	
Made	07/28/23	

Quality Manager