Printing date 06/27/2024

Reviewed on 06/27/2024

1 Identification

- · Product identifier
- Trade name: <u>Barium Diphenylamine Sulfonate 96%</u>
- · Article number: B0501
- · CAS Number:
- 6211-24-1 • **EC number:**
- 228-278-0
- Index number: 056-002-00-7
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536 USA
 800-256-2586
- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture

GHS06 Skull and crossbones

Acute Toxicity - Oral 3 H301 Toxic if swallowed.

GHS07

Acute Toxicity - Inhalation 4H332 Harmful if inhaled.Eye Irritation 2AH319 Causes serious eye irritation.

· Label elements

• *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



Signal word Danger
 Hazard statements
 Toxic if swallowed.
 Harmful if inhaled.
 Causes serious eye irritation.


(Contd. on page 2)

US

Printing date 06/27/2024

Reviewed on 06/27/2024

Trade name: Barium Diphenylamine Sulfonate 96%



3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- CAS: 6211-24-1 Barium Diphenylamine Sulfonate
- · Identification number(s)
- · EC number: 228-278-0
- · Index number: 056-002-00-7

4 First-aid measures

- · Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. (Contd. on page 3)

on page 3)

Printing date 06/27/2024

Reviewed on 06/27/2024

Trade name: Barium Diphenylamine Sulfonate 96%

(Contd. of page 2)

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- *After swallowing:* Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- · **PAC-1:** 6.9 mg/m³
- · PAC-2: 850 mg/m3
- · PAC-3: 5,100 mg/m³

7 Handling and storage

· Handling:

- **Precautions for safe handling** Thorough dedusting.
- Ensure good ventilation/exhaustion at the workplace.

· Information about protection against explosions and fires: No special measures required.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

(Contd. on page 4)

Printing date 06/27/2024

Reviewed on 06/27/2024

Trade name: Barium Diphenylamine Sulfonate 96%

(Contd. of page 3)

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 6211-24-1 Barium Diphenylamine Sulfonate

- PEL Long-term value: 0.5 mg/m³ as Ba
- REL Long-term value: 0.5 mg/m³ as Ba
- *TLV Long-term value: 0.5 mg/m³* as Ba, A4

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work. Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties • Information on basic physical and chemical properties • General Information • Appearance: Form: Powder Color: White (Contd. on page 5)

Printing date 06/27/2024

Reviewed on 06/27/2024

Trade name: Barium Diphenylamine Sulfonate 96%

		(Contd. of page
· Odor:	Characteristic	
• Odor threshold:	Not determined.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	>300 °C (>572 °F)	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Product is not flammable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not applicable.	
Density at 20 °C (68 °F):	0.47 g/cm ³ (3.92215 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Not determined.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

Oral LD50 100 mg/kg (ATE)

(Contd. on page 6)

US-

Printing date 06/27/2024

Reviewed on 06/27/2024

Trade name: Barium Diphenylamine Sulfonate 96%

(Contd. of page 5)

Inhalative LC50/4h 1.5 mg/l (ATE)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

· UN-Number	
· DOT, IMDG, IATA	UN1564
· UN proper shipping name	
-DOT	Barium compounds, n.o.s. (Barium Diphenylamine Sulfonate)
· IMDG, IATA	BARIUM COMPOUND, N.O.S. (Barium Diphenylamin
	Sulfonate)

Printing date 06/27/2024

Reviewed on 06/27/2024

Trade name: Barium Diphenylamine Sulfonate 96%

	(Contd. of page
· Transport hazard class(es)	
·DOT	
TOXIC	
· Class	6.1 Toxic substances
· Label	6.1
· IMDG, IATA	
6 6	
· Class	6.1 Toxic substances
· Label	6.1
· Packing group	
· DOT, IMDG, IATA	111
· Environmental hazards:	Not applicable.
• Special precautions for user	Warning: Toxic substances
• Hazard identification number (Kemler code	
· EMS Number: · Stowage Category	F-A,S-A A
	11
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
• Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 25 kg
Quantuty annuations	On cargo aircraft only: 100 kg
· IMDG	· · · · · · · · · · · · · · · · · · ·
· Limited quantities (LQ)	500 g
\cdot Excepted quantities (EQ)	Code: E4
	Maximum net quantity per inner packaging: 1 g
	Maximum net quantity per outer packaging: 500 g
· UN "Model Regulation":	UN 1564 BARIUM COMPOUND, N.O.S. (BARIUN DIPHENYLAMINE SULFONATE), 6.1, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

*

• Section 355 (extremely hazardous substances): Substance is not listed.

• Section 313 (Specific toxic chemical listings): Substance is listed.

• TSCA (Toxic Substances Control Act): ACTIVE

· Hazardous Air Pollutants Substance is not listed.

(Contd. on page 8)

US

Printing date 06/27/2024

Reviewed on 06/27/2024

(Contd. of page 7)

Trade name: Barium Diphenylamine Sulfonate 96%

· Proposition 65

- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) D, CBD(inh), NL(oral)
- · TLV (Threshold Limit Value) A4
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

- Hazard statements
- Toxic if swallowed.

Harmful if inhaled. Causes serious eye irritation.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear eye protection / face protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

Rinse mouth.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

- · Contact:
- Date of Preparation / Last Revision:

• Date of preparation / last revision Revision 1.2 06/27/2024: Reviewed SDS for accuracy. MH/STN 06/27/2024 / 1.1

• **Abbreviations and acronyms:** IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association

(Contd. on page 9)

⁻ US

Printing date 06/27/2024

Reviewed on 06/27/2024

Trade name: Barium Diphenylamine Sulfonate 96%

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent	(Contd. of page 8)
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Acute Toxicity - Oral 3: Acute toxicity – Category 3	
Acute Toxicity - Inhalation 4: Acute toxicity – Category 4	
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A	
* Data compared to the previous version altered.	
	US –