



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: SPE509
 TOTAL SUSPENDED SOLIDS STANDARD 1000 PPM (1L)

Lot # 3103048

Chemical Product: SPE509F
 TOTAL SUSPENDED SOLIDS STANDARD 1000 PPM

Test	Target/UOM	Range	Result
PREPARED TO FORMULATION ON FILE	YES		YES
Sample ID	YES		
Tested 10/30/23			
Tester MMAT			
Recorded 10/30/23			
APPEARANCE AND COLOR	TURBID LIQUID APPEARANCE		PASS
Sample ID			
Tested 10/30/23			
Tester MMAT			
Recorded 10/30/23			
CALCULATED MG/L (PPM) TSS	1000.0 MG/L	995.0 - 1005.0	999.5
Sample ID			
Tested 10/30/23			
Tester MMAT			
Recorded 10/30/23			
QCSP11:STANDARDIZATION OF BROMIDE-BROMAT	YES QCSP11		YES
Sample ID			
Tested 10/30/23			
Tester MMAT			
Recorded 10/30/23			
MLS OF WATER	1000 ML	995 - 1005	1000
Sample ID			
Tested 10/30/23			
Tester MMAT			
Recorded 10/30/23			
INSTRUMENTS USED DURING PREPARATION	INSTRUMENT		M115,VF1-Z33
Sample ID			
Tested 10/30/23			
Tester MMAT			
Recorded 10/30/23			
WEIGHT NIST TRACEABLE	PASS YES		PASS
Sample ID			
Tested 10/30/23			
Tester MMAT			
Recorded 10/30/23			



Aqua Solutions, Inc.
 Ph: 281-479-2569
 Fax: 281-479-2790
 P.O. Box 70
 Deer Park, TX 77536
 Website: www.aquasolutions.org

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

EXPIRATION DATE	MM/DD/YY	11/30/24
	MM/DD/YYYY	
Sample ID		
Tested	10/30/23	
Tester	MMAT	
Recorded	10/30/23	
SHELF LIFE OF PRODUCT	SHELF LIFE	1 YEAR
	TIME	
Sample ID		
Tested	10/30/23	
Tester	MMAT	
Recorded	10/30/23	
ACT GMS CELITE	1.0000	0.9990 - 1.0010
	GM	0.9995
Sample ID		
Tested	11/01/23	
Tester	MMAT	
Recorded	11/01/23	
Made	10/30/23	

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

Quality Manager