



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> 9765-20L			
WATER DEIONIZED REAGENT ACS GRADE/ASTM TYPE II (20LC)			
Test	Target/UOM	Range	Result
<b>PREPARED TO FORMULATION ON FILE</b>	YES		YES
Sample ID			
Tested 01/19/24			
Tester TBUR			
Recorded 01/19/24			
<b>MEETS ASTM TYPE II SPECIFICATIONS</b>	YES		YES
Sample ID	PASS		
Tested 01/19/24			
Tester TBUR			
Recorded 01/19/24			
<b>TOC &lt; 50 PPB</b>	< 50 PPB		<50 PPB
Sample ID	PPB		
Tested 01/19/24			
Tester TBUR			
Recorded 01/19/24			
<b>SODIUM &lt; 5 PPB</b>	< 5 PPB		<5 PPB
Sample ID	PPB		
Tested 01/19/24			
Tester TBUR			
Recorded 01/19/24			
<b>CHLORIDE &lt; 5 PPB</b>	< 5 PPB		<5 PPB
Sample ID	PPB		
Tested 01/19/24			
Tester TBUR			
Recorded 01/19/24			
<b>SILICA &lt; 3 PPB</b>	3 PPB OR LESS		<3 PPB
Sample ID	PPB		
Tested 01/19/24			
Tester TBUR			
Recorded 01/19/24			
<b>HEAVY METALS AS LEAD</b>	< 10 PPB		<10 PPB
Sample ID	PPM		
Tested 01/19/24			
Tester TBUR			
Recorded 01/19/24			
<b>PPM NO3</b>	< 0.4 PPM		<0.4 PPM
Sample ID	PPM		
Tested 01/19/24			
Tester TBUR			
Recorded 01/19/24			



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>PPM PHOSPHATE (PO4)</b>	< 1.0 PPM PPM	<1.0 PPM
Sample ID		
Tested	01/19/24	
Tester	TBUR	
Recorded	01/19/24	
<b>PPM SULFATE (SO4)</b>	< 1.0 PPM PPM	<1.0 PPM
Sample ID		
Tested	01/19/24	
Tester	TBUR	
Recorded	01/19/24	
<b>HETEROTROPIC PLATE COUNT</b>	ZERO	ZERO
<b>ZERO</b>	CFU	
Sample ID		
Tested	01/19/24	
Tester	TBUR	
Recorded	01/19/24	
<b>CONDUCTIVITY</b>	< 1 UMHOS US/CM	<1 UMHOS
Sample ID		
Tested	01/19/24	
Tester	TBUR	
Recorded	01/19/24	
<b>EXPIRATION DATE</b>	MM/DD/YY MM/DD/YYYY	01/30/2025
Sample ID		
Tested	01/19/24	
Tester	TBUR	
Recorded	01/19/24	
<b>SHELF LIFE OF PRODUCT</b>	SHELF LIFE TIME	1 YEAR
Sample ID		
Tested	01/19/24	
Tester	TBUR	
Recorded	01/19/24	
<b>Lot #</b>	4011500	
<b>Made</b>	01/16/24	

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 3

Date: 01/19/24 at 1:36 PM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

**Quality Manager**