



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: S2923			
SODIUM HYDROXIDE 50% W/W SOLUTION (REAGENT GRADE) (700#/drum)			
Test	Target/UOM	Range	Result
WEIGHT PERCENT SODIUM HYDROXIDE	51.00 W/W%	50.00 - 52.00	50.10
Sample ID			
Tested	02/26/24		
Tester	TBUR		
Recorded	02/26/24		
AMMONIUM HYDROXIDE PRECIPITATE, WT%	MAX 0.01% % W/W		<0.01%
Sample ID			
Tested	02/26/24		
Tester	TBUR		
Recorded	02/26/24		
SODIUM CARBONATE CHLORIDE (CL)% W/W	0.25% WT MAX %		<0.1%
Sample ID			
Tested	02/26/24		
Tester	TBUR		
Recorded	02/26/24		
CHLORIDE (CL)% W/W	0.005% MAX % W/W		<0.001%
Sample ID			
Tested	02/26/24		
Tester	TBUR		
Recorded	02/26/24		
COLOR	APHA 20 MAX PT-CO		<5 APHA
Sample ID			
Tested	02/26/24		
Tester	TBUR		
Recorded	02/26/24		
HEAVY METALS AS AG WT%	0.001% MAX % W/W		<0.001%
Sample ID			
Tested	02/26/24		
Tester	TBUR		
Recorded	02/26/24		
IRON (FE) WT%	0.0005% MAX % W/W		<0.0005%
Sample ID			
Tested	02/26/24		
Tester	TBUR		
Recorded	02/26/24		
NICKEL% W/W	0.0005% MAX % W/W		<0.0005%
Sample ID			
Tested	02/26/24		
Tester	TBUR		
Recorded	02/26/24		



Aqua Solutions, Inc.
 Ph: 281-479-2569
 Fax: 281-479-2790
 P.O. Box 70
 Deer Park, TX 77536
 Website: www.aquasolutions.org

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

NITROGEN COMPOUNDS AS (N) WT%	0.0005% MAX % W/W	<0.0005%
Sample ID		
Tested	02/26/24	
Tester	TBUR	
Recorded	02/26/24	
PHOSPHATE (PO4) W/W%	0.005% MAX % W/W	<0.0005%
Sample ID		
Tested	02/26/24	
Tester	TBUR	
Recorded	02/26/24	
POTASSIUM (K) WT%	0.025% MAX % W/W	<0.002%
Sample ID		
Tested	02/26/24	
Tester	TBUR	
Recorded	02/26/24	
SULFATE (SO4) WT%	0.003% MAX % W/W	<0.003%
Sample ID		
Tested	02/26/24	
Tester	TBUR	
Recorded	02/26/24	
Lot #	405402	
Made	02/23/24	

Quality Manager