



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: BAS717F			
ANILINE HPLC MOBILE PHASE			
Test	Target/UOM	Range	Result
PREPARED TO FORMULATION ON FILE	YES		YES
Sample ID			
Tested 03/01/24			
Tester MCUR			
Recorded 03/01/24			
CALCULATED GPL	1.9823	1.9818 - 1.9828	1.9823
TETRABUTYLAMMONIUM HYDROG	GPL		
Sample ID			
Tested 03/01/24			
Tester MCUR			
Recorded 03/01/24			
CALCULATED V/V% ACETONITRILE	41.0	40.8 - 41.3	41.0
	V/V%		
Sample ID			
Tested 03/01/24			
Tester MCUR			
Recorded 03/01/24			
FILTERED THROUGH 0.2 UM FILTER	YES		YES
	YES		
Sample ID			
Tested 03/01/24			
Tester MCUR			
Recorded 03/01/24			
APPEARANCE AND COLOR	CLEAR LIQUID APPEARANCE		PASS
Sample ID			
Tested 03/01/24			
Tester MCUR			
Recorded 03/01/24			
INSTRUMENTS USED DURING PREPARATION	INSTRUMENT		M78,PID30,VF6-W8,GC,T-190
Sample ID			
Tested 03/01/24			
Tester MCUR			
Recorded 03/01/24			
INITIAL PH OF SOLUTION	6.500	6.480 - 6.520	6.500
	PH		
Sample ID			
Tested 03/01/24			
Tester MCUR			
Recorded 03/01/24			
FINAL PH	6.500	6.300 - 6.900	6.701
	PH		
Sample ID			
Tested 03/01/24			
Tester MCUR			
Recorded 03/01/24			



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

SHELF LIFE OF PRODUCT	6 MONTHS TIME	6 MONTHS
Sample ID		
Tested	03/01/24	
Tester	MCUR	
Recorded	03/01/24	
EXPIRATION DATE	MM/DD/YYYY MM/DD/YYYY	09/30/2024
Sample ID		
Tested	03/01/24	
Tester	MCUR	
Recorded	03/01/24	
Lot #	4022824	
Made	03/01/24	

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

Quality Manager