



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> 8800			
SODIUM THIOSULFATE 0.025 NORMAL			
Test	Target/UOM	Range	Result
<b>Actual Normality</b>	0.0250	0.0245 - 0.0255	0.0249
	EQ/L		
Sample ID			
Tested	03/06/24		
Tester	JENC		
Recorded	03/06/24		
<b>QCSP10:STANDARDIZATION OF SODIUM THIOSUL</b>	YES		YES
	QCSP10		
Sample ID			
Tested	03/06/24		
Tester	JENC		
Recorded	03/06/24		
<b>PREPARED TO FORMULATION ON FILE</b>	YES		YES
	YES		
Sample ID			
Tested	03/06/24		
Tester	JENC		
Recorded	03/06/24		
<b>Actual Density</b>	1.00161	1.00135 - 1.00187	1.00161
	GM/ML		
Sample ID			
Tested	03/06/24		
Tester	JENC		
Recorded	03/06/24		
<b>APPEARANCE AND COLOR</b>	CLEAR WATER WHITE		PASS
	LIQUID		
	APPEARANCE		
Sample ID			
Tested	03/06/24		
Tester	JENC		
Recorded	03/06/24		
<b>INSTRUMENTS USED DURING PREPARATION</b>	INSTRUMENT		M112,T262
Sample ID			
Tested	03/06/24		
Tester	JENC		
Recorded	03/06/24		
<b>TRACEABLE TO NIST SRM 136</b>	YES		YES
	YES		
Sample ID			
Tested	03/06/24		
Tester	JENC		
Recorded	03/06/24		
<b>EXPIRATION DATE</b>	MM/DD/YY		09/30/24
	MM/DD/YYYY		
Sample ID			
Tested	03/06/24		
Tester	JENC		
Recorded	03/06/24		



Aqua Solutions, Inc.  
 Ph: 281-479-2569  
 Fax: 281-479-2790  
 P.O. Box 70  
 Deer Park, TX 77536  
 Website: [www.aquasolutions.org](http://www.aquasolutions.org)

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

**SHELF LIFE OF PRODUCT**

6 MONTHS  
 TIME

6 MONTHS

Sample ID

Tested 03/06/24

Tester JENC

Recorded 03/06/24

**Lot #** 4030562

**Made** 03/06/24

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

**Quality Manager**