



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

**Packaged Product:** 9766-4L  
 WATER DISTILLED ASTM TYPE II (4L PLASTIC)

**Lot #** 407401

**Chemical Product:** 9766  
 WATER DISTILLED ASTM TYPE II

Test	Target/UOM	Range	Result
<b>CONDUCTIVITY</b>	<1.0 UMHOS US/CM		<1.0 UMHOS
Sample ID			
Tested 03/21/24			
Tester TBUR			
Recorded 03/21/24			
<b>TOC &lt; 50 PPB</b>	<50 PPB PPB		<50 PPB
Sample ID			
Tested 03/21/24			
Tester TBUR			
Recorded 03/21/24			
<b>SODIUM CONTENT</b>	<5 PPB %		<5 PPB
Sample ID			
Tested 03/21/24			
Tester TBUR			
Recorded 03/21/24			
<b>CHLORIDE</b>	<5 PPB CHLORID		<5 PPB
Sample ID			
Tested 03/21/24			
Tester TBUR			
Recorded 03/21/24			
<b>SILICA UG/L</b>	<3 PPB UG/L (PPB)		<3 PPB
Sample ID			
Tested 03/21/24			
Tester TBUR			
Recorded 03/21/24			
<b>HEAVY METALS (AS LEAD)</b>	<10 PPB PPM		<10 PPB
Sample ID			
Tested 03/21/24			
Tester TBUR			
Recorded 03/21/24			
<b>NITRATE (NO3) CONTENT</b>	<0.4 PPM PPM		<0.4 PPM
Sample ID			
Tested 03/21/24			
Tester TBUR			
Recorded 03/21/24			




**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>PHOSPHATE CONTENT</b>	<1.0 PPM PPM	<1.0 PPM
Sample ID		
Tested	03/21/24	
Tester	TBUR	
Recorded	03/21/24	
<b>SULFATE (SO4) CONTENT</b>	<1.0 PPM MAX 60 MG/KG	<1.0 PPM
Sample ID		
Tested	03/21/24	
Tester	TBUR	
Recorded	03/21/24	
<b>RESISTIVITY IN MEGOHM*CM @25 C</b>	>1.0 MEG-OHM-CM MEGOHM/CM	>1.0 MEG-OHM-CM
Sample ID		
Tested	03/21/24	
Tester	TBUR	
Recorded	03/21/24	
<b>EXPIRATION DATE</b>	MM/DD/YY MM/DD/YYYY	03/30/2025
Sample ID		
Tested	03/21/24	
Tester	TBUR	
Recorded	03/21/24	
<b>Made</b>	03/14/24	

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.



**Quality Manager**