

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/05/2024

Reviewed on 03/05/2024

1 Identification

- **Product identifier**
- **Trade name:** Bromine Titration Solvent
- **Article number:** MID261
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Aqua Solutions, Inc.
6913 Highway 225
DEER PARK, TX 77536
USA
800-256-2586
- **Information department:**
Technical Coordinator
Sherman Nelson shermann@aquasolutions.org
- **Emergency telephone number:**
Chemtrec: 800-424-9300
Canutec: 613-996-6666



2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flammable Liquids 2

H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Toxicity - Dermal 3

H311 Toxic in contact with skin.



GHS08 Health hazard

Specific Target Organ Toxicity - Single Exposure 1

H370 Causes damage to the central nervous system and the visual organs.

Specific Target Organ Toxicity - Repeated Exposure 2

H373 May cause damage to organs through prolonged or repeated exposure.



GHS05 Corrosion

Skin Corrosion 1B

H314 Causes severe skin burns and eye damage.

Eye Damage 1

H318 Causes serious eye damage.



GHS07

Acute Toxicity - Oral 4

H302 Harmful if swallowed.

Acute Toxicity - Inhalation 4

H332 Harmful if inhaled.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/05/2024

Reviewed on 03/05/2024

Trade name: **Bromine Titration Solvent**

(Contd. of page 1)

Sensitization - Skin 1

H317 May cause an allergic skin reaction.

· **Label elements**· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).· **Hazard pictograms**

GHS02 GHS05 GHS06 GHS07 GHS08

· **Signal word** *Danger*· **Hazard-determining components of labeling:***Acetic Acid, Glacial**Methanol**Mercuric Oxide (Red)*· **Hazard statements***Highly flammable liquid and vapor.**Harmful if swallowed or if inhaled.**Toxic in contact with skin.**Causes severe skin burns and eye damage.**May cause an allergic skin reaction.**Causes damage to the central nervous system and the visual organs.**May cause damage to organs through prolonged or repeated exposure.*· **Precautionary statements***Keep away from heat/sparks/open flames/hot surfaces. - No smoking.**Keep container tightly closed.**Ground/bond container and receiving equipment.**Use explosion-proof electrical/ventilating/lighting/equipment.**Use only non-sparking tools.**Take precautionary measures against static discharge.**Do not breathe dusts or mists.**Wash thoroughly after handling.**Do not eat, drink or smoke when using this product.**Use only outdoors or in a well-ventilated area.**Contaminated work clothing must not be allowed out of the workplace.**Wear protective gloves/protective clothing/eye protection/face protection.**If swallowed: Call a poison center/doctor if you feel unwell.**If swallowed: Rinse mouth. Do NOT induce vomiting.**If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.**IF INHALED: Remove person to fresh air and keep comfortable for breathing.**If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.**Continue rinsing.**Immediately call a poison center/doctor.**IF exposed: Call a POISON CENTER or doctor/physician.**Specific treatment (see on this label).**Get medical advice/attention if you feel unwell.**Take off immediately all contaminated clothing and wash it before reuse.**If skin irritation or rash occurs: Get medical advice/attention.**In case of fire: Use CO₂, powder or water spray to extinguish.**Store in a well-ventilated place. Keep cool.**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.*

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/05/2024

Reviewed on 03/05/2024

Trade name: **Bromine Titration Solvent**

(Contd. of page 2)

· **Classification system:**· **NFPA ratings (scale 0 - 4)**· **HMIS-ratings (scale 0 - 4)**· **Other hazards**· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**· **Description:** Mixture of the substances listed below with nonhazardous additions.· **Dangerous components:**

| | | |
|-----------------|----------------------|--------|
| CAS: 64-19-7 | Acetic Acid, Glacial | 66.61% |
| CAS: 67-56-1 | Methanol | 16.69% |
| CAS: 7758-02-3 | Potassium Bromide | 1.792% |
| CAS: 21908-53-2 | Mercuric Oxide (Red) | 0.148% |

· **Table of Nonhazardous Ingredients**

| | | |
|----------------|-------|--------|
| CAS: 7732-18-5 | Water | 14.76% |
|----------------|-------|--------|

4 First-aid measures

· **Description of first aid measures**· **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.· **After swallowing:**

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

· **Information for doctor:**· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/05/2024

Reviewed on 03/05/2024

Trade name: Bromine Titration Solvent

(Contd. of page 3)

- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

| | | |
|-----------------|----------------------|-----------------------|
| CAS: 64-19-7 | Acetic Acid, Glacial | 5 ppm |
| CAS: 67-56-1 | Methanol | 530 ppm |
| CAS: 7758-02-3 | Potassium Bromide | 9.2 mg/m ³ |
| CAS: 21908-53-2 | Mercuric Oxide (Red) | 1.5 mg/m ³ |

· **PAC-2:**

| | | |
|-----------------|----------------------|-----------------------|
| CAS: 64-19-7 | Acetic Acid, Glacial | 35 ppm |
| CAS: 67-56-1 | Methanol | 2,100 ppm |
| CAS: 7758-02-3 | Potassium Bromide | 100 mg/m ³ |
| CAS: 21908-53-2 | Mercuric Oxide (Red) | 16 mg/m ³ |

· **PAC-3:**

| | | |
|----------------|----------------------|-----------------------|
| CAS: 64-19-7 | Acetic Acid, Glacial | 250 ppm |
| CAS: 67-56-1 | Methanol | 7200* ppm |
| CAS: 7758-02-3 | Potassium Bromide | 610 mg/m ³ |

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/05/2024

Reviewed on 03/05/2024

Trade name: Bromine Titration Solvent

(Contd. of page 4)

CAS: 21908-53-2 Mercuric Oxide (Red)

30 mg/m³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the remaining constituent has no known exposure limits.

CAS: 64-19-7 Acetic Acid, Glacial

| | |
|-----|---|
| PEL | Long-term value: 25 mg/m ³ , 10 ppm |
| REL | Short-term value: 37 mg/m ³ , 15 ppm Long-term value: 25 mg/m ³ , 10 ppm |
| TLV | Short-term value: 15 ppm Long-term value: 10 ppm |

CAS: 67-56-1 Methanol

| | |
|-----|---|
| PEL | Long-term value: 260 mg/m ³ , 200 ppm |
| REL | Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm Skin |
| TLV | Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI |

CAS: 21908-53-2 Mercuric Oxide (Red)

| | |
|-----|---|
| PEL | Long-term value: 0.1 mg/m ³ as Hg; see OSHA standard interpretation memo |
| REL | Long-term value: 0.05* mg/m ³ Ceiling limit value: 0.1 mg/m ³ as Hg; *Vapor; Skin |

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/05/2024

Reviewed on 03/05/2024

Trade name: Bromine Titration Solvent

(Contd. of page 5)

| | |
|-----|--|
| TLV | Long-term value: 0.025 mg/m ³ as Hg; A4; Skin; BEI |
|-----|--|

· Ingredients with biological limit values:

CAS: 67-56-1 Methanol

| | |
|-----|--|
| BEI | 15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific) |
|-----|--|

CAS: 21908-53-2 Mercuric Oxide (Red)

| | |
|-----|--|
| BEI | 20 µg/g creatinine LD50 Intraperitoneal: urine Time: prior to shift LD50: Mercury |
|-----|--|

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 7)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/05/2024

Reviewed on 03/05/2024

Trade name: Bromine Titration Solvent

(Contd. of page 6)

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**· **General Information**· **Appearance:**

| | |
|------------------------|-----------------|
| Form: | Liquid |
| Color: | Clear |
| Odor: | Acetic-Methanol |
| Odor threshold: | Not determined. |

· **pH-value:** Not determined.· **Change in condition**

| | |
|-------------------------------------|--------------------|
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | 64.4 °C (147.9 °F) |

· **Flash point:** 11 °C (51.8 °F)· **Flammability (solid, gaseous):** Highly flammable.· **Auto igniting:** 455 °C (851 °F)· **Decomposition temperature:** Not determined.· **Ignition temperature:** Product is not selfigniting.· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.· **Explosion limits:**

| | |
|---------------|----------|
| Lower: | 4 Vol % |
| Upper: | 44 Vol % |

· **Vapor pressure at 20 °C (68 °F):** 128 hPa (96 mm Hg)· **Density at 20 °C (68 °F):** 1.02264 g/cm³ (8.53393 lbs/gal)· **Relative density** Not determined.· **Vapor density** Not determined.· **Evaporation rate** Not determined.· **Solubility in / Miscibility with**· **Water:** Fully miscible.· **Partition coefficient (n-octanol/water):** Not determined.· **Viscosity:**

| | |
|-------------------|-----------------|
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |

· **Solvent content:**

| | |
|--------------------------|-------------------------|
| Organic solvents: | 83.3 % |
| Water: | 14.8 % |
| VOC content: | 83.30 % |
| | 851.9 g/l / 7.11 lb/gal |

· **Solids content:** 1.9 %

(Contd. on page 8)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/05/2024

Reviewed on 03/05/2024

Trade name: Bromine Titration Solvent

(Contd. of page 7)

· **Other information** No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

| | | |
|------------|---------|-----------|
| Oral | LD50 | 571 mg/kg |
| Dermal | LD50 | 841 mg/kg |
| Inhalative | LC50/4h | 11.7 mg/l |

· Primary irritant effect:

· **on the skin:** Caustic effect on skin and mucous membranes.

· on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

· **Sensitization:** Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 21908-53-2 Mercuric Oxide (Red)

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

US

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/05/2024

Reviewed on 03/05/2024

Trade name: Bromine Titration Solvent

(Contd. of page 8)




12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 2 (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|---|---|
| <ul style="list-style-type: none"> · UN-Number · DOT, IMDG, IATA | <p style="margin: 0;">UN3286</p> |
| <ul style="list-style-type: none"> · UN proper shipping name · DOT · IMDG, IATA | <p style="margin: 0;"><i>Flammable liquid, toxic, corrosive, n.o.s. (Methanol, Mercuric Oxide (Red), Acetic Acid, Glacial</i></p> <p style="margin: 0;">)</p> <p style="margin: 0;"><i>FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (Methanol, Mercuric Oxide (Red), Acetic Acid, Glacial</i></p> <p style="margin: 0;">)</p> |
| <ul style="list-style-type: none"> · Transport hazard class(es) · DOT | <div style="display: flex; justify-content: space-around; align-items: center;">    </div> |
| <ul style="list-style-type: none"> · Class | <p style="margin: 0;">3 Flammable liquids</p> |

(Contd. on page 10)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/05/2024

Reviewed on 03/05/2024

Trade name: Bromine Titration Solvent

(Contd. of page 9)

· **Label** 3, 6.1, 8

· **IMDG**



· **Class** 3 Flammable liquids
 · **Label** 3/6.1/8

· **IATA**



· **Class** 3 Flammable liquids
 · **Label** 3 (6.1, 8)

· **Packing group**

· **DOT, IMDG, IATA** II

· **Environmental hazards:** Not applicable.

· **Special precautions for user** Warning: Flammable liquids

· **Hazard identification number (Kemler code):** 338

· **EMS Number:** F-E,S-C

· **Segregation groups** (SGG18) Alkalies

· **Stowage Category** B

· **Stowage Code** SW2 Clear of living quarters.

· **Segregation Code** SG35 Stow "separated from" SGG1-acids

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

· **Transport/Additional information:**

· **DOT**

· **Quantity limitations** On passenger aircraft/rail: 1 L
 On cargo aircraft only: 5 L

· **IMDG**

· **Limited quantities (LQ)** 1L

· **Excepted quantities (EQ)** Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **UN "Model Regulation":** UN 3286 FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (METHANOL, MERCURIC OXIDE (RED), ACETIC ACID, GLACIAL), 3 (6.1+8), II

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
 No further relevant information available.

(Contd. on page 11)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/05/2024

Reviewed on 03/05/2024

Trade name: Bromine Titration Solvent

(Contd. of page 10)

· Sara

· Section 355 (extremely hazardous substances):

CAS: 21908-53-2 Mercuric Oxide (Red)

· Section 313 (Specific toxic chemical listings):

CAS: 67-56-1 Methanol

CAS: 21908-53-2 Mercuric Oxide (Red)

· TSCA (Toxic Substances Control Act):

Acetic Acid, Glacial

ACTIVE

Methanol

ACTIVE

Water

ACTIVE

Potassium Bromide

ACTIVE

Mercuric Oxide (Red)

ACTIVE

· Hazardous Air Pollutants

CAS: 67-56-1 Methanol

CAS: 21908-53-2 Mercuric Oxide (Red)

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol

CAS: 21908-53-2 Mercuric Oxide (Red)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 21908-53-2 Mercuric Oxide (Red)

D

· TLV (Threshold Limit Value)

CAS: 21908-53-2 Mercuric Oxide (Red)

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS02

GHS05

GHS06

GHS07

GHS08

· Signal word Danger

· Hazard-determining components of labeling:

Acetic Acid, Glacial

Methanol

Mercuric Oxide (Red)

(Contd. on page 12)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/05/2024

Reviewed on 03/05/2024

Trade name: Bromine Titration Solvent

(Contd. of page 11)

· **Hazard statements**

Highly flammable liquid and vapor.
 Harmful if swallowed or if inhaled.
 Toxic in contact with skin.
 Causes severe skin burns and eye damage.
 May cause an allergic skin reaction.
 Causes damage to the central nervous system and the visual organs.
 May cause damage to organs through prolonged or repeated exposure.

· **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
 Keep container tightly closed.
 Ground/bond container and receiving equipment.
 Use explosion-proof electrical/ventilating/lighting/equipment.
 Use only non-sparking tools.
 Take precautionary measures against static discharge.
 Do not breathe dusts or mists.
 Wash thoroughly after handling.
 Do not eat, drink or smoke when using this product.
 Use only outdoors or in a well-ventilated area.
 Contaminated work clothing must not be allowed out of the workplace.
 Wear protective gloves/protective clothing/eye protection/face protection.
 If swallowed: Call a poison center/doctor if you feel unwell.
 If swallowed: Rinse mouth. Do NOT induce vomiting.
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
 Continue rinsing.
 Immediately call a poison center/doctor.
 IF exposed: Call a POISON CENTER or doctor/physician.
 Specific treatment (see on this label).
 Get medical advice/attention if you feel unwell.
 Take off immediately all contaminated clothing and wash it before reuse.
 If skin irritation or rash occurs: Get medical advice/attention.
 In case of fire: Use CO₂, powder or water spray to extinguish.
 Store in a well-ventilated place. Keep cool.
 Store locked up.
 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environment protection department.

· **Contact:**

Date of Preparation / Last Revision:

· **Date of preparation / last revision**

Revision 0.0: 03-05-2024 : creation date for SDS STN/CMC
 03/05/2024

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 13)

Safety Data Sheet
acc. to OSHA HCS

Printing date 03/05/2024

Reviewed on 03/05/2024

Trade name: Bromine Titration Solvent

(Contd. of page 12)

*ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**NFPA: National Fire Protection Association (USA)**HMIS: Hazardous Materials Identification System (USA)**VOC: Volatile Organic Compounds (USA, EU)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**BEI: Biological Exposure Limit**Flammable Liquids 2: Flammable liquids – Category 2**Acute Toxicity - Oral 4: Acute toxicity – Category 4**Acute Toxicity - Dermal 3: Acute toxicity – Category 3**Skin Corrosion 1B: Skin corrosion/irritation – Category 1B**Eye Damage 1: Serious eye damage/eye irritation – Category 1**Sensitization - Skin 1: Skin sensitisation – Category 1**Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1**Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2*

US