



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: 8810			
SODIUM THIOSULFATE 0.1 NORMAL			
Test	Target/UOM	Range	Result
PREPARED TO FORMULATION ON FILE	YES		YES
Sample ID			
Tested 04/15/24			
Tester SHAR			
Recorded 04/15/24			
PH OF PRODUCT/SOLUTION	7.000 PH	6.000 - 12.500	10.190
Sample ID			
Tested 04/15/24			
Tester SHAR			
Recorded 04/15/24			
Actual Normality	0.1000 EQ/L	0.0995 - 0.1005	0.1000
Sample ID			
Tested 04/15/24			
Tester SHAR			
Recorded 04/15/24			
QCSP10:STANDARDIZATION OF SODIUM THIOSUL	YES QCSP10		YES
Sample ID			
Tested 04/15/24			
Tester SHAR			
Recorded 04/15/24			
QCSP35:STANDARDIZATION OF SODIUM THIOSUL	YES QCSP35		YES
Sample ID			
Tested 04/15/24			
Tester SHAR			
Recorded 04/15/24			
APPEARANCE AND COLOR	CLEAR WATER WHITE LIQUID APPEARANCE		PASS
Sample ID			
Tested 04/15/24			
Tester SHAR			
Recorded 04/15/24			
INSTRUMENTS USED DURING PREPARATION	INSTRUMENT		M87,M112,T57,M55
Sample ID			
Tested 04/15/24			
Tester SHAR			
Recorded 04/15/24			
DATE OF PREPARATION	MM/DD/YYYY		04/12/2024
Sample ID			
Tested 04/15/24			
Tester SHAR			
Recorded 04/15/24			



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

EXPIRATION DATE	MM/DD/YY		10/30/24
	MM/DD/YYYY		
Sample ID			
Tested	04/15/24		
Tester	SHAR		
Recorded	04/15/24		
SHELF LIFE	6 MONTHS		6 MONTHS
	TIME		
Sample ID			
Tested	04/15/24		
Tester	SHAR		
Recorded	04/15/24		
TRACEABLE TO NIST SRM 136	YES		YES
	YES		
Sample ID			
Tested	04/15/24		
Tester	SHAR		
Recorded	04/15/24		
Actual Density	1.01127	1.01080 - 1.01173	1.01147
	GM/ML		
Sample ID			
Tested	04/15/24		
Tester	SHAR		
Recorded	04/15/24		
Lot #	4041133		
Made	04/15/24		

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.


Quality Manager