



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> SPE949F			
POTASSIUM HYDROXIDE 4.65 ± 0.015 NORMAL (1L)			
Test	Target/UOM	Range	Result
<b>FORMULATION INCLUDES ULTRA PURE WATER</b>	YES		YES
Sample ID			
Tested 04/19/24			
Tester SHAR			
Recorded 04/19/24			
<b>SAMPLE COLLECTION &amp; HANDLING PER LAB040</b>	YES		YES
Sample ID			
Tested 04/19/24			
Tester SHAR			
Recorded 04/19/24			
<b>DATE OF SAMPLING FOR TEST PURPOSES</b>	MM/DD/YYYY		04/19/2024
Sample ID			
Tested 04/19/24			
Tester SHAR			
Recorded 04/19/24			
<b>AMBIENT TEMPERATURE DURING SAMPLING DEGC</b>	25.0	10.0 - 35.0	21.0
Sample ID			
Tested 04/19/24			
Tester SHAR			
Recorded 04/19/24			
<b>DATE OF TESTING OF SAMPLE</b>	MM/DD/YYYY		04/19/2024
Sample ID			
Tested 04/19/24			
Tester SHAR			
Recorded 04/19/24			
<b>AMBIENT TEST TEMPERATURE DEGC</b>	20.0	15.0 - 30.0	21.0
Sample ID			
Tested 04/19/24			
Tester SHAR			
Recorded 04/19/24			
<b>APPEARANCE AND COLOR</b>	CLEAR WATER WHITE LIQUID APPEARANCE		PASS
Sample ID			
Tested 04/19/24			
Tester SHAR			
Recorded 04/19/24			
<b>INSTRUMENTS USED DURING PREPARATION</b>	INSTRUMENT		M113,T146,M55
Sample ID			
Tested 04/19/24			
Tester SHAR			
Recorded 04/19/24			



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**

**Certificate of Analysis / QC Results**

Customer PO # :

<b>NORMALITY TO 4 DEC PLACES</b>	4.6500	4.6350 - 4.6650	4.6463
	EQUIV/LITER		
Sample ID			
Tested	04/19/24		
Tester	SHAR		
Recorded	04/19/24		
<b>Actual Density</b>	1.20320	1.20182 - 1.20459	1.20326
	GM/ML		
Sample ID			
Tested	04/19/24		
Tester	SHAR		
Recorded	04/19/24		
<b>N.I.S.T. Traceable to SRM 84</b>	YES		YES
	YES		
Sample ID			
Tested	04/19/24		
Tester	SHAR		
Recorded	04/19/24		
<b>EXPIRATION DATE</b>	MM/DD/YY		04/30/26
	MM/DD/YYYY		
Sample ID			
Tested	04/19/24		
Tester	SHAR		
Recorded	04/19/24		
<b>ULTRA PURE WATER USED IN PREP</b>	YES		YES
	YES		
Sample ID			
Tested	04/19/24		
Tester	SHAR		
Recorded	04/19/24		
<b>SHELF LIFE OF PRODUCT</b>	2 YEARS		2 YEARS
	TIME		
Sample ID			
Tested	04/19/24		
Tester	SHAR		
Recorded	04/19/24		
<b>Lot #</b>	4041751		
<b>Made</b>	04/19/24		

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 3

Date: 04/19/24 at 11:11 AM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

**Quality Manager**