



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

Test	Target/UOM	Range	Result
<b>Packaged Product:</b> 9762-4L			
	WATER DEIONIZED MEETS ASTM TYPE I SPECIFICATIONS (4L)		
<b>PREPARED TO FORMULATION ON FILE</b>	YES		YES
Sample ID			
Tested 04/16/24			
Tester TBUR			
Recorded 04/16/24			
<b>MEETS ASTM TYPE I SPECIFICATIONS</b>	YES		YES
Sample ID			
Tested 04/16/24			
Tester TBUR			
Recorded 04/16/24			
<b>RESISTIVITY 18 MEG-OHM AT TIME OF PACKAG</b>	> 18 MEG		>18 MEG
Sample ID	PASS		
Tested 04/16/24			
Tester TBUR			
Recorded 04/16/24			
<b>FILTERED THROUGH A 0.2 UM FILTER</b>	YES		YES
Sample ID	YES		
Tested 04/16/24			
Tester TBUR			
Recorded 04/16/24			
<b>TOC &lt; 50 PPB</b>	<50 PPB		<50 PPB
Sample ID	PPB		
Tested 04/16/24			
Tester TBUR			
Recorded 04/16/24			
<b>SODIUM &lt; 1 PPB</b>	< 1 PPB		<1 PPB
Sample ID	PPB		
Tested 04/16/24			
Tester TBUR			
Recorded 04/16/24			
<b>CHLORIDE &lt; 1 PPB</b>	< 1 PPB		<1 PPB
Sample ID	PPB		
Tested 04/16/24			
Tester TBUR			
Recorded 04/16/24			
<b>SILICA &lt; 3 PPB</b>	< 3 PPB		<3 PPB
Sample ID	PPB		
Tested 04/16/24			
Tester TBUR			
Recorded 04/16/24			



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>HEAVY METALS AS LEAD</b>	< 10 PPB PPM	<10 PPB
Sample ID		
Tested 04/16/24		
Tester TBUR		
Recorded 04/16/24		
<b>PPM NO3</b>	< 0.4 PPM PPM	<0.4 PPM
Sample ID		
Tested 04/16/24		
Tester TBUR		
Recorded 04/16/24		
<b>PPM PHOSPHATE (PO4)</b>	< 1.0 PPM PPM	<1.0 PPM
Sample ID		
Tested 04/16/24		
Tester TBUR		
Recorded 04/16/24		
<b>PPM SULFATE (SO4)</b>	< 1.0 PPM PPM	<1.0 PPM
Sample ID		
Tested 04/16/24		
Tester TBUR		
Recorded 04/16/24		
<b>ARSENIC &lt;1 PPB</b>	< 1 PPB <1 PPB	<1 PPB
Sample ID		
Tested 04/16/24		
Tester TBUR		
Recorded 04/16/24		
<b>CADMIUM &lt; 1 PPB</b>	< 1 PPB PPB	<1 PPB
Sample ID		
Tested 04/16/24		
Tester TBUR		
Recorded 04/16/24		
<b>LEAD &lt; 1 PPB</b>	< 1 PPB PPB	<1 PPB
Sample ID		
Tested 04/16/24		
Tester TBUR		
Recorded 04/16/24		
<b>NICKEL &lt; 1 PPB</b>	< 1 PPB PPB	<1 PPB
Sample ID		
Tested 04/16/24		
Tester TBUR		
Recorded 04/16/24		



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**

**Certificate of Analysis / QC Results**

Customer PO # :

<b>CHROMIUM &lt; 5 PPB</b>	< 5 PPB PPB	<5 PPB
Sample ID		
Tested	04/16/24	
Tester	TBUR	
Recorded	04/16/24	
<b>COPPER &lt; 5 PPB</b>	< 5 PPB PPB	<5 PPB
Sample ID		
Tested	04/16/24	
Tester	TBUR	
Recorded	04/16/24	
<b>SILVER &lt; 0.2 PPB</b>	< 0.2 PPB PPB	<0.2 PPB
Sample ID		
Tested	04/16/24	
Tester	TBUR	
Recorded	04/16/24	
<b>MERCURY &lt; 0.2 PPB</b>	< 0.2 PPB PPB	<0.2 PPB
Sample ID		
Tested	04/16/24	
Tester	TBUR	
Recorded	04/16/24	
<b>MEETS ACS SPECIFICATIONS</b>	YES ACS SPECS	YES
Sample ID		
Tested	04/16/24	
Tester	TBUR	
Recorded	04/16/24	
<b>EXPIRATION DATE</b>	MM/DD/YY MM/DD/YYYY	03/30/2025
Sample ID		
Tested	04/16/24	
Tester	TBUR	
Recorded	04/16/24	
<b>SHELF LIFE OF PRODUCT</b>	SHELF LIFE TIME	1 YEAR
Sample ID		
Tested	04/16/24	
Tester	TBUR	
Recorded	04/16/24	

**Lot #** 4030677

**Made** 03/11/24



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 4

Date: 04/16/24 at 2:09 PM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

**Quality Manager**