



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: ANI010F			
Anion Mix 1,000 ppm Cl, NO3, PO4, SO4, Br, I			
Test	Target/UOM	Range	Result
PREPARED TO FORMULATION ON	YES		YES
FILE	YES		
Sample ID			
Tested 04/23/24			
Tester AROS			
Recorded 04/23/24			
APPEARANCE AND COLOR	CLEAR WATER WHITE APPEARANCE		PASS
Sample ID			
Tested 04/23/24			
Tester AROS			
Recorded 04/23/24			
INSTRUMENTS USED DURING PREPARATION	INSTRUMENT		M108,VF1-Z25
Sample ID			
Tested 04/23/24			
Tester AROS			
Recorded 04/23/24			
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY		10/30/24
Sample ID			
Tested 04/23/24			
Tester AROS			
Recorded 04/23/24			
PPM SODIUM CHLORIDE	1000.0 PPM	995.0 - 1005.0	1000.0
Sample ID			
Tested 04/23/24			
Tester AROS			
Recorded 04/23/24			
PPM POTASSIUM NITRATE 1 DECIAML PLACE	1000.0 PPM	995.0 - 1005.0	999.8
Sample ID			
Tested 04/23/24			
Tester AROS			
Recorded 04/23/24			
PPM SODIUM PHOSPHATE DIABASIC ANHYDROUS	1000.0 PPM	995.0 - 1005.0	1000.0
Sample ID			
Tested 04/23/24			
Tester AROS			
Recorded 04/23/24			
PPM SODIUM SULFATE	1000.0 PPM	995.0 - 1005.0	1000.4
Sample ID			
Tested 04/23/24			
Tester AROS			
Recorded 04/23/24			



Aqua Solutions, Inc.
 Ph: 281-479-2569
 Fax: 281-479-2790
 P.O. Box 70
 Deer Park, TX 77536
 Website: www.aquasolutions.org

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

PPM SODIUM BROMIDE	1000.0	995.0 - 1005.0	999.9
	PPM		
Sample ID			
Tested	04/23/24		
Tester	AROS		
Recorded	04/23/24		
PPM SODIUM IODIDE TO 1 DECIMAL PLACE	1000.0	995.0 - 1005.0	1000.0
	PPM		
Sample ID			
Tested	04/23/24		
Tester	AROS		
Recorded	04/23/24		
Lot #	4042330		
Made	04/23/24		

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

Quality Manager