



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: SPX031			
SODIUM ACETATE, TRIHYDRATE ACS (500G) (SPECIAL) (1.06267.0500)			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	99.0-101.0%		100.1%
	%		
Sample ID			
Tested	01/18/24		
Tester	TBUR		
Recorded	01/18/24		
Insoluble matter	<= 0.005%		<0.005%
	%		
Sample ID			
Tested	01/18/24		
Tester	TBUR		
Recorded	01/18/24		
PH OF A 5% SOLUTION	7.5-9.0		8.7
	PH		
Sample ID			
Tested	01/18/24		
Tester	TBUR		
Recorded	01/18/24		
CHLORIDE CONTENT	<= 0.0005%		<0.0005%
	PPM		
Sample ID			
Tested	01/18/24		
Tester	TBUR		
Recorded	01/18/24		
PHOSPHATE CONTENT	<= 0.0002%		<0.0002%
	PPM		
Sample ID			
Tested	01/18/24		
Tester	TBUR		
Recorded	01/18/24		
SULFATE (SO4) CONTENT	<= 0.002%		<0.002%
	MAX 60 MG/KG		
Sample ID			
Tested	01/18/24		
Tester	TBUR		
Recorded	01/18/24		
HEAVY METALS (AS LEAD)	<= 0.0005%		<0.0005%
	PPM		
Sample ID			
Tested	01/18/24		
Tester	TBUR		
Recorded	01/18/24		
CALCIUM CONTENT	<= 0.001%		<0.001%
	PPM		
Sample ID			
Tested	01/18/24		
Tester	TBUR		
Recorded	01/18/24		



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

IRON	<= 0.0005% PPM	<0.0005%
Sample ID		
Tested	01/18/24	
Tester	TBUR	
Recorded	01/18/24	
POTASSIUM CONTENT	<= 0.005% PPM	<0.005%
Sample ID		
Tested	01/18/24	
Tester	TBUR	
Recorded	01/18/24	
MAGNESIUM (MG) CONTENT	<= 0.0005% PPM	<0.0005%
Sample ID		
Tested	01/18/24	
Tester	TBUR	
Recorded	01/18/24	
SUBSTANCES REDUCING PERMANGANATE	PASSES TEST PASS	PASSES TEST
Sample ID		
Tested	01/18/24	
Tester	TBUR	
Recorded	01/18/24	
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY	10/31/2024
Sample ID		
Tested	01/18/24	
Tester	TBUR	
Recorded	01/18/24	
MANUFACTURE DATE	MM/DD/YY MM/DD/YYYY	11/09/2022
Sample ID		
Tested	01/18/24	
Tester	TBUR	
Recorded	01/18/24	
SHELF LIFE OF PRODUCT	2 YEARS TIME	2 YEARS
Sample ID		
Tested	01/18/24	
Tester	TBUR	
Recorded	01/18/24	

Lot # 400227
Made 01/02/24



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 3

Date: 01/18/24 at 3:09 PM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager