



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Test	Target/UOM	Range	Result
Packaged Product: C0630			
	CALCIUM CHLORIDE DIHYDRATE PWDR ACS		
ASSAY OF MATERIAL	99.0 - 105.0%		101.24%
	%		
Sample ID			
Tested	04/15/24		
Tester	TBUR		
Recorded	04/15/24		
PH OF A 5% SOLUTION	4.5 - 8.5 AT 25 DEG C		5.56
	PH		
Sample ID			
Tested	04/15/24		
Tester	TBUR		
Recorded	04/15/24		
INSOLUBLE MATTER	MAX 0.01%		0.0040%
	%		
Sample ID			
Tested	04/15/24		
Tester	TBUR		
Recorded	04/15/24		
OXIDIZING SUBSTANCES	MAX 0.03%		<0.003%
Sample ID			
Tested	04/15/24		
Tester	TBUR		
Recorded	04/15/24		
SULFATE (SO4) CONTENT	MAX 0.01%		<0.01%
	MAX 60 MG/KG		
Sample ID			
Tested	04/15/24		
Tester	TBUR		
Recorded	04/15/24		
Ammonium (NH4)	MAX 0.005%		<0.005%
	NH4		
Sample ID			
Tested	04/15/24		
Tester	TBUR		
Recorded	04/15/24		
BARIUM	MAX 0.005%		<0.005%
	BARIUM		
Sample ID			
Tested	04/15/24		
Tester	TBUR		
Recorded	04/15/24		
IRON	MAX 0.001%		<0.001%
	PPM		
Sample ID			
Tested	04/15/24		
Tester	TBUR		
Recorded	04/15/24		



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

MAGNESIUM (MG) CONTENT	MAX 0.005% PPM	<0.005%
Sample ID		
Tested	04/15/24	
Tester	TBUR	
Recorded	04/15/24	
POTASSIUM CONTENT	MAX 0.01% PPM	<0.01%
Sample ID		
Tested	04/15/24	
Tester	TBUR	
Recorded	04/15/24	
SODIUM CONTENT	MAX 0.02% %	<0.02%
Sample ID		
Tested	04/15/24	
Tester	TBUR	
Recorded	04/15/24	
STRONTIUM CONTENT	MAX 0.1% %	<0.1%
Sample ID		
Tested	04/15/24	
Tester	TBUR	
Recorded	04/15/24	
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY	07/17/2026
Sample ID		
Tested	04/15/24	
Tester	TBUR	
Recorded	04/15/24	
MANUFACTURE DATE	MM/DD/YY MM/DD/YYYY	07/18/2023
Sample ID		
Tested	04/15/24	
Tester	TBUR	
Recorded	04/15/24	
SHELF LIFE OF PRODUCT	SHELF LIFE TIME	3 YEARS
Sample ID		
Tested	04/15/24	
Tester	TBUR	
Recorded	04/15/24	

Lot # 410207

Made 04/11/24



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 3

Date: 04/15/24 at 1:20 PM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager