



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: P4716			
POTASSIUM IODIDE REAGENT ACS GRANULAR			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	> = 99.0%		100.0%
	%		
Sample ID			
Tested	04/28/23		
Tester	TBUR		
Recorded	04/28/23		
PH OF A 5% SOLUTION	8.000	6.000 - 9.200	6.300
	PH		
Sample ID			
Tested	04/28/23		
Tester	TBUR		
Recorded	04/28/23		
INSOLUBLE MATTER	MAX 0.005%		0.003%
	%		
Sample ID			
Tested	04/28/23		
Tester	TBUR		
Recorded	04/28/23		
CHLORIDE AND BROMIDE	MAX 0.01%		<0.01%
	CHLOR/BROM		
Sample ID			
Tested	04/28/23		
Tester	TBUR		
Recorded	04/28/23		
IODATE (IO3)	MAX 3 PPM		<0.5 PPM
	PPM		
Sample ID			
Tested	04/28/23		
Tester	TBUR		
Recorded	04/28/23		
PHOSPHATE (PO4) PERCENT	MAX 0.001%		PASSES TEST
	%		
Sample ID			
Tested	04/28/23		
Tester	TBUR		
Recorded	04/28/23		
SULFATE % (SO4)	MAX 0.005%		<0.005%
	%		
Sample ID			
Tested	04/28/23		
Tester	TBUR		
Recorded	04/28/23		
PERCENT BARIUM	MAX 0.002%		<0.002%
	%		
Sample ID			
Tested	04/28/23		
Tester	TBUR		
Recorded	04/28/23		



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

PPM HEAVY METALS (AS PB)	MAX 5 PPM PPM	PASSES TEST
Sample ID		
Tested	04/28/23	
Tester	TBUR	
Recorded	04/28/23	
IRON	MAX 3 PPM PPM	PASSES TEST
Sample ID		
Tested	04/28/23	
Tester	TBUR	
Recorded	04/28/23	
SODIUM CONTENT	MAX 0.005% %	0.001%
Sample ID		
Tested	04/28/23	
Tester	TBUR	
Recorded	04/28/23	
LOSS ON DRYING	MAX 0.2% %	<0.1%
Sample ID		
Tested	04/28/23	
Tester	TBUR	
Recorded	04/28/23	
MANUFACTURE DATE	MM/DD/YY MM/DD/YYYY	12/01/22
Sample ID		
Tested	04/28/23	
Tester	TBUR	
Recorded	04/28/23	
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY	12/31/25
Sample ID		
Tested	04/28/23	
Tester	TBUR	
Recorded	04/28/23	
SHELF LIFE OF PRODUCT	SHELF LIFE TIME	3 YEARS
Sample ID		
Tested	04/28/23	
Tester	TBUR	
Recorded	04/28/23	

Lot # 311705

Made 04/27/23



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 3

Date: 04/28/23 at 2:10 PM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager