



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: A4305			
AMMONIUM ACETATE REAGENT ACS CRYST			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>= 97%		97.18%
	%		
Sample ID			
Tested	10/31/23		
Tester	TBUR		
Recorded	10/31/23		
PH OF A 5% SOLUTION	6.7 - 7.3 DEG C		6.85
	PH		
Sample ID			
Tested	10/31/23		
Tester	TBUR		
Recorded	10/31/23		
INSOLUBLE MATTER	MAX 0.005%		0.003%
	%		
Sample ID			
Tested	10/31/23		
Tester	TBUR		
Recorded	10/31/23		
RESIDUE AFTER IGNITION	MAX 0.01%		0.007%
	%		
Sample ID			
Tested	10/31/23		
Tester	TBUR		
Recorded	10/31/23		
CHLORIDE CONTENT	MAX PPM 5		<5 PPM
	PPM		
Sample ID			
Tested	10/31/23		
Tester	TBUR		
Recorded	10/31/23		
NITRATE (NO3) CONTENT	MAX 0.001%		<0.001%
	PPM		
Sample ID			
Tested	10/31/23		
Tester	TBUR		
Recorded	10/31/23		
SULFATE (SO4) CONTENT	MAX 0.001%		<0.001%
	MAX 60 MG/KG		
Sample ID			
Tested	10/31/23		
Tester	TBUR		
Recorded	10/31/23		
HEAVY METAL (AS PB)	MAX PPM 5		<5 PPM
	PPM		
Sample ID			
Tested	10/31/23		
Tester	TBUR		
Recorded	10/31/23		



Aqua Solutions, Inc.
 Ph: 281-479-2569
 Fax: 281-479-2790
 P.O. Box 70
 Deer Park, TX 77536
 Website: www.aquasolutions.org

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

IRON	MAX PPM 5 PPM	<5 PPM
Sample ID		
Tested	10/31/23	
Tester	TBUR	
Recorded	10/31/23	
MANUFACTURE DATE	MM/DD/YY MM/DD/YYYY	07/26/2022
Sample ID		
Tested	10/31/23	
Tester	TBUR	
Recorded	10/31/23	
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY	07/25/2025
Sample ID		
Tested	10/31/23	
Tester	TBUR	
Recorded	10/31/23	
SHELF LIFE OF PRODUCT	3 YEARS TIME	3 YEARS
Sample ID		
Tested	10/31/23	
Tester	TBUR	
Recorded	10/31/23	
Lot #	330302	
Made	10/30/23	

Quality Manager