



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: D4645			
DICHLOROMETHANE ULTRA RESI-ANALYZED			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	MIN 99.8%		99.9%
	%		
Sample ID			
Tested	05/11/23		
Tester	TBUR		
Recorded	05/11/23		
COLOR	MAX 10 APHA		5 APHA
	PT-CO		
Sample ID			
Tested	05/11/23		
Tester	TBUR		
Recorded	05/11/23		
TITRABLE ACID	MAX 0.3 UEQ/G		<0.1 UEQ/G
	T ACID		
Sample ID			
Tested	05/11/23		
Tester	TBUR		
Recorded	05/11/23		
CHLORIDE CONTENT	MAX 10 PPM		5 PPM
	PPM		
Sample ID			
Tested	05/11/23		
Tester	TBUR		
Recorded	05/11/23		
WATER CONTENT	MAX 0.02%		<0.01%
	%		
Sample ID			
Tested	05/11/23		
Tester	TBUR		
Recorded	05/11/23		
RESIDUE AFTER EVAPORATION	MAX 1 PPM		0.1 PPM
	RESEVAP		
Sample ID			
Tested	05/11/23		
Tester	TBUR		
Recorded	05/11/23		
FID-SENSITIVE IMPURITIES (AS 2-OCTANOL)	MAX 5 NG/ML		<1 NG/ML
	NG/ML		
Sample ID			
Tested	05/11/23		
Tester	TBUR		
Recorded	05/11/23		
ECD SENSITIVE IMPURITIES	MAX 10 PG/ML		10 PG/ML
	PG/ML		
Sample ID			
Tested	05/11/23		
Tester	TBUR		
Recorded	05/11/23		



Aqua Solutions, Inc.
 Ph: 281-479-2569
 Fax: 281-479-2790
 P.O. Box 70
 Deer Park, TX 77536
 Website: www.aquasolutions.org

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

MANUFACTURE DATE	MM/DD/YY	10/24/22
	MM/DD/YYYY	
Sample ID		
Tested	05/11/23	
Tester	TBUR	
Recorded	05/11/23	
EXPIRATION DATE	MM/DD/YY	01/23/24
	MM/DD/YYYY	
Sample ID		
Tested	05/11/23	
Tester	TBUR	
Recorded	05/11/23	
Lot #	311801	
Made	04/28/23	

Quality Manager