

Page: 1

Date: 07/11/23 at 9:41 AM

Aqua Solutions, Inc. 6913 Highway 225 Deer Park, TX, 77536 281/479-2569

Certificate of Analysis / QC Results

Customer PO #:

		Guston	iei i O # .	
Packaged Produc				
	DIISOPRO	PYLAMINE 99.5% (319LBS	/DRUM)	
Test		Target/UOM	Range	Result
PURITY, WT%		>/= 99.5%		99.91%
_	_	% W/W		
Sample II				
Tested	07/11/23			
Tester	TBUR			
Recorded	07/11/23	0.40/		0.010%
WATER CONTENT		<0.1% %		0.010%
Comple II	`	76		
Sample II Tested	07/11/23			
Tester	TBUR			
Recorded				
COLOR	07/11/20	= 15</td <td></td> <td>4 APHA</td>		4 APHA
		PT-CO		. 7M 11/3
Sample II)	22		
Tested	07/11/23			
Tester	TBUR			
Recorded				
MONOETHANOLAMIN		= 0.1%</td <td></td> <td><0.0030%</td>		<0.0030%
		%		
Sample II)			
Tested	07/11/23			
Tester	TBUR			
Recorded	07/11/23			
N-ISOPROPYLIDENE-	ISOPROPYLA	=0.1%</td <td></td> <td>0.0150%</td>		0.0150%
MINE		%		
Sample II)			
Tested	07/11/23			
Tester	TBUR			
Recorded	07/11/23			
ACETONE %		=0.10%</td <td></td> <td><0.0030%</td>		<0.0030%
		%		
Sample II				
Tested	07/11/23			
Tester	TBUR			
Recorded	07/11/23	-/ 0.29/ MT		-0.0000v
ISOPROPANOL		=0.2% WT<br %		<0.0030%
Camania II	`	70		
Sample II Tested				
Tested	07/11/23 TBUR			
rester Recorded				
FREE FROM SUSPEN		OK		OK
		PASS		J.C
Sample II)			
Tested	07/11/23			
Tester	TBUR			
Recorded				
	-			

Page: 2

Date: 07/11/23 at 9:41 AM

Aqua Solutions, Inc. 6913 Highway 225 Deer Park, TX, 77536 281/479-2569 Certificate of Analysis / QC Results

Customer PO #:

Lot # 317818 Made 06/27/23

Quality Manager