



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> D4653			
DICHLOROMETHANE REAGENT A.C.S.			
Test	Target/UOM	Range	Result
<b>ASSAY OF MATERIAL</b>	>= 99.5%		99.95%
	%		
Sample ID			
Tested	01/19/24		
Tester	TBUR		
Recorded	01/19/24		
<b>TITRABLE ACID</b>	MAX 0.0003 MEQ/G		0.00014 MEQ/G
	T ACID		
Sample ID			
Tested	01/19/24		
Tester	TBUR		
Recorded	01/19/24		
<b>FREE HALOGENS</b>	PASSES TEST		PASSES TEST
	FREE		
Sample ID			
Tested	01/19/24		
Tester	TBUR		
Recorded	01/19/24		
<b>WATER CONTENT</b>	MAX 0.02%		0.0014%
	%		
Sample ID			
Tested	01/19/24		
Tester	TBUR		
Recorded	01/19/24		
<b>COLOR</b>	MAX 10 APHA		<10 APHA
	PT-CO		
Sample ID			
Tested	01/19/24		
Tester	TBUR		
Recorded	01/19/24		
<b>RESIDUE AFTER EVAPORATION</b>	MAX 0.002%		<0.0002%
Sample ID			
Tested	01/19/24		
Tester	TBUR		
Recorded	01/19/24		
<b>DATE OF MANUFACTURE</b>	DD/MM/YYYY		10/11/2023
Sample ID			
Tested	01/19/24		
Tester	TBUR		
Recorded	01/19/24		
<b>Lot #</b>	400211		
<b>Made</b>	01/02/24		



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 2

Date: 01/19/24 at 3:17 PM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

**Quality Manager**