



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

Packaged Product:		I7600	
		ISOPROPYL ALCOHOL REAGENT ACS	
Test	Target/UOM	Range	Result
<b>ACETONE %</b>	<=0.002 %		0.0003%
Sample ID			
Tested	03/02/23		
Tester	TBUR		
Recorded	03/02/23		
<b>ASSAY OF MATERIAL</b>	>= 99.5% %		99.9%
Sample ID			
Tested	03/02/23		
Tester	TBUR		
Recorded	03/02/23		
<b>COLOR</b>	MAX 10 APHA PT-CO		<5 APHA
Sample ID			
Tested	03/02/23		
Tester	TBUR		
Recorded	03/02/23		
<b>SOLUBILITY</b>	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested	03/02/23		
Tester	TBUR		
Recorded	03/02/23		
<b>WATER CONTENT</b>	MAX 0.2% %		0.014%
Sample ID			
Tested	03/02/23		
Tester	TBUR		
Recorded	03/02/23		
<b>RESIDUE AFTER EVAPORATION</b>	< = 0.001%		0
Sample ID			
Tested	03/02/23		
Tester	TBUR		
Recorded	03/02/23		
<b>TITRABLE ACID</b>	MAX 0.0001 MEQ/G T ACID		0.000038 MEQ/G
Sample ID			
Tested	03/02/23		
Tester	TBUR		
Recorded	03/02/23		
<b>TITRABLE BASE</b>	MAX 0.0001 MEQ/G T BASE		0.000038 MEQ/G
Sample ID			
Tested	03/02/23		
Tester	TBUR		
Recorded	03/02/23		



Aqua Solutions, Inc.  
 Ph: 281-479-2569  
 Fax: 281-479-2790  
 P.O. Box 70  
 Deer Park, TX 77536  
 Website: [www.aquasolutions.org](http://www.aquasolutions.org)

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**

**Certificate of Analysis / QC Results**

Customer PO # :

<b>EXPIRATION DATE</b>	MM/DD/YY MM/DD/YYYY	06/30/27
Sample ID		
Tested	03/02/23	
Tester	TBUR	
Recorded	03/02/23	
<b>SHELF LIFE OF PRODUCT</b>	SHELF LIFE TIME	5 YEARS
Sample ID		
Tested	03/02/23	
Tester	TBUR	
Recorded	03/02/23	
<b>MANUFACTURE DATE</b>	MM/DD/YY MM/DD/YYYY	06/21/22
Sample ID		
Tested	03/02/23	
Tester	TBUR	
Recorded	03/02/23	
<b>Lot #</b>	306003	
<b>Made</b>	03/01/23	

**Quality Manager**